#### FORM A: BID (See B7)

1.	Contract Title	PROVINCE OF MANITOBA/CITY OF WINNIPEG 2011 REGIONAL/RESIDENTIAL STREET RENEWAL PROGRAM, DUGALD ROAD WESTBOUND, ATWOOD STREET AND BLUE HERON CRESCENT – ASPHALT RESURFACING AND ASSOCIATED WORKS
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
	(Mailing address if different)	Facsimile Number
		Street or P.O. Box
		City Province Postal Code
	(Choose one)	The Bidder is:
		a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	DUGALD ROAD WESTBOUND from Plessi Rehabilitation	s Road to Maze	nod Roa	<u>ad -</u>		
	EARTH AND BASE WORKS					
٨.1	Excavation	CW 3110-R14	m³	10		
A.2	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm - Limestone		tonne	20		
3	Supplying and Placing Base Course Material		tonne	6300		
4	Grading of Boulevards	& E14 CW 3110-R14	m²	7600		
5	Ditch Grading	CW 3110-R14	m²	3500		
۸.6	Ditch Excavation	CW 3110-R14	m³	500		
7	Preparation of Existing Roadway	CW 3150-R4	m²	3100		
۸.8	Fill Material	CW 3170-R3				
i)	Supplying and Placing Imported Material		m³	700		
	ROADWORKS - REMOVALS/RENEWALS					
9	Pavement Removal	CW 3110-R14				
i)	Concrete Pavement		m²	310		
10	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type D)		m²	260		
.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	275		
12	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	15		
ii)	200 mm Concrete Pavement (Type B)		m²	350		
iii)	200 mm Concrete Pavement (Type C)		m²	20		
iv)	200 mm Concrete Pavement (Type D)		m²	280		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.13	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	900		
\.14	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	1500		
\.15	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	100 mm Sidewalk		m²	125		
ii)	Monolithic Curb and Sidewalk		m²	40		
\.16	Miscellaneous Concrete Slab Installation	CW 3235-R8				
i)	Median Slab	SD-227A	m²	500		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	215		
A.17	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	70		
b)	5 sq.m. to 20 sq.m.		m²	15		
ii)	Bullnose	SD-227C	m²	15		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	20		
٨.18	Removal of Precast Sidewalk Blocks	CW 3235-R8	m²	10		
A.19	Concrete Curb Removal	CW 3240-R8				
i)	Barrier (Separate)		m	1200		
٨.20	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	40		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		
iii)	Curb Ramp (10-15 mm reveal ht, Monolithic)	SD-229A,B,C	m	4		
iv)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A, E12	m	1100		
v)	Splash Strip (150 mm reveal ht, Monolithic Modified Barrier Curb, 750 mm width)	SD-223A, E12	m	10		

ITEN		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
A.21		Concrete Curb Renewal	REF. CW 3240-R8		QUANTITY		
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	10		
	b)	3 m to 30 m		m	125		
	c)	Greater than 30 m		m	250		
ii)		Barrier (150 mm reveal ht, Separate)	SD-203A				
	a)	Less than 3 m		m	20		
iii)		Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	20		
iv)		Curb Ramp (10-15 mm reveal ht, Monolithic)	SD-229C,D	m	75		
۸.22		Supply and Installation of Dowel Assemblies	CW 3310-R14	m	110		
۸.23		Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)		Main Line Paving					
	a)	Type IA		tonne	5200		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	450		
۸.24		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Asphalt)		m²	13500		
ii)		50 - 100 mm Depth (Asphalt)		m²	3000		
iii)		0 - 50 mm Depth (Concrete)		m²	100		
A.25		Detectable Warning Surface Tiles	E13	each	25		
		ROADWORKS - NEW CONSTRUCTION					
A.26		Concrete Pavements for Early Opening	CW 3310-R14				
i)		Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m²	150		
ii)		Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m²	400		
۸.27		100 mm Concrete Sidewalk	CW 3325-R3	m²	40		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
A.28	Longitudinal Joint & Crack Filling ( > 25 mm in width )	CW 3250-R7	m	1000		
A.29	Reflective Crack Maintenance	CW 3250-R7	m	3500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.30	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
.31	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
.32	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(450 mm, 16 gauge)		m	175		
ii)	(300 mm, 16 gauge)		m	30		
A.33	Corrugated Steel Pipe - Install	CW 3610-R3,				
i)	(450 mm, 16 gauge)	E19	m	175		
ii)	(300 mm, 16 gauge)		m	30		
\.34	Removal of Existing Culverts	E16				
i)	450 mm		m	150		
ii)	250 mm		m	10		
.35	Connections to Existing Culverts	CW 3610-R3	each	1		
36	Supply and Install Erosion Control Mats	E15	m²	5		

UNIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.37	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	10		
A.38	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2.5		
A.39	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
i)	51 mm		each	4		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
A.40	Adjustment of Valve Boxes	CW 3210-R7	each	15		
A.41	Valve Box Extensions	CW 3210-R7	each	5		
A.42	Supply of Curb Inlet Frames	CW 3210-R7	each	1		
A.43	Adjustment of Curb Inlet Frames	CW 3210-R7	each	1		
A.44	Replacing Existing Flat Top Reducer	CW 2110-R11	each	1		
A.45	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	5		
	LANDSCAPING					
A.46	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	100		
A.47	Salt Tolerant Grass Seeding	E11	m²	7500		
	MISCELLANEOUS					
A.48	Soft Excavation to Expose Underground Utilities	E17	hourly	15		
A.49	Culvert Cleaning	E18	m	500		
A.50	Catch Basin Cleaning	CW 2140-R3	each	7		
Α	DUGALD ROAD WESTBOUND from Pless Rehabilitation	is Road to Maze	enod Roa	<u>ad -</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	ATWOOD STREET from Cedar Grove Cres		a Avenu			
	EARTH AND BASE WORKS					
3.1	Excavation	CW 3110-R14	m³	50		
3.2	Supplying and Placing Base Course Material	CW 3110-R14	m³	50		
3.3	Grading of Boulevards	CW 3110-R14	m²	450		
	ROADWORKS - REMOVALS/RENEWALS					
3.4	Pavement Removal	CW 3110-R14				
i)	Concrete Pavement		m²	600		
3.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	420		
3.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	150 mm Concrete Pavement (Type B)		m²	100		
ii)	150 mm Concrete Pavement (Type C)		m²	20		
iii)	150 mm Concrete Pavement (Type D)		m²	200		
3.7	Partial Depth Planing of Existing Joints	E10	m²	300		
3.8	Asphalt Patching of Partial Depth Joints	E10	m²	300		
3.9	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	350		
3.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	650		
3.11	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
a	) Less than 5 sq.m.		m²	50		
b	5 sq.m. to 20 sq.m.		m²	120		
C	Greater than 20 sq.m.		m²	60		
3.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R8	m²	5		

UNIT PE							
ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13		Supply of Precast Sidewalk Blocks	CW 3235-R8	m²	5		
B.14		Removal of Precast Sidewalk Blocks	CW 3235-R8	m²	45		
B.15		Concrete Curb Removal	CW 3240-R8				
i)		Barrier (Separate)		m	110		
B.16		Concrete Curb Installation	CW 3240-R8				
i)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	110		
B.17		Concrete Curb Renewal	CW 3240-R8				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	<b>02 200</b>	m	10		
	b)	3 m to 30 m		m	40		
ii)		Barrier (150 mm reveal ht, Separate)	SD-203A				
	a)	Less than 3 m		m	30		
	b)	3 m to 30 m		m	75		
iii)		Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	35		
3.18		Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)		Main Line Paving					
	a)	Type IA		tonne	800		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	100		
		ROADWORKS - NEW CONSTRUCTION					
3.19		Concrete Pavements for Early Opening	CW 3310-R14				
i)		Construction of 150 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m²	600		
B.20		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)		Construction of Barrier (180 mm reveal ht, Separate)	SD-203A	m	100		
ii)		Construction of Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	55		
iii)		Construction of Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C	m	5		
3.21		100 mm Concrete Sidewalk	CW 3325-R3	m²	60		

#### FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
B.22	Reflective Crack Maintenance	CW 3250-R7	m	1000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.23	Catch Pit	CW 2130-R12				
i)	SD-023		each	3		
B.24	Drainage Connection Pipe	CW 2130-R12	m	9		
B.25	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
	ADJUSTMENTS					
B.26	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
B.27	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
B.28	Adjustment of Valve Boxes	CW 3210-R7	each	3		
B.29	Valve Box Extensions	CW 3210-R7	each	1		
B.30	Replacing Existing Flat Top Reducer	CW 2110-R11	each	1		
	LANDSCAPING					
B.31	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	100		
ii)	width > or = 600 mm		m²	350		
	MISCELLANEOUS					
B.32	Existing Manhole and Catch Basin Repairs	CW 2130-R12				
i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	1		
В	ATWOOD STREET from Cedar Grove Cres	cent to Pandor	a Avenu	e West -	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	BLUE HERON CRESCENT from Victoria A	am Avenue -				
	<u>Rehablitation</u>					
	EARTH AND BASE WORKS					
.1	Excavation	CW 3110-R14	m³	50		
5.2	Supplying and Placing Base Course Material	CW 3110-R14	m³	50		
.3	Grading of Boulevards	CW 3110-R14	m²	1320		
	ROADWORKS - REMOVALS/RENEWALS					
.4	Pavement Removal	CW 3110-R14				
i)	Concrete Pavement		m²	360		
5.5	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m²	500		
<b>2.6</b>	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m²	15		
ii)	150 mm Concrete Pavement (Type B)		m²	10		
iii)	150 mm Concrete Pavement (Type C)		m²	10		
iv)	150 mm Concrete Pavement (Type D)		m²	40		
2.7	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	120		
2.8	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	300		
.9	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	10		
b	5 sq.m. to 20 sq.m.		m²	30		
.10	Concrete Curb Removal	CW 3240-R8				
i)	Barrier (Separate)		m	50		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.11	Concrete Curb Installation	CW 3240-R8				
i)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	85		
ii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	30		
.12	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (75 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	0D-200A	m	5		
b)	3 m to 30 m		m	235		
ii)	Barrier (75 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	250		
iii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	14		
2.13	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	25		
:.14	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Туре ІА		tonne	650		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	100		
C.15	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m²	300		
	ROADWORKS - NEW CONSTRUCTION					
C.16	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	360		
	JOINT AND CRACK SEALING					
c.17	Reflective Crack Maintenance	CW 3250-R7	m	1200		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.18		Catch Basin	CW 2130-R12				
i)		SD-024, 1800 mm deep		each	1		
ii)		SD-025, 1800 mm deep		each	1		
C.19		Catch Pit	CW 2130-R12				
i)		SD-023		each	2		
C.20		Sewer Service	CW 2130-R12				
i)		250 mm, PVC					
i	a)	Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	15		
ii)		250 mm, PVC					
;	a)	In a Trench, Class B Bedding with sand, Class 3 Backfill		m	6		
iii)		300 mm, PVC					
i	a)	In a Trench, Class B Bedding with sand, Class 3 Backfill		m	8		
0.21		Drainage Connection Pipe	CW 2130-R12	m	10		
C.22		Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)		AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)		AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)		AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
iv)		AP-009 - Barrier Curb and Gutter Inlet Cover		each	4		
0.23		Connecting to Existing Catch Basin	CW 2130-R12				
i)		300 mm Drainage Connection Pipe		each	1		
0.24		Connecting to Existing Sewer	CW 2130-R12				
i)		300 mm (PVC) Connecting Pipe					
;	a)	Connecting to 375 mm (PVC) Land Drainage Sewer		each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	375 mm (PVC) Connecting Pipe					
a)	Connecting to 375 mm (Concrete) Land Drainage Sewer		each	1		
2.25	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	300 mm		each	1		
2.26	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
C.27	Manhole	CW 2130-R12				
i)	SD-010 (1200mm diameter base)		vert.m	2.9		
C.28	Land Drainage Sewer	CW 2130-R12				
i)	375mm PVC (0-3m deep)					
	a) Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	66		
C.29	Sewer Inspection	CW 2145-R3				
i)	375mm PVC Land Drainage Sewer		m	66		
C.30	Manhole Inspection	CW 2145-R3				
i)	SD-010		each	1		
	ADJUSTMENTS					
C.31	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
0.32	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	2		
iii)	64 mm		each	1		
iv)	76 mm		each	2		
C.33	Adjustment of Valve Boxes	CW 3210-R7	each	4		
0.34	Valve Box Extensions	CW 3210-R7	each	1		
C.35	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
.36	Supply of Curb Inlet Box Covers	CW 3210-R7	each	1		
.37	Supply of Curb Inlet Frames	CW 3210-R7	each	1		
.38	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
.39	Curb Stop Extensions	CW 3210-R7	each	1		
40	Replacing Existing Flat Top Reducer	CW 2110-R11	each	2		
	LANDSCAPING					
41	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	20		
ii)	width > or = 600 mm		m²	1300		
	MISCELLANEOUS					
42	Existing Manhole and Catch Basin Repairs	CW 2130-R12				
i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	1		
С	BLUE HERON CRESCENT from Victoria Av Rehablitation	venue East to C	Coldstrea	am Avenue -	Subtotal:	
	SUMMARY					
Α	DUGALD ROAD WESTBOUND from Plessi	s Road to Maze	nod Roa	ad -		
Α	Rehabilitation				Subtotal:	
В	ATWOOD STREET from Cedar Grove Cres Rehabilitation	cent to Pandor	a Avenu	e West -	Subtotal:	
	BLUE HERON CRESCENT from Victoria Av	venue East to C	oldstrea	ım Avenue -	Odbiotai.	
С	Rehablitation				Subtotal:	
OTAL BI	D PRICE (GST extra)		(	(in figures)		
n words)						

(Seal)

Template Version: C420110107 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### BID BOND

	RID ROND	
KNOW ALL MEN BY THESE PRESENTS T	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto <b>THE CITY OF WINNIPEG</b> cent (10%) of the Total Bid Price set out in the Bid ne Principal and Surety bind themselves, their heir netly and severally, firmly by these presents.	hereinafter
WHEREAS the Principal has submitted a Bi	id to the Obligee for	
BID OPPORTUNITY NO. 3-2011		
	NIPEG 2011 REGIONAL/RESIDENTIAL STREET R D, ATWOOD STREET AND BLUE HERON CRESO TED WORKS	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a Corperformance security for guaranteeing the faithful public there is shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:  (Witness as to Principal if no seal)	(Name of Principal)  Per:  Per:	(Seal)

(Name of Surety)

(Attorney-in-Fact)

By:

\_\_\_\_\_ (Seal)

Template Version: C420110107 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for **BID OPPORTUNITY NO. 3-2011** PROVINCE OF MANITOBA/CITY OF WINNIPEG 2011 REGIONAL/RESIDENTIAL STREET RENEWAL PROGRAM, DUGALD ROAD WESTBOUND, ATWOOD STREET AND BLUE HERON CRESCENT -ASPHALT RESURFACING AND ASSOCIATED WORKS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_\_, (Name of Surety)

By: (Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 3-2011
PROVINCE OF MANITOBA/CITY OF WINNIPEG 2011 REGIONAL/RESIDENTIAL STREET RENEWAL PROGRAM, DUGALD ROAD WESTBOUND, ATWOOD STREET AND BLUE HERON CRESCENT – ASPHALT RESURFACING AND ASSOCIATED WORKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)  WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 4, 2011.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)