FORM A: BID (See B7)

1.	Contract Title	2011 RENEWAL AND NEW CONSTRUCTION OF SIDEWALKS, INSTALLATION OF DETECTABLE WARNING SURFACE TILES AND ASSOCIATED WORKS
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
	(Mailing address if different)	Facsimile Number
		Street or P.O. Box
		City Province Postal Code
	(Choose one)	The Bidder is:
		a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

JNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Downtown Exchange District Sidewalk Renew	<u>val</u>				
	EARTH AND BASE WORKS					
٨.1	Supplying and Placing Base Course Material	CW 3110-R14	m³	50		
	ROADWORKS - RENEWALS					
٨.2	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	25		
ii)	15 M Deformed Tie Bar		each	50		
\ .3	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	Sidewalk		m²	1850		
ii)	Salvage Existing Paving Stones		m²	50		
A.4	Miscellaneous Concrete Slab Installation	CW 3235-R8				
i)	Monolithic Curb and 100mm Concrete Sidewalk with block-outs for Paving Stones	E11	m²	1875		
5 	Supply and Installation of Unit Pavers	CW 3330-R5				
i) A.6	Endicott Brick - Dark Ironspot Miscellaneous Concrete Slab Renewal	CW 3235-R8	m²	275		
i) a	150 mm Reinforced Sidewalk with block-outs for Paving Stones Less than 5 sq.m.		m²	5		
	5 sq.m. to 20 sq.m.		m²	20		
	Greater than 20 sq.m.		m²	21		
		0144 00 40 70	""	21		
A.7 	Concrete Curb Removal	CW 3240-R8				
i)	Barrier (150 mm ht, Separate)		m	550		
A.8	Concrete Curb Installation	CW 3240-R8				
i)	Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	60		
\. 9	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205, SD-206A				
а	Less than 3 m	05 200A	m	10		
b	3 m to 30 m		m	30		
ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	5		
iii)	Curb Ramp (10-15 mm ht, Integral)	SD-229C,D	m	110		

<u>UNIT PRIC</u>	<u></u>					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	50		
A.11	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Туре ІА		tonne	5		
A.12	Construction of Asphalt Patches	CW 3410-R8	m²	50		
A.13	Detectable Warning Surface Tiles	E9				
i)	610 mm X 1220 mm		each	8		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
۸.14	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
\.15	Drainage Connection Pipe	CW 2130-R12	m	3		
A.16	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
A.17	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
	ADJUSTMENTS					
A.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
A.19	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	1		
A.20	Adjustment of Valve Boxes	CW 3210-R7	each	10		
A.21	Valve Box Extensions	CW 3210-R7	each	5		
A.22	Adjustment of Curb Stop Boxes	CW 3210-R7	each	10		
A.23	Curb Stop Extensions	CW 3210-R7	each	5		
	MISCELLANEOUS					

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.24	Tree Well Concrete Curb	E10	m	225		
A.25	Supply and Install Cast Iron Tree Grate - ADA Compliant 400mm Diameter Tree Opening	E14	each	14		
A.26	Supply and Install Cast Iron Tree Grate - ADA Compliant 500mm Diameter Tree Opening	E14	each	8		
A.27	Supply and Install Cast Iron Tree Grate - ADA Compliant 600mm Diameter Tree Opening	E14	each	11		
A.28	Supply and Placement of Top Soil	CW 3540	m³	30		
A.29	Supply and Placement of Clean 20 mm Crushed Granite, Grey		m³	5		
Α	Downtown Exchange District Sidewalk Renewal				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	New Regional Sidewalk					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R14	m³	93		
B.2	Sub-Grade Compaction	CW 3110-R14	m²	620		
B.3 B.4	Supplying and Placing Base Course Material Grading of Boulevards	CW 3110-R14 CW 3110-R14	m³ m²	8 325		
	ROADWORKS - RENEWALS					
B.5	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	100 mm Sidewalk		m²	30		
B.6	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
а) Less than 5 sq.m.		m²	3		
b) 5 sq.m. to 20 sq.m.		m²	5		
c) Greater than 20 sq.m.		m²	80		
B.7	Concrete Curb Removal	CW 3240-R8				
i)	Barrier (150 mm ht, Separate)		m	320		
B.8	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205,				
а) Less than 3 m	SD-206A	m	3		
b) 3 m to 30 m		m	5		
ii)	Curb Ramp (10-15 mm ht, Integral)	SD-229C,D	m	13		
B.9	Detectable Warning Surface Tiles	E9				
i)	610 mm X 1220 mm		each	2		
	ROADWORKS - NEW CONSTRUCTION					
B.10	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Monolithic Curb and 100mm Concrete Sidewalk with block-outs for Paving Stones	E11	m²	620		
B.11 i)	Supply and Installation of Unit Pavers Barkman Holland - Charcoal	CW 3330-R5	m²	80		
,	ADJUSTMENTS					

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.12	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
	LANDSCAPING					
B.13	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	325		
B.14	Salt Tolerant Grass Seeding	E8	m²	10		
В	New Regional Sidewalk				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
С	Portage Avenue Detectable Warning Surface	Portage Avenue Detectable Warning Surface Tile Installations					
	EARTH AND BASE WORKS						
C.1	Supplying and Placing Base Course Material	CW 3110-R14	m³	5			
	ROADWORKS - RENEWALS						
C.2	Drilled Tie Bars	CW 3230-R6					
i)	20 M Deformed Tie Bar		each	30			
C.3	Miscellaneous Concrete Slab Removal	CW 3235-R8					
i)	Salvage Existing Paving Stones		m²	50			
C.4	Miscellaneous Concrete Slab Renewal	CW 3235-R8					
i)	100 mm Sidewalk	SD-228A					
;	a) Less than 5 sq.m.		m²	5			
1	b) 5 sq.m. to 20 sq.m.		m²	115			
	c) Greater than 20 sq.m.		m²	89			
C.5	Concrete Curb Renewal	CW 3240-R8					
i)	Barrier (150 mm ht, Dowelled)	SD-205, SD-206A					
;	a) Less than 3 m	3D-200A	m	25			
ii)	Curb Ramp (10-15 mm ht, Integral)	SD-229C,D	m	18			
C.6	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	30			
C.7	Detectable Warning Surface Tiles	E9					
i)	300 mm X 300 mm		each	18			
ii)	610 mm X 1220 mm		each	18			
	ADJUSTMENTS						
C.8	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	10			
C.9	Adjustment of Valve Boxes	CW 3210-R7	each	5			
С	Portage Avenue Detectable Warning Surface	Tile Installations			Subtotal:		

SUMMARY SUMMARY SUMMARY SUMMARY SUMMARY Subtotal: Su	•						
SUMMARY A Downtown Exchange District Sidewalk Renewal Subtotal: B New Regional Sidewalk Subtotal: C Portage Avenue Detectable Warning Surface Tile Installations Subtotal: TOTAL BID PRICE (GST extra) (in figures)	ITEM	DESCRIPTION		UNIT	_	UNIT PRICE	AMOUNT
A Downtown Exchange District Sidewalk Renewal B New Regional Sidewalk C Portage Avenue Detectable Warning Surface Tile Installations TOTAL BID PRICE (GST extra) (in figures)					<u> </u>	L	
B New Regional Sidewalk C Portage Avenue Detectable Warning Surface Tile Installations TOTAL BID PRICE (GST extra) (in figures)		SUMMARY					
C Portage Avenue Detectable Warning Surface Tile Installations TOTAL BID PRICE (GST extra) (in figures)	Α	Downtown Exchange District Sidewalk Renew	<u>ral</u>			Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)	В	New Regional Sidewalk				Subtotal:	
	C	Portage Avenue Detectable Warning Surface 1	<u>Γile Installations</u>			Subtotal:	
(in words)	TOTAL BIE	D PRICE (GST extra)		(in figu	res)		
	(in words)						

(Seal)

Template Version: C420110321 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

	BID BOND	
KNOW ALL MEN BY THESE PRESENTS T	HAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bine Principal and Surety bind themselves, their heir help and severally, firmly by these presents.	d hereinafte
WHEREAS the Principal has submitted a Bi	d to the Obligee for	
BID OPPORTUNITY NO. 375-2011		
2011 RENEWAL AND NEW CONSTRUCTI WARNING SURFACE TILES AND ASSOCI	ON OF SIDEWALKS, INSTALLATION OF DETEC ATED WORKS	TABLE
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

By:

(Attorney-in-Fact)

(Seal)

Template Version: C420110321 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 375-2011 2011 RENEWAL AND NEW CONSTRUCTION OF SIDEWALKS, INSTALLATION OF DETECTABLE WARNING SURFACE TILES AND ASSOCIATED WORKS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20_____. (Name of Surety)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 375-2011
2011 RENEWAL AND NEW CONSTRUCTION OF SIDEWALKS, INSTALLATION OF DETECTABLE WARNING SURFACE TILES AND ASSOCIATED WORKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 22, 2011

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)