FORM A: BID (See B7)

1.	Contract Title	CITY OF WINNIPEG 2011 INTERSECTION IMPROVEMENTS, SALTER STREET AT JEFFERSON AVENUE, STURGEON ROAD AT NESS AVENUE, VARIOUS OTHER LOCATIONS – GEOMETRIC IMPROVEMENTS, ASPHALT RESURFACING AND ASSOCIATED WORKS
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
	(Mailing address if different)	Facsimile Number
		Street or P.O. Box
		City Province Postal Code
	(Choose one)	The Bidder is:
		a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to representhe Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Forty-Five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES (SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Salter Street at Jefferson Avenue					
	EARTH AND BASE WORKS					
.1	Excavation	CW 3110-R14	m³	40		
.2	Sub-Grade Compaction	CW 3110-R14	m²	70		
.3	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm		tonne	50		
4 5	Supplying and Placing Base Course Material Grading of Boulevards	CW 3110-R14 CW 3110-R14	m³ m²	10 200		
.6	Separation Geotextile Fabric	CW 3130-R3	m²	70		
	ROADWORKS - RENEWALS					
.7	Pavement Removal	CW 3110-R14				
i)	Concrete Pavement		m²	200		
.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type B)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	10		
9	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	10		
iii)	150 mm Concrete Pavement (Type A)		m²	5		
iv)	150 mm Concrete Pavement (Type B)		m²	10		
.10	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	10		
.11	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	80		

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	Median Slab		m²	10		
ii)	100 mm Sidewalk		m²	95		
A.13	Miscellaneous Concrete Slab Installation	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A	m²	100		
A.14	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	40		
b	5 sq.m. to 20 sq.m.		m²	50		
c	Greater than 20 sq.m.		m²	100		
A.15	Concrete Curb Removal	CW 3240-R8				
i)	Curb Ramp		m	30		
A.16	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205	m	120		
ii)	Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	35		
iii)	Curb Ramp (10-15 mm ht, Integral)	SD-229A,B,C	m	30		
\.17	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205,				
а	3 m to 30 m	SD-206A	m	30		
ii)	Curb Ramp (10-15 mm ht, Integral)	SD-229C,D	m	30		
A.18	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
а	Type IA		tonne	350		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	80		

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.19	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	300		
ii)	50 - 100 mm Depth (Asphalt)		m²	1500		
iii)	0 - 50 mm Depth (Concrete)		m²	50		
A.20	Detectable Warning Surface Tiles	E9				
ii)	610 mm X 1220 mm		each	8		
	ROADWORKS - NEW CONSTRUCTION					
A.21	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening (72 hour) (Reinforced)		m²	45		
	JOINT AND CRACK SEALING					
A.22	Reflective Crack Maintenance	CW 3250-R7	m	400		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.23	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
A.24	Drainage Connection Pipe	CW 2130-R12	m	4		
A.25	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
4.26	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
4.27	Catch Basin Cleaning	CW 2140-R3	each	4		

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.29	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
ii)	76 mm		each	1		
A.30	Adjustment of Valve Boxes	CW 3210-R7	each	2		
A.31	Valve Box Extensions	CW 3210-R7	each	2		
A.32	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
A.33	Supply of Curb Inlet Box Covers	CW 3210-R7	each	2		
A.34	Supply of Curb Inlet Frames	CW 3210-R7	each	2		
A.35	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	2		
	LANDSCAPING					
A.36	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	30		
ii)	width > or = 600 mm		m²	200		
A.37	Seeding	CW 3520-R7	m²	30		
A.38	Salt Tolerant Grass Seeding	E7	m²	100		
	MISCELLANEOUS					
A.39	Tree Removal	E8	each	1		
Α	Salter Street at Jefferson Avenue			.	Subtotal:	

FORM B: PRICES (SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Inkster Boulevard at Sinclair Street					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R14	m³	15		
B.2	Sub-Grade Compaction	CW 3110-R14	m²	60		
B.3	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm		tonne	30		
B.4 B.5	Supplying and Placing Base Course Material Grading of Boulevards	CW 3110-R14 CW 3110-R14	m³ m²	5 100		
B.6	Separation Geotextile Fabric	CW 3130-R3	m²	60		
	ROADWORKS - RENEWALS					
B.7	Pavement Removal	CW 3110-R14				
i)	Concrete Pavement		m²	10		
B.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type B)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	10		
B.9	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	80		
B.10	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	100 mm Sidewalk		m²	10		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	80		
B.12	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Separate		m	70		
ii)	Curb Ramp		m	7		
B.13	Concrete Curb Installation	CW 3240-R8				

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Barrier (150 mm ht, Dowelled)	SD-205	m	35		
ii)	Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	30		
iii)	Curb Ramp (10-15 mm ht, Integral)	SD-229A,B,C	m	7		
B.14	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m	OB 200/1	m	10		
ii)	Curb Ramp (10-15 mm ht, Integral)	SD-229C,D	m	33		
B.15	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	25		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
B.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	50		
ii)	50 - 100 mm Depth (Asphalt)		m²	50		
B.17	Detectable Warning Surface Tiles	E9				
i)	300 mm X 300 mm		each	4		
ii)	610 mm X 1220 mm		each	12		
	ROADWORKS - NEW CONSTRUCTION					
B.18	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening (72 hour) (Reinforced)		m²	60		
	JOINT AND CRACK SEALING					
B.19	Reflective Crack Maintenance	CW 3250-R7	m	100		

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
B.20	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	100		
B.21	Salt Tolerant Grass Seeding	E7	m²	35		
В	Inkster Boulevard at Sinclair Street	Subtotal:				

FORM B: PRICES (SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Sturgeon Road at Ness Avenue					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R14	m³	75		
C.2	Sub-Grade Compaction	CW 3110-R14	m²	150		
C.3	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm		tonne	100		
C.4 C.5	Supplying and Placing Base Course Material Grading of Boulevards	CW 3110-R14 CW 3110-R14	m³ m²	10 15		
C.6	Removal of Existing Concrete Bases	CW 3110-R14				
i)	600 mm Diameter or Less		each	1		
C.7	Separation Geotextile Fabric	CW 3130-R3	m²	120		
	ROADWORKS - RENEWALS					
C.8	Pavement Removal	CW 3110-R14				
i)	Concrete Pavement		m²	10		
C.9	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type B)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	5		
C.10	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	10		
C.11	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	100		
C.12	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	Bullnose		m²	3		
C.13	Miscellaneous Concrete Slab Installation	CW 3235-R8				
i)	Safety Median	SD-226B	m²	30		
C.14	Concrete Curb Removal	CW 3240-R8				

FORM B: PRICES (SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Barrier Separate		m	85		
C.15	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205	m	22		
C.16	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	3D-200A	m	5		
C.17	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	35		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
C.18	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	25		
ii)	50 - 100 mm Depth (Asphalt)		m²	50		
	ROADWORKS - NEW CONSTRUCTION					
C.19	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening (72 hour) (Reinforced)		m²	110		
	JOINT AND CRACK SEALING					
C.20	Reflective Crack Maintenance	CW 3250-R7	m	100		
	LANDSCAPING					
C.21	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	25		
C.22	Salt Tolerant Grass Seeding	E7	m²	25		
С	Sturgeon Road at Ness Avenue	<u> </u>			Subtotal:	

(SEE B8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
D	Ellice Avenue at Toronto Street					
	ROADWORKS - RENEWALS					
D.1	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	6		
''	20 W Deformed Tie Bai		Cacii	0		
D.2	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
			_			
a)	5 sq.m. to 20 sq.m.		m²	30		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	10		
D 0	One and to Outh Bon and	0144 0040 00				
D.3	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205,				
		SD-206A				
a)	Less than 3 m		m	10		
D.4	Regrading Existing Interlocking Paving	CW 3330-R5	m²	2		
	Stones					
i)	Curb Ramp (10-15 mm ht, Monolithic)	SD-229C,D	m	7		
'/	care ramp (10-10 mm m, wonomino)	CD 2200,D		,		
D	Ellice Avenue at Toronto Street				Subtotal:	

FORM B: PRICES (SEE B8)

JNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Dawson Road North at Marion Street					
	EARTH AND BASE WORKS					
≣.1	Excavation	CW 3110-R14	m³	50		
≣.2	Sub-Grade Compaction	CW 3110-R14	m²	65		
Ξ.3	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm		tonne	45		
Ē.4 Ē.5	Supplying and Placing Base Course Material Grading of Boulevards	CW 3110-R14 CW 3110-R14	m³ m²	5 70		
E.6	Separation Geotextile Fabric	CW 3130-R3	m²	65		
	ROADWORKS - RENEWALS					
≣.7	Pavement Removal	CW 3110-R14				
i)	Concrete Pavement		m²	15		
Ξ.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type B)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	10		
Ξ.9	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	10		
≣.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	60		
E.11	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	Monolithic Median Slab		m²	20		
ii)	Bullnose		m²	5		
E.12	Miscellaneous Concrete Slab Installation	CW 3235-R8				
i)	Monolithic Median Slab	SD-226A	m²	16		
ii)	Bullnose	SD-227C	m²	10		
E.13	Concrete Curb Removal	CW 3240-R8				

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Barrier Separate		m	40		
E.14	Concrete Curb Installation	CW 3240-R8				
i)	Splash Strip (150 mm ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	35		
E.15	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	25		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
E.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	20		
ii)	50 - 100 mm Depth (Asphalt)		m²	160		
	ROADWORKS - NEW CONSTRUCTION					
E.17	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening (72 hour) (Reinforced)		m²	45		
E.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	10		
ii)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	15		
E.19	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	8		
	JOINT AND CRACK SEALING					
E.20	Reflective Crack Maintenance	CW 3250-R7	m	50		

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.21	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
	LANDSCAPING					
E.22	Seeding	CW 3520-R7	m²	70		
E.23	Salt Tolerant Grass Seeding	E7	m²	35		
E	Dawson Road North at Marion Street					

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	Columbia Drive at Scurfield Boulevard					
	EARTH AND BASE WORKS					
F.1	Grading of Boulevards	CW 3110-R14	m²	60		
	ROADWORKS - RENEWALS					
F.2	Miscellaneous Concrete Slab Removal	CW 3235-R8				
i)	Median Slab		m²	40		
ii)	Bullnose		m²	5		
F.3	Miscellaneous Concrete Slab Installation	CW 3235-R8				
i)	Median Slab	SD-227A	m²	65		
ii)	Bullnose	SD-227C	m²	5		
F.4	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Separate		m	85		
F.5	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205	m	35		
F.6	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	60		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
F.7	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	20		
ii)	50 - 100 mm Depth (Asphalt)		m²	280		
	JOINT AND CRACK SEALING					
F.8	Reflective Crack Maintenance	CW 3250-R7	m	150		

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
F.9	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	60		
F.10	Salt Tolerant Grass Seeding	E7	m²	30		
F	Columbia Drive at Scurfield Boulevard			Subtotal:		

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	Chalmers/Watt/Levis					
	ROADWORKS - RENEWALS					
G.1	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	10		
G.2	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	10		
G.3	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Separate		m	5		
ii)	Curb Ramp		m	4		
G.4	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205	m	5		
ii)	Curb Ramp (10-15 mm ht, Integral)	SD-229A,B,C	m	4		
G.5	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	35 200,1	m	5		
ii)	Curb Ramp (10-15 mm ht, Monolithic)	SD-229C,D	m	5		
G	Chalmers/Watt/Levis				Subtotal:	

(SEE B8)

UNI	T PRI	ICES
-----	-------	------

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	Salter Street at Jefferson Avenue				Subtotal:	
В	Inkster Boulevard at Sinclair Street				Subtotal:	
С	Sturgeon Road at Ness Avenue				Subtotal:	
D	Ellice Avenue at Toronto Street				Subtotal:	
E	Dawson Road North at Marion Street				Subtotal:	
F	Columbia Drive at Scurfield Boulevard				Subtotal:	
G	Chalmers/Watt/Levis				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						
,						

(Seal)

Template Version: C420110321 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND
KNOW ALL MEN BY THESE PRESENTS THAT
(hereinafter called the "Principal") and
(hereinafter called the "Surety"), are held and firmly bound unto THE CITY OF WINNIPEG (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS the Principal has submitted a Bid to the Obligee for
BID OPPORTUNITY NO. 789-2011
CITY OF WINNIPEG 2011 INTERSECTION IMPROVEMENTS, SALTER STREET AT JEFFERSON AVENUE, STURGEON ROAD AT NESS AVENUE, VARIOUS OTHER LOCATIONS – GEOMETRIC IMPROVEMENTS, ASPHALT RESURFACING AND ASSOCIATED WORKS
as more fully set out in the Bid Opportunity.
NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the
day of , 20
SIGNED AND SEALED in the presence of: (Name of Principal) Per:
Per:

(Name of Surety)

(Attorney-in-Fact)

By:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 789-2011 CITY OF WINNIPEG 2011 INTERSECTION IMPROVEMENTS, SALTER STREET AT JEFFERSON AVENUE, STURGEON ROAD AT NESS AVENUE, VARIOUS OTHER LOCATIONS - GEOMETRIC IMPROVEMENTS, ASPHALT RESURFACING AND ASSOCIATED WORKS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Forty-Five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______, (Name of Surety) By: (Attorney-in-Fact) _____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 789-2011
CITY OF WINNIPEG 2011 INTERSECTION IMPROVEMENTS, SALTER STREET AT JEFFERSON AVENUE, STURGEON ROAD AT NESS AVENUE, VARIOUS OTHER LOCATIONS – GEOMETRIC IMPROVEMENTS, ASPHALT RESURFACING AND ASSOCIATED WORKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standb Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standb Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on November 11, 2011

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)