



## 8-2011 ADDENDUM 4

### OSBORNE STREET BRIDGE REHABILITATION AND RELATED WORKS

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: March 15, 2011  
BY: Kimberly Yathon  
TELEPHONE NO. (204) 954-6896

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20070419

---

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

---

#### **PART E – SPECIFICATIONS**

Revise: E14.5.9(a) to read: Two colours shall be used as shown on the Drawings. Colour additives shall contain pure, concentrated mineral pigments specially processed for mixing into concrete and complying with the requirements of ASTM C979. Colour additives shall be Outback (**0.5** LBS 677) and Cobblestone (**2** LBS 860) supplied by Davis Colours, or equal as accepted by the Contract Administrator, in accordance with B6, "Substitutes". Colour additives containing carbon black are not acceptable unless Supra Instant Black #8084 is used.

Revise: E18.7.3(a) to read: It is expected that there will be thirty (30) such locations **of repair. The** Contract Administrator shall designate the locations where post tensioning tendon inspection will take place by visual inspection and sounding methods. The Contract Administrator shall complete all post tensioning tendon inspections **and shall determine the number of sections that require splicing. The maximum number of strands to be spliced at a given tendon location shall not exceed two.**

#### **DRAWINGS**

Replace: 8-2011 \_Addendum\_1-Drawing\_B109-11-063-R1 with 8-2011 \_Addendum\_4-Drawing B109-11-063-R2