



## 938-2011 ADDENDUM 3

### MINNETONKA STREET AND RIVER ROAD OUTFALL GATE CHAMBERS CONSTRUCTION AND UPGRADES

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: December 1, 2011  
BY: Damir Muhurdarevic, P.Eng.  
TELEPHONE NO. (204) 943-3178 ext. 3880

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20070419

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.**

---

#### **PART B – BIDDING PROCEDURES**

Revise: B2.1 to read: The Submission Deadline is now 12:00 noon Winnipeg time, December 06, 2011.

#### **PART E – SPECIFICATIONS**

Revise: E12.3(b)(viii) to read: If the gates fail the field leakage tests due to an installation and handling error, the Contractor shall be responsible for the cost associated to repeat the tests, and shall undertake all adjustments, replacements or other modifications necessary to facilitate the tests at his own expense. The sequence shall be repeated until the gates pass the allowable leakage rates.

Revise: E13.3(b)(vi) to read: If the gates fail the field leakage tests due to an installation and handling error, the Contractor shall be responsible for the cost associated to repeat the tests, and shall undertake all adjustments, replacements or other modifications necessary to facilitate the tests at his own expense. The sequence shall be repeated until the gates pass the allowable leakage rates.