

FORM A: BID
(See B7)

1. Contract Title 2012 REGIONAL AND LOCAL STREETS PROGRAM, FORT STREET RECONSTRUCTION AND STREETSCAPING, GRAHAM AVENUE TO PORTAGE AVENUE

2. Bidder _____
Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

(Choose one)

City Province Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>ROADWORKS</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R15	m ³	2,450		
A.2	Sub-Grade Compaction	CW 3110-R15	m ²	3,140		
A.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	1,090		
ii)	100 mm		tonne	2,070		
A.4	Supplying and Placing Base Course Material	CW 3110-R15	m ³	300		
A.5	Separation Geotextile Fabric	CW 3130-R4	m ²	3,140		
A.6	Supply and Install Geogrid	CW 3135-R1	m ²	500		
	ROADWORKS - RENEWALS					
A.7	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m ²	2,960		
ii)	Asphalt Pavement		m ²	160		
A.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m ²	5		
ii)	230 mm Concrete Pavement (Type B)		m ²	5		
iii)	230 mm Concrete Pavement (Type C)		m ²	10		
iv)	230 mm Concrete Pavement (Type D)		m ²	10		
A.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain-Dowelled)		m ²	20		

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	35		
ii)	28.6 mm Diameter		each	100		
A.11	Drilled Tie Bars	CW 3230-R7				
i)	15M Deformed Tie Bar		each	10		
ii)	20 M Deformed Tie Bar		each	55		
iii)	25 M Deformed Tie Bar		each	80		
A.12	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	10		
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	125		
A.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	85		
ROADWORKS - NEW CONSTRUCTION						
A.15	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 250 mm Concrete Pavement for Early Opening- 72 hour (Plain-Dowelled)		m ²	2,815		
ii)	Construction of 250 mm Concrete Pavement for Early Opening- 24 hour (Plain-Dowelled)		m ²	20		
iii)	Construction of 200 mm Concrete Pavement for Early Opening- 72 hour (Reinforced)		m ²	40		
iv)	Construction of 200 mm Concrete Pavement for Early Opening- 24 hour (Reinforced)		m ²	110		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	18		
ii)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	20		
iii)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	260		
iv)	Construction of Barrier (230 mm ht, Separate)	SD-203A	m	22		
v)	Construction of Modified Barrier (150mm ht, Dowelled)	SD-203B	m	10		
vi)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	13		
vii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	30		
viii)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	40		
ix)	Construction of Curb Ramp (10-15 mm ht, Monolithic)	SD-229C	m	6		
A.17	Supply and Installation of Dowel Assemblies	CW 3310-R14				
i)	31.8 mm diameter		m	690		
A.18	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	65		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.19	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	2		
ii)	SD-024, 1800 mm deep		each	2		
A.20	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	1		
ii)	SD-024, 1800 mm deep		each	1		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.21	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class B Bedding with sand, Class 3 Backfill		m	10		
b)	Trenchless Installation		m	19		
A.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
A.23	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm Sewer Service Pipe					
a)	Connecting to 300 mm Concrete Land Drainage Sewer		each	4		
A.24	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	2		
A.25	Removal of Existing Catch Basins	CW 2130-R12	each	2		
A.26	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	2		
A.27	Installation of Subdrains	CW 3120-R4	m	72		

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
A.29	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.2		
A.30	Lifter Rings	CW 3210-R7				
i)	76 mm		each	4		
A.31	Adjustment of Valve Boxes	CW 3210-R7	each	11		
A.32	Adjustment of Curb Stop Boxes	CW 3210-R7	each	3		
A	<u>ROADWORKS</u>					
					Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>STREETSCAPING</u>					
B.1	Removal of Existing Concrete Bases	CW 3110-R15				
i)	600 mm Diameter or Less		each	6		
B.2	Removal of Existing Interlocking Paving Stones	E20	m ²	1,055		
B.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	15		
B.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	20		
B.5	100 mm Concrete Sidewalk	CW 3325-R5	m ²	1,150		
B.6	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	200		
B.7	Interlocking Paving Stones	E19	m ²	455		
B.8	Silva Cell Trench (1.26 m deep)	E17	m ²	75		
B.9	Detectable Warning Surface Tiles	E11				
i)	610 mm X 1220 mm		each	8		
B.10	Tree Well Concrete Curb	E17	m	20		
B.11	Tree Guards	E17	each	3		
B.12	Tree Grates	E17	each	3		
B.13	Bike Rack	E21	each	3		
B.14	American Elm (c/w Warranty)	E18	each	3		
B	<u>STREETSCAPING</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>SEWER & WATERMAIN REPAIRS</u>					
C.1	Large Diameter (150mm) Water Service Repair	CW 2110-R11 E15	each	1		
C.2	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12 E14				
i)	300 mm					
a)	Class 3 Backfill		each	2		
C.3	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12 E14				
i)	300 mm					
a)	Class 3 Backfill		m	2		
C.4	Sewer Inspection	CW 2145-R3				
i)	300mm		m	118		
C.5	Sewer Service Risers (150 mm diameter)	CW 2130-R12				
a)	SD-015		vert m	1.5		
C	<u>SEWER & WATERMAIN REPAIRS</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>ROADWORKS</u>				Subtotal:	
B	<u>STREETSCAPING</u>				Subtotal:	
C	<u>SEWER & WATERMAIN REPAIRS</u>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 250-2012

2012 REGIONAL AND LOCAL STREETS PROGRAM, FORT STREET RECONSTRUCTION AND
STREETSCAPING, GRAHAM AVENUE TO PORTAGE AVENUE

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 250-2012

**2012 REGIONAL AND LOCAL STREETS PROGRAM, FORT STREET RECONSTRUCTION AND
STREETSCAPING, GRAHAM AVENUE TO PORTAGE AVENUE**

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 250-2012

2012 REGIONAL AND LOCAL STREETS PROGRAM, FORT STREET RECONSTRUCTION AND
STREETSCAPING, GRAHAM AVENUE TO PORTAGE AVENUE

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 4, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)