FORM A: BID (See B7)

1.	Contract Title	SUPPLY & DELIVERY	OF AG TRACTORS	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bido	ler as it appears on Invoice (if different	from above)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Facsimile Number		
		Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if	applicable)	
3.	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ur	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	norizes the following contact poor of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
		Email Address		
4.	Definitions		used in the Contract shall ha General Conditions and D3.	ave the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance Contract for the price(s), in Canadian funds, set out on Form appended hereto.	
6.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in a notice of award from the Award Authority author commencement of the Work.	
7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety deemed to be incorporated in and to form a part of notwithstanding that not all parts thereof are necessarily attacaccompany this Bid.	this offer
8.	Addenda	The Bidder certifies that the following addenda have been recagness that they shall be deemed to form a part of the Contract	
		No Dated	
9.	Time	This offer shall be open for acceptance, binding and irrevocable period of sixty (60) Calendar Days following the Submission De	
10.	Signatures	The Bidder or the Bidder's authorized official or officials have s	igned this
		, day of, 20_	· · ·
		Signature of Bidder or Bidder's Authorized Official or Officials	
		(Print here name and official capacity of individual whose signature appears ab	ove)
		(Print here name and official capacity of individual whose signature appears ab	ove)

FORM B: PRICES (See B8)

SUPPLY & DELIVERY OF AG TRACTORS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE -Award by Item
1.	Ag Tractor- (Open Station- Replacing Unit # 315-7927 PW- PARKS SOUTH)	12002	(Each)	2	
	Ag Tractor- (Open Station- Replacing Unit # 315-7958 PW- PARKS NORTH)				
2.	Ag Tractor- (Cab- Replacing Unit # 311-7961 PW-PARKS SOUTH)	12004	(Each)	1	
3.	Ag Tractor- (Cab- Replacing Unit # 315-7959 PW-PARKS NORTH DOWNTOWN)	12005	(Each)	1	

Name of Bidder	

FORM N: DETAILED SPECIFICATIONS 12002

(PW-PARKS SOUTH- Open Station Replacing Unit # 315-7927)

(PW-PARKS NORTH- Open Station Replacing Unit # 315-7958)

1.0 DESCRIPTION OF EQUIPMENT AND PERFORMANCE-

- 1.1 These specifications describe the **Supply and Delivery of Ag Tractors** and other equipment and features as specified herein.
- 1.2 The **Ag Tractors** shall be a new 2012 or 2013 model year or newer.
- 1.3 Shall be capable of consistent top performance for the Ag Tractor application in the City of Winnipeg in a Parks and Recreation environment. The Ag Tractor must come equipped with all associated hardware to accommodate the following attachments:
 - 72" Rotary broom
 - 72" Rear 3 point hitch mount rotary mower
 - 15' Tow behind finishing mower
- 1.4 The responsibility for the design of the Ag Tractor, its performance and reliability shall rest upon the Contractor. The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.
- 1.5 Where the **Ag Tractor** develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.
- 1.6 The **Ag Tractors** and all other items/components shall be the manufacturer's latest models. The Ag Tractor shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the **Ag Tractors** in successful operation shall be furnished as though specifically mentioned in these specifications. The complete **Ag Tractors**, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.

2.0 OTHER SPECIFICATIONS AND STANDARDS-

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The **Ag Tractors** and all its components and attachments shall comply with the applicable regulations:

Highway Traffic Act = http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.php

Manitoba Motor Vehicle Act = http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/menu.htm

Canadian Motor Vehicle Safety Standards, CMVSS = http://www.gnb.ca/0062/regs/83-163.htm

<u>Transport Canada = http://laws.justice.gc.ca/en/notice/index.html?redirect=%2Fen%2FM-10.01%2F250448.html</u>

National Safety Mark, NSM = http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/regulations/mvsrg/001/mvsr3-5.html

Manitoba/Winnipeg Safety and Health Act, Parts 12, 22 = http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php and http://www.gov.mb.ca/labour/safety/

Canadian Standards Association, CSA = http://www.csa.ca/about/Default.asp?language=english

Under Writers of Canada, U/L = http://www.ulc.ca/

<u>Society of Automotive Engineers, SAE =</u>
http://en.wikipedia.org/wiki/Society of Automotive Engineers

2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY-

- 3.1 For the purpose of warranty repairs, the supplier shall have an authorized service facility located within 10 kilometres of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator
- 3.2 State location:

4.0 <u>INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS</u>-

- 4.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.
- 4.2 All items in these specifications must be answered indicating compliance or non-compliance.

 BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 4.3 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID

5.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR-

- 5.1 The <u>bidder must be an authorized dealer of the Ag Tractors being bid</u> and shall have three (3) years continuous experience distributing and service Ag Tractors.
- 5.2 The <u>manufacture</u> shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.

6.0	REFERENCE LIST-		
6.1		ee (3) Canadian references using similar equipme ecreation) as Winnipeg Manitoba:	nt in similar working
	1.		
	2. 3.		
	J		
7.0	SPECIFICATIONS-		
ENGIN	IE/DRIVELINE-		
7.1	Engine	Make/Manufacturer, state-	
7.2	Engine	Model, state-	
7.3	Tier level	Tier 3 or 4	
7.4	Engine horsepower	Gross 47 horse power	
7.5	Engine Type	Diesel	
7.6	PTO horsepower	38 PTO horse power	
7.7	Tank Fuel Capacity	State capacity in gallons-	
7.8	Alternator	45-50 amp alternator	
TRAN	SMISSION/BRAKES/STEERI	NG-	
7.9	Transmission Type	Hydrostatic Transmission 4 wheel drive	
7.10	Brake Type	Wet Disc	
7.11	Steering Type	Hydrostatic Power Steering	
PTO-			
7.12	PTO	Independent	
7.13	PTO Rear (RPM)	540 RPM	
7.14	Mid PTO	State if Mid PTO is available-	
<u>HYDR</u>	AULICS-		
7.15	Hydraulic Pump (gpm)	8 gpm or greater	
7.16	Total Flow (gpm)	State total flow-	
7.17	Hitch	Category-I (3) point hitch	
7.18	Hitch lift Capacity	2600 lbs or greater	
TIRES	<u>/</u>		
7.19	Tire Size Turf	Turf tires, state size, make and model-	

OPERATING WEIGHTS-

7.20	Total Operating Weight	Open Station (ROPS), state-	
DIMEN	ISIONS-		
7.21	Overall length	State - Overall length including 3 point hitch in inches	
7.22	Wheelbase	State- Wheelbase in inches	
7.23	Height	State- Height to top of Open Station (ROPS) in inches	
7.24	Overall Width	State- Overall Width in inches	
GENE	RAL SPECIFICATIONS-		
7.25	Air Cleaner	Required	
7.26	Hand and Foot Accelerator	Required	
7.27	Engine Warning Lights	Required	
7.28	Remote Control Valves	Required (2 pairs)	
7.29	Rear Working Lights	Required	
7.30	Adjustable Seats	Required	
7.31	Engine cold starting aid type	Required	
7.32	ROPS with seatbelt	Required	
7.33	Safety Flasher & Turn Signals	Required	
7.34	7 pin implement socket	Required	
WARR	ANTY-		
7.35	Basic Coverage	(Complete Machine) Warranty 2 years, 2000 hours	
7.36	Power Train	(Engine, Transmission) Warranty 5 years 2000 hours	
7.37	Hydraulics Warranty	(Hydraulics) Warranty 2 years, 2000 hours	
7.38	Batteries Warranty	(Batteries) Warranty 1 year	
7.39	Tires Warranty	(Tires) Warranty 1 year	
7.40	Electrical Warranty	(Electrical) Warranty 2 years, 2000 hours	

8.0 TRAINING-

8.1 The Contractor shall be required to provide training (at the Contractor's expense) for the City of Winnipeg maintenance and operating personnel. The training shall be divided into two separate sessions, one for maintenance personnel and one for operating personnel. The training shall be conducted in separate or combined sessions for each group of personnel.

The duration of the sessions shall be as long as required for adequate familiarization and orientation of the equipment to the satisfaction of the Contract Administrator.

The training shall be conducted within two (2) calendar weeks from the date of delivery and shall be coordinated through the Contract Administrator.

The training shall be conducted in Winnipeg at a time and location designated by the Contract Administrator.

Pricing should be based on two (2) business days for maintenance personnel and two (2) business days for operating personnel.

Note: The first payment of the contract on the equipment will not be issued until successful completion of training has been conducted to the satisfaction of the Contract Administrator.

~ ~	— · ·	A . I
8.2	Training	AIMAC.
0.2	Hallilla	AIUCS.

a) On the type of equipment being offered, state if CD Rom training aides or on-line training are available-

What is the recommended minimum training duration for:

Primary unit-

For major attachments (if applicable):

State what other training aids are available (videos, CDs).

For the primary unit-

For major attachments (if applicable):

8.3 Training Materials and applicable manuals or on-line training material information must be provided to the Operator Training Branch of Public Works at the earliest possible opportunity, no later than (4) weeks prior to delivery, when supplying vehicles, equipment and related attachments. Send these materials, preferably in both electronic format and hard copy (training videos are to be supplied on either CD or DVD) to: Public Works Department, Human Resources Division Equipment Operator Training Branch

102-1155 Pacific Avenue Winnipeg, MB R3E 3P1

Leanne Chetyrbok Equipment Operator Training Consultant

	Equipment Operator Training Consultant	
	Cell: (204) 451-3793 Contact e-mail: <u>lchetyrbok@winnipeg.ca</u>	
9.0	TECHNICAL SERVICE/PARTS MANUALS & OWNERS MANUALS-	
9.1	Two (2) sets of technical service, parts manuals and owner's manuals are require CD preferred	ed,
10.0	DELIVERY-	
10.1	<u>Delivery Point-</u> The complete Ag Tractors shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB.	
10.2	<u>Delivery Time-</u> Within (6-8) calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days. State delivery time-	
10.3	<u>Delivery Contact</u> - The Contractor shall contact the Contract Administrator prior to delivery of the equipment.	
10.4	<u>P.D.I-</u> A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

FORM N: DETAILED SPECIFICATIONS 12004

(PW-PARKS SOUTH- Cab unit- Replacing Unit # 311-7961)

1.0 DESCRIPTION OF EQUIPMENT AND PERFORMANCE-

- 1.1 These specifications describe the **Supply and Delivery of Ag Tractors** and other equipment and features as specified herein.
- 1.2 The **Ag Tractors** shall be a new 2012 or 2013 model year or newer.
- 1.3 Shall be capable of consistent top performance for the Ag Tractor application in the City of Winnipeg in a Parks and Recreation environment. The Ag Tractor must come equipped with all associated hardware to accommodate the following attachments:
 - 72" rotary broom
 - 72" rear 3 point hitch mount rotary mower.
 - 15' tow behind finishing mower
- 1.4 The responsibility for the design of the Ag Tractor, its performance and reliability shall rest upon the Contractor. The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.
- 1.5 Where the **Ag Tractor** develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.
- 1.6 The **Ag Tractors** and all other items/components shall be the manufacturer's latest models. The Ag Tractors shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the **Ag Tractors** in successful operation shall be furnished as though specifically mentioned in these specifications. The complete **Ag Tractors**, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.

2.0 OTHER SPECIFICATIONS AND STANDARDS-

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The **Ag Tractors** and all its components and attachments shall comply with the applicable regulations:

Highway Traffic Act = http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.php

Manitoba Motor Vehicle Act = http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/menu.htm

Canadian Motor Vehicle Safety Standards, CMVSS = http://www.gnb.ca/0062/regs/83-163.htm

<u>Transport Canada = http://laws.justice.gc.ca/en/notice/index.html?redirect=%2Fen%2FM-10.01%2F250448.html</u>

National Safety Mark, NSM = http://www.tc.gc.ca/actsregulations/GENERAL/M/mysa/regulations/mysrg/001/mysr3-5.html

Manitoba/Winnipeg Safety and Health Act, Parts 12, 22 = http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php and http://www.gov.mb.ca/labour/safety/

Canadian Standards Association, CSA = http://www.csa.ca/about/Default.asp?language=english

<u>Under Writers of Canada, U/L = http://www.ulc.ca/</u>

<u>Society of Automotive Engineers, SAE =</u>
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY-

- 3.1 For the purpose of warranty repairs, the supplier shall have an authorized service facility located within 10 kilometres of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator
- 3.2 State location:

4.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS-

- 4.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.
- 4.2 All items in these specifications must be answered indicating compliance or non-compliance.

 BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 4.4 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID

5.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR-

- 5.1 The <u>bidder must be an authorized dealer of the Ag Tractors being bid</u> and shall have five (5) years continuous experience distributing and service Ag Tractors.
- 5.2 The <u>manufacture</u> shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.

6.0 REFERENCE LIST-

6.1 The bidder shall provide three (3) Canadian references using similar equipment in similar working environments (Parks and Recreation) as Winnipeg Manitoba

	1		
	2. 3.		
7.0	SPECIFICATIONS-		
<u>ENGI</u>	NE/DRIVELINE-		
7.1	Engine	Make/Manufacturer, state-	
7.2	Engine	Model, state-	
7.3	Tier level	Tier 3 or 4	
7.4	Engine horsepower	Gross 47 horse power	
7.5	Engine Type	Diesel	
7.6	PTO horsepower	38 PTO horse power	
7.7	Tank Fuel Capacity	State capacity in gallons-	
7.8	Alternator	45-50 amp alternator	
TRAN	ISMISSION/BRAKES/STEERIN	<u>G</u> -	
7.9	Transmission Type	Hydrostatic Transmission 4 wheel drive	
7.10	Brake Type	Wet Disc	
7.11	Steering Type	Hydrostatic Power Steering	
<u>PTO</u> -			
7.12	PTO	Independent	
7.13	PTO Rear (RPM)	540 RPM	
7.14	Mid PTO	State if Mid PTO is available-	
HYDR	RAULICS-		
7.15	Hydraulic Pump (gpm)	8 gpm or greater	
7.16	Total Flow (gpm)	State total flow-	-
7.17	Hitch	Category-I (3) point hitch	
7.18	Hitch lift Capacity	2600 lbs or greater	
TIRES	<u>5/</u>		
7.19	Tire Size Turf	Turf tires, state size, make and model-	
7.15	THE OIZE TUIT	run thos, state size, make and model	
<u>OPER</u>	RATING WEIGHTS-		
7.20	Total Operating Weight	Cab (ROPS) & Loader, state-	
DIME	NSIONS-		
7.21	Overall length	State- Overall length including 3 point hitch	
7.00	VA/Ib a a lib a a a	in inches	
7.22	Wheelbase	State- Wheelbase in inches	
7.23 7.24	Height Overall Width	State- Height to top of Cab (ROPS) in inches State- Overall Width in inches	
		- 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
GENE	ERAL SPECIFICATIONS-		
7.25	Air Cleaner	Required	-
7.26	Hand and Foot Accelerator	Required	
7.27	Engine Warning Lights	Required	
7.28	Remote Control Valves	Required (2 pairs)	

7.29 7.30 7.31 7.32 7.33 7.34	Rear Working Lights Adjustable Seats Engine cold starting aid type ROPS with seatbelt Safety Flasher & Turn Signals 7 pin implement socket	Required Required Required Required Required Required Required	
CAB-			
7.35 7.36 7.37 7.38 7.39 7.40 7.41 7.42	(ROPS) Heat and Air Conditioning Roof Egress Point Windshield Wipers Front Windshield Wipers Rear Rear Electric Defroster AM/FM/CD Cab Winter Insulation	Required Required Required Required Required Required Required Required Required	
WARR	ANTY-		
7.43	Basic Coverage	(Complete Machine) Warranty 2 years, 2000 hours	
7.44	Power Train	(Engine, Transmission) Warranty 5 years 2000 hours	
7.45	Hydraulics Warranty	(Hydraulics) Warranty 2 years, 2000 hours	
7.46	Batteries Warranty	(Batteries) Warranty 1 year	
7.47	Tires Warranty	(Tires) Warranty 1 year	
7.48	Electrical Warranty	(Electrical) Warranty 2 years, 2000 hours	

8.0 TRAINING-

8.1 The Contractor shall be required to provide training (at the Contractor's expense) for the City of Winnipeg maintenance and operating personnel. The training shall be divided into two separate sessions, one for maintenance personnel and one for operating personnel. The training shall be conducted in separate or combined sessions for each group of personnel.

The duration of the sessions shall be as long as required for adequate familiarization and orientation of the equipment to the satisfaction of the Contract Administrator.

The training shall be conducted within two (2) calendar weeks from the date of delivery and shall be coordinated through the Contract Administrator.

The training shall be conducted in Winnipeg at a time and location designated by the Contract Administrator.

Pricing should be based on two (2) business days for maintenance personnel and two (2) business days for operating personnel.

	Note: The first payment of the contract on the equipment will not be issued until successful completion of training has been conducted to the satisfaction of the Contract Administrator.	
8.2	Training Aides:	
	a) On the type of equipment being offered, state if CD Rom training aides or on-line training are available-	
	What is the recommended minimum training duration for:	
	Primary unit-	
	For major attachments (if applicable):	
	State what other training aids are available (videos, CDs).	
	For the primary unit-	
	For major attachments (if applicable):	
8.3	Training Materials and applicable manuals or on-line training material information must be provided to the Operator Training Branch of Public Works at the earliest possible opportunity, no later than (4) weeks prior to delivery, when supplying vehicles, equipment and related attachments. Send these materials, preferably in both electronic format and hard copy (training videos are to be supplied on either CD or DVD) to: Public Works Department, Human Resources Division Equipment Operator Training Branch	
	102-1155 Pacific Avenue Winnipeg, MB R3E 3P1	
	Leanne Chetyrbok Equipment Operator Training Consultant	
	Cell: (204) 451-3793 Contact e-mail: lchetyrbok@winnipeg.ca	
9.0	TECHNICAL SERVICE/PARTS MANUALS & OWNERS MANUALS-	
9.1	Two (2) sets of technical service, parts manuals and owner's manuals are require CD preferred	ed,
10.0	DELIVERY-	
10.1	<u>Delivery Point-</u> The complete Ag Tractors shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB.	
10.2	<u>Delivery Time-</u> Within (6-8) calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days. State delivery time-	
10.3	<u>Delivery Contact</u> - The Contractor shall contact the Contract Administrator	

The City of Winnipeg	
Bid Opportunity No. 254-2012 Addendum	1

Bid Submission Page 15 of 34

	prior to delivery of the equipment.
10.4	<u>P.D.I-</u> A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list

FORM N: DETAILED SPECIFICATIONS 12005

(PW-PARKS NORTH DOWNTOWN- Cab unit- Replacing Unit # 315-7959)

1.0 DESCRIPTION OF EQUIPMENT AND PERFORMANCE-

- 1.1 These specifications describe the **Supply and Delivery of Ag Tractors** and other equipment and features as specified herein.
- 1.2 The **Ag Tractors** shall be a new 2012 or 2013 model year or newer.
- 1.3 Shall be capable of consistent top performance for the Ag Tractor application in the City of Winnipeg in a Parks and Recreation environment. The Ag Tractor must come equipped with all associated hardware to accommodate the following attachments:
 - 60" Front mount snow blower
 - 72" rotary broom
 - 72" rear 3 point hitch mount rotary mower.
 - 15' tow behind finishing mower
- 1.4 The responsibility for the design of the Ag Tractor, its performance and reliability shall rest upon the Contractor. The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.
- 1.5 Where the **Ag Tractor** develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.
- 1.6 The **Ag Tractors** and all other items/components shall be the manufacturer's latest models. The Ag Tractors shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the **Ag Tractors** in successful operation shall be furnished as though specifically mentioned in these specifications. The complete **Ag Tractors**, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.

2.0 OTHER SPECIFICATIONS AND STANDARDS-

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The **Ag Tractors** and all its components and attachments shall comply with the applicable regulations:

Highway Traffic Act = http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.php

Manitoba Motor Vehicle Act = http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/menu.htm

Canadian Motor Vehicle Safety Standards, CMVSS = http://www.gnb.ca/0062/regs/83-163.htm

 $\underline{Transport\ Canada = http://laws.justice.gc.ca/en/notice/index.html?redirect=\%2Fen\%2FM-10.01\%2F250448.html}$

National Safety Mark, NSM = http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/regulations/mvsrq/001/mvsr3-5.html

Manitoba/Winnipeg Safety and Health Act, Parts 12, 22 = http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php and http://www.gov.mb.ca/labour/safety/

Canadian Standards Association, CSA = http://www.csa.ca/about/Default.asp?language=english

Under Writers of Canada, U/L = http://www.ulc.ca/

<u>Society of Automotive Engineers, SAE =</u>
http://en.wikipedia.org/wiki/Society of Automotive Engineers

2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY-

- 3.1 For the purpose of warranty repairs, the supplier shall have an authorized service facility located within 10 kilometres of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator
- 3.2 State location:

4.0 <u>INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS</u>-

- 4.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.
- 4.2 All items in these specifications must be answered indicating compliance or non-compliance.

 BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 4.3 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID

5.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR-

- 5.1 The <u>bidder must be an authorized dealer of the Ag Tractors being bid</u> and shall have five (5) years continuous experience distributing and service Ag Tractors.
- 5.2 The <u>manufacture</u> shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.

6.0 REFERENCE LIST-

6.1	The bidder shall provide three (3) Canadian references using similar equipment in similar working	ıg
	environments (Parks and Recreation) as Winnipeg Manitoba	

1.	
2.	
3.	

7.0 SPECIFICATIONS-

7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8	Engine Engine Tier level Engine horsepower Engine Type PTO horsepower Tank Fuel Capacity Alternator	Make/Manufacturer, state- Model, state- Tier 3 or 4 Gross 28-35 horse power Diesel 20-25 PTO horse power State capacity in gallons- 45-50 amp alternator	
TRANS	SMISSION/BRAKES/STEERING	<u>}</u> -	
7.9 7.10 7.11	Transmission Type Brake Type Steering Type	Hydrostatic Transmission 4 wheel drive Wet Disc Hydrostatic Power Steering	
PTO-			
7.12 7.13 7.14	PTO PTO Rear (RPM) Mid PTO	Independent 540 RPM Mid PTO	
HYDR	AULICS-		
7.15 7.16 7.17 7.18	Hydraulic Pump (gpm) Total Flow (gpm) Hitch Hitch lift Capacity	8 gpm or greater State total flow- Category-I (3) point hitch 2600 lbs or greater	
TIRES	L		
7.19	Tire Size Industrial	Industrial tires, state size, make and model-	
<u>OPER</u>	ATING WEIGHTS-		
7.20	Total Operating Weight	Cab (ROPS) & Loader, state-	
DIMEN	ISIONS-		
7.21	Overall length	State- Overall length including 3 point hitch in inches	
7.22 7.23 7.24	Wheelbase Height Overall Width	State- Wheelbase in inches State- Height to top of Cab (ROPS) in inches State- Overall Width in inches	
<u>GENE</u>	RAL SPECIFICATIONS-		
7.25 7.26 7.27 7.28 7.29 7.30	Air Cleaner Hand and Foot Accelerator Engine Warning Lights Remote Control Valves Rear Working Lights Adjustable Seats	Required Required Required Required (2 pairs) Required Required	

7.31 7.32 7.33 7.34	Engine cold starting aid type ROPS with seatbelt Safety Flasher & Turn Signals 7 pin implement socket	Required Required Required Required	
7.35 7.36 7.37 7.38 7.39 7.40 7.41 7.42	(ROPS) Heat and Air Conditioning Roof Egress Point Windshield Wipers Front Windshield Wipers Rear Rear Electric Defroster AM/FM/CD Cab Winter Insulation	Required Required Required Required Required Required Required Required Required	
WARR	ANTY-		
7.43	Basic Coverage	(Complete Machine) Warranty 2 years, 2000 hours	
7.44	Power Train	(Engine, Transmission) Warranty 5 years 2000 hours	
7.45	Hydraulics Warranty	(Hydraulics) Warranty 2 years, 2000 hours	
7.46	Batteries Warranty	(Batteries) Warranty 1 year	
7.47	Tires Warranty	(Tires) Warranty 1 year	
7.48	Electrical Warranty	(Electrical) Warranty 2 years, 2000 hours	

8.0 TRAINING-

8.1 The Contractor shall be required to provide training (at the Contractor's expense) for the City of Winnipeg maintenance and operating personnel. The training shall be divided into two separate sessions, one for maintenance personnel and one for operating personnel. The training shall be conducted in separate or combined sessions for each group of personnel.

The duration of the sessions shall be as long as required for adequate familiarization and orientation of the equipment to the satisfaction of the Contract Administrator.

The training shall be conducted within two (2) calendar weeks from the date of delivery and shall be coordinated through the Contract Administrator.

The training shall be conducted in Winnipeg at a time and location designated by the Contract Administrator.

Pricing should be based on two (2) business days for maintenance personnel and two (2) business days for operating personnel.

Note: The first payment of the contract on the equipment will not

	be issued until successful completion of training has been conducted to the satisfaction of the Contract Administrator.				
8.2	Training Aides:				
	a) On the type of equipment being offered, state if CD Rom training aides or on-line training are available-				
	What is the recommended minimum training duration for:				
	Primary unit-				
	For major attachments (if applicable):				
	State what other training aids are available (videos, CDs).				
	For the primary unit-				
	For major attachments (if applicable):				
8.3	Training Materials and applicable manuals or on-line training material information must be provided to the Operator Training Branch of Public Works at the earliest possible opportunity, no later than (4) weeks prior to delivery, when supplying vehicles, equipment and related attachments. Send these materials, preferably in both electronic format and hard copy (training videos are to be supplied on either CD or DVD) to: Public Works Department, Human Resources Division Equipment Operator Training Branch				
	102-1155 Pacific Avenue Winnipeg, MB R3E 3P1				
	Leanne Chetyrbok Equipment Operator Training Consultant				
	Cell: (204) 451-3793 Contact e-mail: lchetyrbok@winnipeg.ca				
9.0	TECHNICAL SERVICE/PARTS MANUALS & OWNERS MANUALS-				
9.1	Two (2) sets of technical service, parts manuals and owner's manuals are require CD preferred	ed,			
10.0	DELIVERY-				
10.1	<u>Delivery Point-</u> The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB.				
10.2	<u>Delivery Time-</u> Within (6-8) calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days. State delivery time-				
10.3	<u>Delivery Contact</u> - The Contractor shall contact the Contract Administrator prior to delivery of the equipment.				
10.4	P.D.I- A pre-delivery inspection shall be performed by the Contractor on the				

The City of Winnipeg	
Bid Opportunity No. 254-2012 Addendu	m 1

equipment. Proof upon inspection including completed check list

Bid Submission Page 21 of 34

FORM O-PREVENTATIVE MAINTENANCE SCHEDULE

Make:	
Model:	
Year:	
Service/Parts Contact info:	

PM Checklist and Adjustments

Please fill in all applicable areas and add any missing service intervals or component part numbers that are applicable to the supplied unit.

All items required to maintain warranties must be listed.

Description:	Capacity:	Type:	Description:	Capacity:	Type:
Engine Oil	Litres		Transmission	Litres	
Cooling System	Litres		Transfer Case	Litres	
Hydraulic Tank	Litres		Hydraulic System	Litres	
A/C Refrigerant	Lbs	R-134a	Brake Reservoir	Litres	
Fuel System	Litres		Differential (Front)	Litres	
Final Drives	Litres		Differential (Rear)	Litres	

Type of Filter:	OEM:	Wix:	Purolator:	Fram:	Baldwin:	Fleetgua rd:
Engine Oil						
Air Primary						
Air Secondary						
Primary Fuel						
Secondary Fuel Filter						
Cab Air Filter						
Hydraulic (pressure)						
Hydraulic (return)						
Transmission						
A/C Belt						
Alt Belt						
Water Pump Belt						
Serpentine Belt						

Make	
Model:	
Year:	

Item	Recommended Service Intervals. Kms/Hours	Comments
List any one time services		
List any one time adjustments		
List regular Adjustments		
Initial Oil and Filter Change		
Engine Valve Lash and Fuel Injector, Timing Check.		
Engine Oil and Filter Changes and/or Oil Sample Intervals		
Lubrication Points and Intervals		
Transmission Filter/Screens- Replace/Clean and/or Obtain Oil Sample		
Primary Fuel Filter (Replace)		
Secondary Fuel Filter (Replace)		
Differential Oil Sample (Front)		
Final Drive Oil Sample (front)		
Hydraulic Filter (Replace and Obtain Oil Sample)		
Front Differential Fluid (Change)		
Rear Differential Fluid (Change)		
Differential Vents		
Transmission Oil (Change)		
Clean Transmission Magnetic Screen		

Model:	
Year:	_

Item	Recommended Service Intervals Kms/Hours	Comments
Change Final Drive Oil (Front)		
Clean Engine Crankcase Breather		
Hydraulic System Oil (Change) Engine Valve Lash and Fuel Inj.		
Timing (Check) Cooling system Water Temperature		
Regulator (Replace) Cooling System Coolant Extender		
(ELC)-Add Cooling System		
Wheel nut Torque and Intervals		
Check wheel Nut torque At Every service interval		
Refrigerant dryer (Replace)		

FORM P-DATA COLLECTION SHEET FOR W.F.M.A

UNIT NUMBER	

ITEMS		DETAILS FROM VENDOR
MAKE/MANUFACTURER	(e.g. Ford, Volvo, etc.)	
MODEL	Enter model (e.g. F-350)	
YEAR	(Enter model year)	
DISCRIPTION/TYPE	(e.g. Truck, snow blower, mower, tractor)	
FUEL TYPE	(e.g. gas, diesel, hybrid, propane)	
RATED FUEL CONSUMPTION	(L/100 km, L/hr, etc.)	
GVWR	(In pounds [lbs.] and kilograms)	
GAWR FRONT		
GAWR REAR		
GCWR		
DIMENSION HEIGHT	(Overall height m)	
DIMENSION LENGTH	(Overall length m)	
DIMENSION WIDTH	(Overall width m)	
WHEELBASE		
DELIVERY DATE	(Confirmed date)	
SUPPLIER/DEALER	(Name, phone number, and contact person)	
ODOMETER/HOUR METER	(Upon delivery)	
V.I.N. NUMBER		
SERIAL NUMBER (if applicable)		
CAB CONFIGURATION	(Regular, Extended, Crew)	
M.G.I NUMBER (if applicable)		
KEY DOOR NUM		
KEY IGNITION NUM		
PAINT CODE	(Exterior colour)	
PAINT COLOUR	(Exterior colour)	
PAINT TRIM CODE	(Interior code #/colour)	
ITEMS	SERVICE ITEMS	DETAILS FROM VENDOR
ENGINE MAKE		
ENGINE MODEL		
ENGINE SERIAL NUMBER		
ENGINE HORSE POWER	(Enter as xxx H.P. @ xxxx RPM	

ENGINE DISPLACMENT	(In cubic inches and litres)	
CPL NUMBER		
ENGINE CYLINDERS	(Number of cylinders)	
ENGINE OIL CAPACITY	(Capacity with filter, in litres)	
ENGINE OIL FILTER PART NUMBER	(Number of filters and part numbers)	
ENGINE OIL TYPE	(e.g. 15W40, regular or synthetic)	
ENGINE AIR FILTER (PRI)	(Make, part number, quantity)	
ENGINE AIR FILTER (SEC)	(Make, part number, quantity)	
CAB FILTER	(Part number and location)	
FUEL TANK CAPACITY	(In litres)	
FUEL FILTER # PRIMARY	(Make, part number, and quantity)	
FUEL FILTER # SECONDARY	(Make, part number, and quantity)	
FUEL SEPARATOR	(Make, part number, and quantity)	
COOLANT TYPE	(Heavy-duty, extended life, or regular)	
COOLANT CAPACITY	(In litres)	
COOLANT FILTER NUMBER	(Part number)	
TRANSMISSION		DETAILS FROM VENDOR
TRANSMISSION MAKE	(Enter make & model)	
TRANSMISSION SERIAL NUMBER		
TRANSMISSION TYPE	(Hydrostatic, standard, automatic)	
TRANSMISSION FLUID CAPACITY	(in litres)	
TRANSMISSION FLUID TYPE	(Dextron III, synthetic, weight, etc.)	
TRANSMISSION FILTER(S)	(# of filters and part numbers; internal and external filters)	
TRANSMISSION FILTER KITS	(Gasket, o-ring, secondary filters etc.)	
TRANSMISSION COOLER	(Make and part number if applicable)	
FRONT DIFFERENTIAL		DETAILS FROM VENDOR
DIFFERENTIAL MAKE		
DIFFERENTIAL MODEL		
DIFFERENTIAL SERIAL #		
DIFFERENTIAL OIL TYPE	(e.g. 80W90, synthetic)	
DIFFERENTIAL CAPACITY	(In litres)	
REAR DIFFERENTIAL	. ,	DETAILS FROM VENDOR
	1	
DIFFERENTIAL MAKE		

DIFFERENTIAL MODEL		
DIFFERENTIAL SERIAL #		
DIFFERENTIAL OIL TYPE	(e.g. 80W90, synthetic)	
DIFFERENTIAL CAPACITY	(In litres)	
TIRES/WHEELS/ETC.		DETAILS FROM VENDOR
TIRE MANUFACTURER & BRAND		
TIRE SIZE FRONT		
TIRE SIZE REAR		
WHEEL NUT TORQUE	(lb-ft)	
WHEEL NUT RE-TORQUE INTERVAL		
FINAL DRIVE/HUB	(Oil type and capacity)	
WHEEL SPINDLES OIL CAPACITY	(In litres)	
WHEEL SPINDLES FLUID TYPE	(e.g. 80w90, Dextron, synthetic)	
POWER STEERING CAPACITY	(In litres)	
POWER STEERING FLUID TYPE	(e.g. ATF or synthetic)	
POWER STEERING FILTER #	(Make, part number, quantity)	
BRAKE FLUID	(Type)	
BRAKE TYPE	(Hydraulic/air)	
MISC. ITEMS		DETAILS FROM VENDOR
ALTERNATOR	(Enter make, model, part #)	
ALTERNATOR AMPS	Integers only (e.g. 105, 125, etc.)	
BATTERY MAKE		
BATTERY MODEL		
BATTERY CCA		
BATTERY QTY.		
BATTERY VOLTAGE		
BELT A/C PART #	(Enter make and part number)	
BELT COMPRESSOR PART #		
BELT FAN PART #		
BELT ALTERNATOR PART #		
BELT STEERING	(V-belt or serpentine, quantity)	
BELT STEERING PART #		
BELTS OTHER		

(e.g. 13.2, 15, 18)	
(Enter make and model)	
(Enter make and model)	
(part number)	
(Diesel, electric, etc.)	
(Type, 113 etc.)	
(lbs)	
(part, number)	
(Construction equipment)	DETAILS FROM VENDOR
(part number)	
(part number)	
(Quantity and part number)	
(Quantity and part number)	
(Dimensions and part number)	
(Dimensions and part number)	
(Dimensions and part number)	
(Quantity and part number)	
(part number)	
(Part number)	
(Part number)	
	DETAILS FROM VENDOR
(Name and contact number)	
(Length and/or capacity)	
	(Enter make and model) (Enter make and model) (part number) (Diesel, electric, etc.) (Type, 113 etc.) (Ibs) (part, number) (Construction equipment) (part number) (part number) (Quantity and part number) (Dimensions and part number) (Dimensions and part number) (Dimensions and part number) (Quantity and part number) (Part number) (Part number) (Part number) (Name and contact number)

HYDRAULICS		DETAILS FROM VENDOR
HYDRAULIC PUMP	(Make, model and capacity)	
PTO	(Make, model and shift type)	
HYDRAULIC TANK CAPACITY	(In litres)	
HYDRAULIC FILTER NUMBER	(Filter number and screen numbers)	
HYDRAULIC FLUID TYPE	(e.g. N22, synthetic)	
HYDRAULIC FILTER	(Make, quantity and part number)	
HYDRAULIC SCREEN	(Make, quantity and part number)	
HYDRAULIC BREATHER	(Make, quantity and part number)	
HYDRAULIC SPINNER		
HYDRAULIC SPINNER MAKE		
HYDRAULIC SPINNER MODEL		
HYDRAULIC SPINNER SERIAL #		
CONVERYOR MOTOR MAKE		
CONVERYOR MOTOR MODEL		
CONVERYOR MOTOR SERIAL #		
CYCLE TIME DOWN		
CYCLE TIME UP		
SANDER/DUMP CONTROLS:		DETAILS FROM VENDOR
CONTROL SYSTEM MAKE		
CONTROL SYSTEM MODEL		
CONTROL SYSTEM SERIAL #		
CONTROL SYSTEM PART #		
CONVEYOR CHAIN	(Length and part #)	
SENSORS	(Part #s)	
CALCIUM PUMP MAKE		
CALCIUM PUMP MODEL		
CALCIUM PUMP SERIAL #		
CALCIUM PUMP CAPACITY		
UNIT ITEMS	ATTACHMENT(S)	DETAILS FROM VENDOR
TYPE	(e.g. snow blower, mower, spreader, etc.)	
MAKE/ MANUFACTURER	(e.g. John Deere, Colpron, etc.)	
MODEL		

YEAR	(Enter year manufactured)	
AUX. ENGINE	(Make and model)	
AUX. ENGINE DISPLACEMENT	(In cubic inches and litres)	
AUX. ENGINE SERIAL #		
SUPPLIER/DEALER	(Name, phone number, and contact person)	
FUEL TYPE	(e.g. gas, diesel, propane)	
ODOMETER/HOUR METER		
AUX. ENGINE HORSE POWER	(Enter as xxx H.P. @ xxxx RPM	
AUX. ENGINE CYLINDERS	(Number of cylinders)	
AUX. ENGINE OIL CAPACITY	(Capacity with filter, in litres)	
AUX. ENGINE OIL FILTER PART	(Number of filters and part number)	
AUX. ENGINE OIL TYPE	(e.g. 15W40, regular or synthetic)	
AUX. ENGINE AIR FILTER (PRI)	(Make, part number, quantity)	
AUX. ENGINE AIR FILTER (SEC)	(Make, part number, quantity)	
HYDRAULICS	ATTACHMENT(S)	DETAILS FROM VENDOR
HYDRAULIC DRIVE MAKE	(Enter make & model)	
HYDRAULIC DRIVE MODEL		
HYDRAULIC DRIVE SERIAL #		
HYDRAULIC DRIVE TYPE	(Hydrostatic, standard, automatic)	
HYDRAULIC DRIVE FLUID CAPACITY	(in litres)	
HYDRAULIC DRIVE FLUID TYPE	(Dextron III, synthetic, etc.)	
HYDRAULIC DRIVE FILTER(S)	(# of filters and part numbers; internal and external filters where applicable)	
HYDRAULIC DRIVE COOLER	(Part number if applicable)	
HYDRAULIC BREATHER CAP	(Part number if applicable)	
SWEEPER		DETAILS FROM VENDOR
BROOM SEGMENTS	(part #)	
WATER FILTER	(part #)	
WEAR PLATES	(part #)	
ROLLERS	(part #)	
SKID SHOES	(part #)	

PREDICTIVE MAINTENANCE	Predictive maintenance (PdM)	DETAILS FROM VENDOR
ITEMS	techniques help determine the	(Intervals in hrs/kms)
	condition of in-service Equipment in	(missivale in morkine)
	order to predict when maintenance	
	should be performed. The ultimate	
	goal of PdM is to per-form maintenance at a scheduled point in	
	time when the maintenance activity is	
	most cost-effective and before the	
	Equipment loses performance.	

FORM Q-SUSTAINABILITY QUESTIONNAIRE

Product I	<u>nformation</u>	(Yes/No)
Product S	Sustainability: High Quality, Small Ecological Footprint	
1.	Have you employed environmentally innovative best practices and/or technologies in the goods you are supplying in this Bid Opportunity as compared to similar goods? If yes, please describe them below.	
Describe:		
2.	Have you obtained 3rd party environmental certifications for any of the products that you are supplying in this Bid Opportunity?	
Describe:		
3.	Have you performed a life cycle assessment of the goods you are supplying in this Bid Opportunity? If yes, please describe below.	
Describe:	yes, please describe below.	
Describe.		
4.	Are there any other environmentally innovative best practices and/or technologies in the goods you are supplying in this Bid Opportunity that we could have specified in this tender, but have not? If yes, please describe them below.	
Describe:		
-		
<u>Company</u>	<u>Information</u>	
Energy a	nd Climate: Reducing Energy Costs and Greenhouse Gas Emissions	
1.	Have you measured your corporate greenhouse gas emissions? If yes, please report your total annual greenhouse gas emissions reported in the most recent year measured?	
Describe:		
•		
2.	Have you set publicly available greenhouse gas reduction targets? If yes, what are those targets?	
Describe:		

Material Efficiency: Reducing Waste and Enhancing Quality

1.	Do you measure the total amount of solid waste generated from the facilities that produce your product(s) for this Bid Opportunity? If yes, please report for the most recent year measured.	
Describe:		_
2.	Have you set publicly available solid waste reduction targets? If yes, what are those targets?	
Describe:		
3.	Do you measure the total water use from facilities that produce your product(s) for this Bid Opportunity?	
	If yes, please report for the most recent year measured.	
Describe:		
-		
4	Here was not sublish as allebe water as and other teams to the section of the sec	
4.	Have you set publicly available water use reduction targets? If yes, what are those targets?	
Describe:		
Natural R	esources: Responsibly Sourced Raw Materials	
1.	Have you established publicly available sustainability purchasing guidelines for your direct suppliers that	
1.	address issues such as environmental compliance, employment practices and product safety?	
Describe:		
Coolel De	omencibility. Encuring Decrepcible and Ethical Draduction	
Social Re	esponsibility: Ensuring Responsible and Ethical Production	
1.	Do you have a process for managing social compliance at the manufacturing level?	
Describe:		
2.	Do you work with your supply base to resolve issues found during social compliance evaluations and also document specific corrections and improvements?	
Describe:	accument operation controlled and improvements:	-
Describe.		

3.	Do you invest in community development activities in the markets you source from and/or operate within	1?
Describe:		
Describe.		