

Notes:
 .01 Contractor is responsible for the site verification of all dimensions
 .02 Drawings are not to be scaled for estimating purposes
 .03 All areas given are approximate
 .04 Contractor is responsible for site verification of existing roof constructions


Stated scale is when in 11x17 format

GRAPHIC LEGEND

- Parapet
- Gas line
- Gravel stop
- Control joint
- Expansion joint
- New insulated drain pipe
- Photo vantage point
- Area Label
- X = leak
- + attic vent

KEYNOTE LEGEND

- 1 core sample
- 2 chimney
- 3 AC unit
- 4 vent hood
- 5 ventilator
- 6 vent pipe
- 7 roof drain
- 8 skylight
- 9 eavestrough
- 10 firewall
- 11 antenna
- 12 ladder
- 13 stub column
- 14 roof hatch
- 15 scupper
- 16 pitch box
- 17 HVAC unit
- 18 capped curb
- 19 flag pole
- 20 electrical mast
- 21 cooling tower
- 22 splash pad
- 23 splash pan
- 24 downspout/rainwater leader
- 25 back slope
- 26 cant
- 27 increase slope to drain
- 28 cricket
- 29 parapet/wide flashing
- 30 life line anchor



Approx. Area
sq.m.
 A1 = 1829
 B1 = 583

A1 Existing Construction (1995)


- T&G Cedar deck (est 4")
- self adhering VB
- 1.5" Extruded Polystrene + 2x3 strapping
- 1.5" Extruded Polystrene + 2x3 strapping
- 3/8" plywood
- 1 ply felt mopped
- 1 ply SBS cap sheet mopped

A1 New Construction (2011)

- T&G Cedar deck (est 4")
- 1/4" Dens-Deck
- 2 ply SBS torch garde Vapor Barrier
- 2.5" polyisocyanurate with fiberglass facer
- 2" polyisocyanurate with acrylic facer
- 1/4" recovery board
- 180 gr torch grade base sheet
- 250 gr torch grade cap shet

B1 Existing Construction (1995)

- T&G Cedar deck (est 4")
- self adhering VB
- 1.5" Extruded Polystrene + 2x3 strapping
- 1.5" Extruded Polystrene + 2x3 strapping
- 3/8" plywood
- shingles



**AGASSIZ
 CONSULTING
 GROUP
 LTD.**

809 Pipeline Road, Winnipeg, Manitoba
 Phone: 697-8091 Fax: 697-8039

Project: **Elmwood Concordia Pool**
 909 Concordia
 Winnipeg, MB

Date: **September 21, 2011**

Drawing No. **R-1**

File no: **3507-11** Scale: **1:250**