

REFERENCE NOTES

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
- C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- D. REFER TO AECOM FIELD BOOK NO. 4751

CONSTRUCTION NOTES

- 1. PLACE NEW TYPE 1A ASPHALTIC PAVEMENT (85mm AVG)
- 2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w 50mm ASPHALT OVERLAY (TYPE 1A)
- 3. CONSTRUCT NEW MODIFIED BARRIER CURB (150mm REVEAL HT DOWELLED)
- 4. CONSTRUCT NEW BARRIER CURB (150mm REVEAL HT. DOWELLED)
- 5. CONSTRUCT NEW CURB RAMP AND GUTTER (10mm REVEAL HT. MONOLITHIC)
- 6. ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
- 7. ADJUST EXISTING WATER VALVE TO GRADE
- 8. RENEW EXISTING CONCRETE SIDEWALK
- 9. INSTALL NEW BARRIER CURB AND GUTTER FRAME AND COVER (AP-008 & AP-009)



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.W.M.	WATERMAIN	150 mm W.W.M.	HYDRO	— X —	— C —
300 mm L.D.S.	LAND DRAINAGE SEWER	300 mm L.D.S.	M.T.S.	— □ —	— NORTH/WEST GUTTER —
250 mm W.W.S.	WASTEWATER SEWER	250 mm W.W.S.	CONCRETE	— ○ —	— SOUTH/EAST GUTTER —
MANHOLE	MANHOLE	PROPERTY LINE	ASPHALT	— ◇ —	— N/W PROPERTY LINE —
CATCH BASIN	CATCH BASIN	SURVEY BAR	WASTEWATER SEWER	— ○ —	— S/E PROPERTY LINE —
CURB INLET	CURB INLET	ELEVATION (35.750)	CONCRETE SIDEWALK		
JUNCTIONS	JUNCTIONS	TREE	FENCE		
CULVERT	CULVERT	SIDEWALK RAMP			
GAS	GAS	CONCRETE SIDEWALK			
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE, BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.


B.M. 26-026
ELEV. 232.298

S.W. Cor. Magnus Ave. & Powers St. Tbl. in E. Conc. foundation of William Whyte Community School No. 200 Powers St., 1 m. S. & 0.1 m. below Tyndal Stone wall of the most N.E. Cor. of School.

0	ISSUED FOR TENDER	05/08/2012	BC
A	ISSUED FOR REVIEW	04/24/2012	BC
NO.	REVISIONS	DATE	BY



DESIGNED BY	SS	CHECKED BY	BC/KWR
DRAWN BY	MS	APPROVED BY	
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	2012/04/17
DATE	2012/04/17	DATE	May 8/12



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2012 LOCAL STREET RENEWAL PROGRAM

BURROWS AVE. E/B - MCGREGOR STREET TO POWERS STREET PAVEMENT REHABILITATION
MCGREGOR STREET TO STATION 0+110

CITY DRAWING NUMBER SHEET 04 OF 27

CONSULTANT DRAWING NO. CT-04