



- REFERENCE NOTES**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - BASELINE IS CENTRE LINE RIGHT-OF-WAY
 - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - REFER TO AECOM FIELD BOOK NO. 4745

- CONSTRUCTION NOTES**
- PLACE NEW TYPE A1 ASPHALTIC PAVEMENT (85mm AVG.)
 - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
 - ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
 - INSTALL NEW CAST IRON RISER RING
 - CONSTRUCT NEW BARRIER CURB (150mm REVEAL HT. DOWELLED)
 - CONSTRUCT NEW MODIFIED BARRIER CURB (150mm REVEAL HT. DOWELLED)
 - ADJUST EXISTING WATER VALVE TO GRADE
 - RENEW EXISTING 100mm CONCRETE SIDEWALK
 - REMOVE EXISTING PATIO BLOCK BUS PAD AND CONSTRUCT NEW 100mm CONCRETE SIDEWALK

AECOM
 Certificate of Authorization
 AECOM Canada Ltd.
 Original dated on:
 No. 4671 Date: 05/08/2012

METRIC
 WHOLE NUMBERS INDICATE MILLIMETRES
 DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	— X —	C PROFILE	— X —
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	M.T.S.	— X —	NORTH/WEST GUTTER	— X —
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	CONCRETE	— X —	SOUTH/EAST GUTTER	— X —
	MANHOLE		ASPHALT	— X —	N/W PROPERTY LINE	— X —
	CATCH BASIN		PROPERTY LINE	— X —	S/E PROPERTY LINE	— X —
	CURB INLET		SURVEY BAR	— X —		
	JUNCTIONS		ELEVATION (35.750)	— X —		
	CULVERT		TREE	— X —		
	GAS		SIDEWALK RAMP	— X —		
EXISTING	LEGEND - PLAN	PROPOSED	CONCRETE SIDEWALK	— X —		
			FENCE	— X —		
			EXISTING	— X —	LEGEND - PROFILE	PROPOSED

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
 LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 24-030
 ELEV. 233.493

N.W. Cor. Burrows Ave. & Dexter St., Tbl. in E. Conc. foundation No. 2085 Burrows Ave., 5 m N. & 0.1 m below slatoc of S.E. Cor. of dwelling.

NO.	REVISIONS	DATE	BY
0	ISSUED FOR TENDER	05/08/2012	BC
A	ISSUED FOR REVIEW	04/24/2012	BC

AECOM

DESIGNED BY	SS	CHECKED BY	BC/KWR
DRAWN BY	SS	APPROVED BY	
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	2012/04/17

ENGINEER'S SEAL
 PROVINCE OF MANITOBA
 K.W. RAE
 REGISTERED PROFESSIONAL ENGINEER
 CONSULTANT DRAWING NO. CT-15

THE CITY OF WINNIPEG
 PUBLIC WORKS DEPARTMENT
 ENGINEERING DIVISION

2012 LOCAL STREET RENEWAL PROGRAM

DEXTER ST. - BURROWS AVENUE TO TIMMINS AVENUE
 PAVEMENT REHABILITATION
 STATION 0+130 TO STATION 0+250

CITY DRAWING NUMBER
 SHEET 15 OF 27