

REFERENCE NOTES

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
- C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- D. REFER TO AECOM FIELD BOOK NO. 4745

CONSTRUCTION NOTES

- 1. PLACE NEW TYPE 1A ASPHALTIC PAVEMENT (85mmAVG.)
- 2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
- 3. ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
- 4. INSTALL NEW CAST IRON RISER RING
- 5. CONSTRUCT NEW BARRIER CURB (150mm REVEAL HT. DOWELLED)
- 6. CONSTRUCT NEW MODIFIED BARRIER CURB (150mm REVEAL HT. DOWELLED)
- 7. ADJUST EXISTING WATER VALVE TO GRADE
- 8. RENEW EXISTING 100mm CONCRETE SIDEWALK
- 9. INSTALL NEW CURB AND GUTTER INLET COMPLETE WITH CATCHPIT AND CONNECT TO EXISTING CATCH BASIN (SD-023)
- 10. REMOVE EXISTING PATIO BLOCK BUS PAD AND CONSTRUCT NEW 100mm CONCRETE SIDEWALK
- 11. INSTALL NEW BARRIER CURB AND GUTTER FRAME AND COVER (SD-008/SD-009)



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	— X —	C PROFILE	— — — — —
Hydrant	HYDRANT	M.T.S.	M.T.S.	— X —	NORTH/WEST GUTTER	— — — — —
Valve	VALVE	CONCRETE	CONCRETE	— X —	SOUTH/EAST GUTTER	— — — — —
300mm L.D.S.	LAND DRAINAGE SEWER	ASPHALT	ASPHALT	— X —	N/W PROPERTY LINE	— — — — —
250mm W.W.S.	WASTEWATER SEWER	PROPERTY LINE	PROPERTY LINE	— X —	S/E PROPERTY LINE	— — — — —
Manhole	MANHOLE	SURVEY BAR	SURVEY BAR	— X —		
Catch Basin	CATCH BASIN	ELEVATION (35.750)	ELEVATION	— X —		
Curb Inlet	CURB INLET	TREE	TREE	— X —		
Junctions	JUNCTIONS	SIDEWALK RAMP	SIDEWALK RAMP	— X —		
Culvert	CULVERT	CONCRETE SIDEWALK	CONCRETE SIDEWALK	— X —		
Gas	GAS	FENCE	FENCE	— X —		
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING


LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 24-030	N.W. Cor. Burrows Ave. & Dexter St. Tbl. in E. Conc. foundation		
ELEV. 233.493	No. 2066 Burrows Ave., 2.1m N. & 0.1 m below base of S.E. Cor. of dwelling.		
0	ISSUED FOR TENDER	05/08/2012	BC
A	ISSUED FOR REVIEW	04/24/2012	BC
NO.	REVISIONS	DATE	BY

AECOM		DESIGNED BY SS		CHECKED BY BCKWR	
DRAWN BY SS		APPROVED BY		RELEASED FOR CONSTRUCTION BY: BK	
HOR. SCALE: 1:250		VERTICAL: 1:10		DATE 2012/04/17	
DATE 2012/04/17		DATE May 8/12		CITY DRAWING NUMBER	



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2012 LOCAL STREET RENEWAL PROGRAM

DEXTER ST. - BURROWS AVENUE TO TIMMINS AVENUE
PAVEMENT REHABILITATION
STATION 0+250 TO TIMMINS AVENUE

CITY DRAWING NUMBER SHEET 16 OF 27

CONSULTANT DRAWING NO. CT-16