


Project: **MAYFAIR RECREATION CENTRE**
40 MAYFAIR PLACE
Project Number: 2011-112
Bid Opportunity Number: 556-2012
Drawing Title: **SECTIONS AND DETAILS**

#	Issue/Revision	Date
1	66% REVIEW	AUG 16 2012
2	66% REVIEW RESUB	NOV 26 2012
3	95% REVIEW	MAR 06 2013
4	ISSUED FOR TENDER	APR 12 2013

Sheet No: **S4.0**

The drawing is the property of the Architect and cannot be reproduced or used without the written consent of the Architect. The Contractor shall verify all levels and dimensions and shall report any discrepancies to the Architect and obtain confirmation prior to commencing work.



SEE ARCH. AND MECH. DRAWINGS FOR EXACT LOCATIONS. NOTE: PRECAST PIT OR SUMP UNIT ACCEPTABLE. SEE MECH. DRAWINGS.

NOTES:
- 152mm SIDEWALK SLAB ON GRADE. 32 MPa CONCRETE R/W 10M @ 305mm O/C MID-HT. BOTHWAYS. PROVIDE 3mm x 38mm CONTROL JOINTS AT MAX. SPACING OF 4572mm O/C TYP.
- REFER TO GEOTECHNICAL REPORT FOR SUB-SLAB PREPARATION.
- REFER TO ARCH. FOR LOCATIONS AND SLAB SLOPE.