Template Version: C420110321 - RW

### FORM A: BID (See B7)

1.	Contract Title	2012 Sidewalk Renewals and A	Associated Works	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it a	ppears on Invoice (if different from abov	/e)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Facsimile Number		
		Street or P.O. Box		
		City	Province	Postal Code
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6. Bid Security In accordance with B10.1, the Bidder encloses bid so of: (Choose one) a bid bond (Form G1: Bid Bond and Agreement to	Bond)
	,
	G2: Irrevocable
an irrevocable standby letter of credit (Form Standby Letter of Credit and Undertaking)	
a certified cheque or draft	
and agrees that it shall be held by the City in acc Contract.	cordance with the
7. Execution of Contract The Bidder agrees to execute and return the Cont seven (7) Calendar Days after receipt of the Contra specified in C4.	
8.Commencement of the WorkThe Bidder agrees that no Work shall commence until a letter of intent from the Award Authority commencement of the Work.	•
9. Contract The Bidder agrees that the Bid Opportunity in its deemed to be incorporated in and to form a protwithstanding that not all parts thereof are necessar accompany this Bid.	part of this offer
10.AddendaThe Bidder certifies that the following addenda have agrees that they shall be deemed to form a part of the	
No Dated	
11. Time This offer shall be open for acceptance, binding and	t irrevocable for a

Time This offer shall be open for acceptance, binding and irrevocable for a period of forty five (45) Calendar Days following the Submission Deadline.

Bid Submission Page 3 of 18

Template Version: C420110321 - RW

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

JNIT PRI	CES	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	New Regional Sidewalks - University Creso	cent				
	EARTH AND BASE WORKS					
<b>\.1</b>	Excavation	CW 3110-R15	m³	150		
۹.2	Sub-Grade Compaction	CW 3110-R15	m²	600		
4.7	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm		tonne	90		
A.3	Supplying and Placing Base Course Material	CW 3110-R15	m³	10		
٩.4	Grading of Boulevards	CW 3110-R15	m²	320		
	ROADWORKS - RENEWALS					
4.5	Pavement Removal	CW 3110-R15				
i)	Asphalt Pavement		m²	15		
4.6	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	15		
4.7	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	35		
4.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	5		
b	) 5 sq.m. to 20 sq.m.		M²	10		
	ROADWORKS - NEW CONSTRUCTION					
4.9	100 mm Concrete Sidewalk	CW 3325-R5	m²	500		
	LANDSCAPING					
A.10	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	80		

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.11	Salt Tolerant Grass Seeding	E8	M2	50		
	MISCELLANEOUS					
A.12	Tree Removal (50mm to 100mm) Diameter	E14	each	10		
A.13	Tree Removal (100mm to 300mm) Diameter	E14	each	5		
A.14	Chain Link Fence	CW 3550-R2				
i)	1.83m Height		m	240		
A.15	Chain Link Fence Removal	E18	m	240		
Α	New Regional Sidewalks - University Cresc	cent	•		Subtotal:	

ITEM	RICES 1 DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Downtown Sidewalk Renewals					
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R15	M3	75		
	ROADWORKS - RENEWALS					
B.2	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	145		
ii)	20 M Deformed Tie Bar		each	20		
B.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	250		
B.4	Salvage Existing Paving Stones	E14	m²	50		
B.5	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and Sidewalk	SD-228B	m²	330		
ii) B.6	Monolithic Curb and Sidewalk with Block-outs for Paving Stones Miscellaneous Concrete Slab Renewal	E16 CW 3235-R9	M2	1600		
i)	100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	20		
	b) 5 sq.m. to 20 sq.m.		m²	90		
	c) Greater than 20 sq.m.		m²	800		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	650		
B.7	Concrete Curb Removal	CW 3240-R9				
i)	Barrier 150 mm ht, Separate		m	20		
B.8	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a) Less than 3 m		m	40		
	b) 3 m to 30 m		m	70		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Modified Barrier (150 mm reveal ht,	SD-203B	m	30		
iii)	Dowelled) Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	190		
3.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	35		
3.10	Supply and Install Interlocking Paving Stones	CW 3330-R5, E11				
i)	Endicott Brick - Dark Ironspot		m²	100		
ii)	Holland Stone Paver - Natural		m²	50		
3.11	Construction of Asphalt Patches	CW 3410-R9	m²	20		
3.12	Detectable Warning Surface Tiles	E9				
i)	300 mm X 300 mm		each	10		
ii)	610 mm X 1220 mm		each	26		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.13	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
3.14	Drainage Connection Pipe	CW 2130-R12	m	1		
B.15	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
B.16	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
	ADJUSTMENTS					
3.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
3.18	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.19	Adjustment of Valve Boxes	CW 3210-R7	each	6		
B.20	Valve Box Extensions	CW 3210-R7	each	2		
B.21	Adjustment of Curb Stop Boxes	CW 3210-R7	each	12		
B.22	Curb Stop Extensions	CW 3210-R7	each	3		
	LANDSCAPING					
B.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	450		
ii)	width > or = 600 mm		m²	100		
B.24	Salt Tolerant Grass Seeding	E8	m²	40		
	MISCELLANEOUS					
B.25	Tree Well Concrete Curb	E15	m	24		
B.26	Supply and Install Cast Iron Tree Grate - ADA Compliant	E17	each	4		
В	Downtown Sidewalk Renewals				Subtotal:	

UNIT PRI	CES	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Priority   Sidewalk Renewals					
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R15	m³	85		
	ROADWORKS - RENEWALS					
C.2	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	180		
ii)	20 M Deformed Tie Bar		each	20		
C.3	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	) Less than 5 sq.m.		m²	25		
b	) 5 sq.m. to 20 sq.m.		m²	175		
C	) Greater than 20 sq.m.		m²	1800		
ii)	150 mm Reinforced Sidewalk	E12				
a	) 5 sq.m. to 20 sq.m.		m²	60		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	1450		
C.4	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.5	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	12		
C.6	Concrete Curb Removal	CW 3240-R9				
i)	Barrier 150 mm ht, Separate		m	20		
C.7	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a	Less than 3 m	3D-200A	m	65		
b	) 3 m to 30 m		m	125		
ii)	Modified Barrier (150 mm reveal ht,	SD-203B	m	75		
iii)	Dowelled) Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	200		

ITEM	ICES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
2.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	M <sup>2</sup>	10		
2.9	Construction of Asphalt Patches	CW 3410-R9	m²	25		
C.10	Detectable Warning Surface Tiles	E9				
i)	300 mm X 300 mm		each	10		
ii)	610 mm X 1220 mm		each	10		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.11	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
C.12	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
	ADJUSTMENTS					
C.13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
C.14	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
C.15	Adjustment of Valve Boxes	CW 3210-R7	each	3		
C.16	Valve Box Extensions	CW 3210-R7	each	1		
C.17	Adjustment of Curb Stop Boxes	CW 3210-R7	each	30		
C.18	Curb Stop Extensions	CW 3210-R7	each	5		
	LANDSCAPING					
C.19	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	1400		
ii)	width > or = 600 mm		m²	200		
C.20	Salt Tolerant Grass Seeding	E8	m²	30		

UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Priority I Sidewalk Renewals		<u>.                                    </u>		Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
D	Priority II & III Sidewalk Renewals	REF.		QUANTITY		
D						
D.1	EARTH AND BASE WORKS Supplying and Placing Base Course Material	CW 3110-R15	m³	95		
	ROADWORKS - RENEWALS					
D.2	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	130		
D.3	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
i	a) Less than 5 sq.m.		m²	12		
	b) 5 sq.m. to 20 sq.m.		m²	115		
	c) Greater than 20 sq.m.		m²	3360		
ii)	150 mm Reinforced Sidewalk	E12				
i	a) 5 sq.m. to 20 sq.m.		m²	215		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	20		
D.4	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	30		
D.5	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	20		
D.6	Concrete Curb Removal	CW 3240-R9				
i)	Barrier 150 mm ht, Separate		m	40		
D.7	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
;	a) Less than 3 m	SD-206A	m	62		
	b) 3 m to 30 m		m	165		
ii)	Modified Barrier (150 mm reveal ht,	SD-203B	m	110		
iii)	Dowelled) Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	112		
D.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	8		

JNIT PRI ITEM		SPEC.			UNIT PRICE	
	DESCRIPTION	REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.9	Construction of Asphalt Patches	CW 3410-R9	m²	30		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.10	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
	ADJUSTMENTS					
D.11	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
D.12	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
D.13	Adjustment of Valve Boxes	CW 3210-R7	each	5		
D.14	Valve Box Extensions	CW 3210-R7	each	1		
D.15	Adjustment of Curb Stop Boxes	CW 3210-R7	each	30		
D.16	Curb Stop Extensions	CW 3210-R7	each	5		
	LANDSCAPING					
D.17	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	2100		
ii)	width > or = 600 mm		m²	580		
D.18	Seeding	CW 3520-R7	m²	20		
D	Priority II & III Sidewalk Renewals			1	Subtotal:	

		(SEE DO)				
UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	New Regional Sidewalks - University Crescent				Subtotal:	
В	Downtown Sidewalk Renewals			Subtotal:		
С	Priority I Sidewalk Renewals				Subtotal:	
D	Priority II & III Sidewalk Renewals				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 64-2012 Addendum 1

2012 Sidewalk Renewals and Associated Works

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
	Per:	(Seal)
(Witness as to Principal if no seal)	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

\_\_\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ , romain for

BID OPPORTUNITY NO. 64-2012 Addendum 1

2012 Sidewalk Renewals and Associated Works

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_,

(Name of Surety)

By: (Seal) (Seal)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 64-2012 Addendum 1

2012 Sidewalk Renewals and Associated Works

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 14, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)