



1035-2013_ ADDENDUM 1

SUPPLY AND INSTALL NEW FULL TIER STAINLESS STEEL LOCKERS AND RELATED WORK – 999 SARGENT AVENUE

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: 10 January 2014
BY: Victorino Mendoza
TELEPHONE NO. (204) 918 1480

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20131129

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Revise: E2.6 to read:

All new stainless steel locker coin mechanism to have the same master key system. All lockers must be equipped with a cash box pry-proof flanged cylinder keyed access door of type 304 nickel bearing stainless steel construction. All cash box access door locks to be keyed to one master key that is different from the coin mechanism master key.