



1051-2013 ADDENDUM 1

NAIRN AVENUE OVERPASS MAINTENANCE WORKS

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: March 20, 2014
BY: Bill Ebenspanger
TELEPHONE NO. (204) 977-8370

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20131129

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Add: E11.9.3

Low Carbon Chromium Steel Bars (MMFX 2)

- (a) Deformed, low carbon chromium steel bars, with a minimum of 8% by weight chromium, shall conform to the requirements of ASTM A 615, Grade 75 and ASTM A 1035. MMFX 2 (Microcomposite) is an approved product. MMFX 2 steel bars may be substituted as an equal to hot-dipped galvanized steel reinforcing.