FORM A: BID (See B7)

1.	Contract Title	2013 SIDEWALK RENEWALS	AND ASSOCIATED WORKS	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it a	opears on Invoice (if different from above)	
		Street		
		City	Province Pc	ostal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province Pc	ostal Code
		The Bidder is: a sole proprietor a partnership a corporation carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B	the following contact person to re Bid.	epresent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera	the Contract shall have the m I Conditions.	eanings
5.	Offer		erform the Work in accordance te, in Canadian funds, set out on I	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Forty Five (45) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Downtown Sidewalk Renewals	11211		doratini		
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R17	m³	90		
A.2	Grading of Boulevards	CW 3110-R17	m²	100		
	ROADWORKS - RENEWALS					
A.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type B)		m²	20		
A.4	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	30		
A.5	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	250		
A.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	500		
ii)	Monolithic Curb and Sidewalk		m²	320		
iii)	Salvage Existing Paving Stones	E11	m²	1000		
A.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Concrete Sidewalk with Block-outs for Paving Stones	E8	M2	270		
ii)	Monolithic Curb and 100mm Concrete Sidewalk with Block-outs for Pavers	E12	m²	1570		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	150		
A.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	a) 5 sq.m. to 20 sq.m.		m²	85		
t	b) Greater than 20 sq.m.		m²	200		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	120		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	Concernete Origh Deservice	REF.		QUANTITY		
4.9	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	210		
A.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
а) Less than 3 m	00 200,1	m	21		
b) 3 m to 30 m		m	70		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	45		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	140		
A.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	15		
A.12	Construction of Asphalt Patches	CW 3410-R9	m²	30		
A.13	Detectable Warning Surface Tiles	CW 3326				
i)	300 mm X 300 mm		each	10		
ii)	610 mm X 1220 mm		each	22		
	ROADWORKS - NEW CONSTRUCTION					
A.14	Interlocking Paving Stones	CW 3330-R5 E9				
i)	Barkman Concrete Paver - Charcoal	E9	m²	140		
ii)	Endicott Clay Paver - Dark Ironspot		m²	75		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.15	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		

UNIT PRI	CES	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
A.17	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
A.18	Adjustment of Valve Boxes	CW 3210-R7	each	18		
A.19	Valve Box Extensions	CW 3210-R7	each	3		
A.20	Adjustment of Curb Stop Boxes	CW 3210-R7	each	20		
A.21	Supply of Curb Inlet Frames	CW 3210-R7	each	2		
A.22	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	4		
A.23	Curb Stop Extensions	CW 3210-R7	each	12		
A.24	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	5		
	LANDSCAPING					
A.25	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	100		
A.26	Salt Tolerant Grass Seeding	E7	m²	50		
Α	Downtown Sidewalk Renewals	L			Subtotal:	

FORM B: PRICES

(SEE B8)

ITEM	RICES I DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
В	Priority I Sidewalk Renewals					
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R17	m³	95		
B.2	Grading of Boulevards	CW 3110-R17	m²	700		
	ROADWORKS - RENEWALS					
B.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type B)		m²	20		
B.4	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	30		
B.5	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	275		
B.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Salvage Existing Paving Stones	E11	m²	125		
B.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and Sidewalk	SD-228B	m²	90		
ii)	100 mm Concrete Sidewalk with Block-outs for Paving Stones	E8	m²	1350		
iii)	Splash Strip, (Separate, 600 mm width)	SD-223B	m	75		
B.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m²	75		
ii)	100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	40		
	b) 5 sq.m. to 20 sq.m.		m²	200		
	c) Greater than 20 sq.m.		m²	1200		
iii)	150 mm Reinforced Sidewalk	E10				
	a) 5 sq.m. to 20 sq.m.		m²	30		
iv)	Monolithic Curb and Sidewalk	SD-228B	m²	1060		

UNIT PF	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		,
B.9	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	M2	20		
B.10	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	15		
B.11	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	15		
B.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	120		
B.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
;	a) Less than 3 m	3D-200A	m	30		
l	b) 3 m to 30 m		m	150		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	235		
B.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	65		
B.15	Construction of Asphalt Patches	CW 3410-R9	m²	100		
B.16	Detectable Warning Surface Tiles	CW 3326				
i)	300 mm X 300 mm		each	10		
ii)	610 mm X 1220 mm		each	30		
	ROADWORKS - NEW CONSTRUCTION					
B.17	Interlocking Paving Stones	CW 3330-R5 E9				
i)	Endicott Clay Paver - Dark Ironspot	LJ	m²	110		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.18	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		

UNIT PRI	CES	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
B.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
B.20	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
B.21	Adjustment of Valve Boxes	CW 3210-R7	each	13		
B.22	Valve Box Extensions	CW 3210-R7	each	2		
B.23	Adjustment of Curb Stop Boxes	CW 3210-R7	each	60		
B.24	Supply of Curb Inlet Frames	CW 3210-R7	each	2		
B.25	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	4		
B.26	Curb Stop Extensions	CW 3210-R7	each	40		
B.27	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	2		
	LANDSCAPING					
B.28	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	305		
ii)	width > or = 600 mm		m²	800		
B.29	Seeding	CW 3520-R7	m²	40		
В	Priority I Sidewalk Renewals	I			Subtotal:	

UNIT P	RI	CES	(SEE B8)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С		Priority II & III Sidewalk Renewals					
		EARTH AND BASE WORKS					
C.1		Supplying and Placing Base Course Material	CW 3110-R17	m³	65		
C.2		Grading of Boulevards	CW 3110-R17	m²	1300		
		ROADWORKS - RENEWALS					
C.3		Partial Slab Patches	CW 3230-R7				
		- Early Opening (72 hour)					
i)		200 mm Concrete Pavement (Type B)		m²	15		
C.4		Drilled Dowels	CW 3230-R7				
i)		19.1 mm Diameter		each	28		
C.5		Drilled Tie Bars	CW 3230-R7				
i)		20 M Deformed Tie Bar		each	135		
C.6		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	20		
	b)	5 sq.m. to 20 sq.m.		m²	130		
	c)	Greater than 20 sq.m.		m²	2110		
ii)		150 mm Reinforced Sidewalk	E10				
	a)	5 sq.m. to 20 sq.m.		m²	180		
iii)		Monolithic Curb and Sidewalk	SD-228B	m²	430		
C.7		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	22		
C.8		Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.9		Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.10		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	30		
	b)	3 m to 30 m		m	120		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	25		

UNIT PR		(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	80		
C.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10		
C.12	Construction of Asphalt Patches	CW 3410-R9	m²	30		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.13	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
C.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
C.15	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
C.16	Adjustment of Valve Boxes	CW 3210-R7	each	10		
C.17	Valve Box Extensions	CW 3210-R7	each	2		
C.18	Adjustment of Curb Stop Boxes	CW 3210-R7	each	35		
C.19	Supply of Curb Inlet Frames	CW 3210-R7	each	2		
C.20	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
C.21	Curb Stop Extensions	CW 3210-R7	each	20		

		(SEE DO)				
UNIT PRI	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
C.22	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	250		
ii)	width > or = 600 mm		m²	1650		
C.23	Seeding	CW 3520-R7	m²	35		
С	Priority II & III Sidewalk Renewals	1			Subtotal:	

FORM B: PRICES

(SEE B8)

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	SUMMARY					
Α	Downtown Sidewalk Renewals				Subtotal:	
1						
В	Priority I Sidewalk Renewals				Subtotal:	
С	Priority II & III Sidewalk Renewals				Subtotal:	
					<u> </u>	
	ID PRICE (GST extra)			(in figures)		
				(in figures)		
(in words)						
(11 W0103)						
l						
1						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 119-2013

2013 SIDEWALK RENEWALS AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: Per:	
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 119-2013

2013 SIDEWALK RENEWALS AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Forty Five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 119-2013

2013 SIDEWALK RENEWALS AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 21, 2013

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)