

1 MAIN FLOOR PLAN - PLUMBING DEMOLITION
Scale 3/161'-0"

GENERAL NOTES:

1. CONFORM TO CANADIAN PLUMBING CODE AND ALL LOCAL CODES AND AUTHORITY HAVING JURISDICTION FOR DESIGN, SUPPLY AND INSTALLATION OF PLUMBING AND VENT SYSTEM.
2. EQUIPMENT LOCATIONS AND PIPE ROUTING INDICATED ON THE DRAWINGS IS APPROXIMATE ONLY. CONFIRM IN THE FIELD. REROUTE PIPING AS REQUIRED TO ELIMINATE FIELD INTERFERENCES, WITH BUILDING STRUCTURES, ELECTRICAL, ETC. CONFIRM CHANGES WITH CONTRACT ADMINISTRATOR. CO-ORDINATE WORK WITH ALL SUBTRADES. WHERE DIMENSIONS ARE INDICATED FOR PIPING EQUIPMENT SIZES, ETC. THESE ARE FOR BIDDING PURPOSES ONLY. THE CONTRACTOR IS RESPONSIBLE TO VERIFY ALL DIMENSIONS IN THE FIELD PRIOR TO ORDERING EQUIPMENT AND COMMENCING INSTALLATION WITHOUT EXTRA CHARGES TO THE PROJECT. THE CONTRACTOR IS RESPONSIBLE TO ENSURE ALL EQUIPMENT, DUCTWORK AND PIPING FITS IN THE SPACE AVAILABLE AND TO MAINTAIN THE GENERAL DESIGN INTENT FOR THE SYSTEMS.
3. PROVIDE NEW DRAINS AS SHOWN. SLOPE NEW DRAINAGE PIPING AT 1/4" PER FOOT.
4. INSULATE DOMESTIC HOT WATER (DHW), AND DOMESTIC COLD WATER (DCW) PIPING.
5. PROVIDE ALL CUTTING AND PATCHING REQUIRED FOR NEW PIPING (WATER AND DRAINAGE). FINISH ALL PENETRATIONS AND MAKE GOOD.
6. PROVIDE SHUT-OFF VALVES AT ALL FIXTURES, WATER TANKS, AND WATER HAMMER ARRESTERS AT ENDS OF ALL PIPE RUNS.
7. CONFORM TO CSA B149.1 NATURAL GAS AND PROPANE INSTALLATION CODE.

KEYNOTES:


- 1 EXISTING STAINLESS STEEL VANITY, SINKS AND ELECTRONIC FAUCETS TO BE RELOCATED TO NEW LOCATIONS SHOWN ON DRAWING M03 (TYP.).
- 2 REMOVE EXISTING PLUMBING FIXTURES AND ASSOCIATED PIPING (TYP.). NOTE: EXISTING SHOWER COLUMN PUSH BUTTONS ARE WIRED TO THE SHOWER CONTROL SYSTEM LOCATED IN THE JANITOR'S ROOM. EXISTING SHOWER CONTROL SYSTEM TO BE RETAINED AND REUSED TO SUPPLY TEMPERED WATER TO NEW SHOWERS.
- 3 REMOVE EXISTING COLUMN SHOWER AND ASSOCIATED PIPING (TYP.).
- 4 REMOVE EXISTING DRAINAGE PIPING UP TO THE TIE-IN POINT, INCLUDING ALL FLOOR DRAINS. EXACT PIPE ROUTING IS TO BE CONFIRMED IN FIELD. (NOTE: EXCAVATION OF THE CRAWLSPACE WOULD BE REQUIRED FOR REMOVAL OF DRAIN LINES. WORK TO BE COORDINATED WITH STRUCTURAL.)
- 5 EXISTING JANITOR'S CLOSET IS TO REMAIN. CONNECT TO NEW DRAIN LINES AS REQUIRED.
- 6 REMOVE EXISTING DOMESTIC WATER TEMPERED VALVE AND ASSOCIATED PIPING UP TO SHOWER MANIFOLD LOCATED IN THE JANITOR'S ROOM. EXISTING SHOWER MANIFOLD AND ASSOCIATED SOLENOID VALVE AND CONTROLS TO REMAIN. EXACT LOCATIONS AND ROUTING TO BE CONFIRMED IN FIELD.
- 7 EXISTING SHOWER MANIFOLD AND CONTROL SYSTEM TO REMAIN.
- 8 REMOVE EXISTING SINK AND ASSOCIATED PIPING. CONFIRM PIPE ROUTING IN FIELD.

LEGEND:

- EXISTING EQUIPMENT/PIPING TO BE REMOVED
- EXISTING EQUIPMENT/PIPING TO REMAIN
- UNDER SLAB PIPING
- TIE-IN POINT

Ownership of Documents:
Drawings and specifications as instruments of service are and shall remain the property of the Architect whether the project for which they are made is executed or not. They are not to be used by the city on other projects or extensions to this project except by agreement in writing and with appropriate compensation to the Architect.

This drawing shall not be scaled. Follow given dimensions only.



ISSUED FOR

0 ISSUED FOR TENDER

SEAL

APEGM
Certificate of Authorization
KGS Group
No. 245



ARCHITECT / PRIME CONSULTANT

SYNYSHYN
ARCHITECTURE + INTERIOR DESIGN INC.

MANITOBA • ALBERTA

T: 204.947-1100
F: 204.956-5742

603-43 Albert Street
Winnipeg, Manitoba
R3B 1G4 Canada
info@synyshyn.com
www.synyshyn.com

ENGINEERING CONSULTANT



ENGINEERING CONSULTANT

PROJECT TITLE

**MARGARET GRANT POOL
INTERIOR RENOVATIONS
BID OPPORTUNITY NO.
12-2013**

685 DALHOUSIE DRIVE , Winnipeg , MB

DRAWING TITLE

**MECHANICAL
MAIN FLOOR PLAN
PLUMBING DEMOLITION**

DESIGNED BY PSS DRAWN BY TJC

ISSUE DATE 13/02/06 REVISION No. 0

PROJECT No. 12-1894-001 DRAWING No. **M01**