FORM A: BID (See B8)

1.	Contract Title	2013 WATERMAIN RENE	WALS CONTRACT 4	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different f	rom above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if app	olicable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	izes the following contact pe the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

2013 WATERMAIN RENEWALS CONTRACT 4

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Avenue Du Couvent					
A. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	104.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
A. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		
A. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 22 1/2°		each	2		
b)	Plugs					
i)	150mm		each	1		
A. 5	Water Services	CW 2110				
a)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2		
A. 6	Corporation Stops	CW 2110				
a)	50mm		each	1		
A. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) .,	In-line connection - no plug existing			4		
i)		014.0440	each	1		
A. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	50mm		each	1		
A.9	Continuity Bonding	CW 2110	each	1		
A.10	Miscellaneous Concrete Slab Renewal	E6, CW 3240				
a)	Sidewalk (SD-228A)					
i)	5 sq. m to 20 sq.m		m^2	12		
A.11	Concrete Curb Renewal	E7, CW 3240				

2013 WATERMAIN RENEWALS CONTRACT 4

UNIT PRIC		SPEC.	LINUT	ADDDOV	LINIT DDICE	AMOLINIT
ITEM	DESCRIPTION	REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Curb and Gutter (40mm ht, ramp, Integral, - 600mm width, 150mm Plain Concrete Pavement)					
i)	3m to 30m		m	25		
A.12	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m ²	30		
Α	Avenue Du Couvent				Subtotal:	
В	St. Mary's Road - Worthington Ave to Maral	bo Avenue				
B. 1	Watermain Renewal	CW 2110				
a)	150mm					
i) b)	trenchless installation, Class B sand bedding, Class 3 backfill 200mm		m	14.0		
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	87.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
B. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
b)	200mm		each	2		
B. 4	Fittings	CW 2110				
a)	Tees (SD-004)					
i)	200mm x 200mm x 150mm		each	3		
b)	Bends (SD-004)					
i)	150mm - 45°		each	1		
ii)	200mm - 22 1/2°		each	4		
B. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	6		
b)	38mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	2		
B. 6	Corporation Stops	CW 2110				

2013 WATERMAIN RENEWALS CONTRACT 4

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	19mm		each	3		
b)	38mm		each	1		
B. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	3		
ii)	200mm		each	2		
B. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	3		
b)	38mm		each	1		
B.9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	4		
B.10	Continuity Bonding	CW 2110	each	1		
B.11	Miscellaneous Concrete Slab Renewal	E6, CW 3240				
a)	Sidewalk (SD-228A)					
i)	5 sq. m to 20 sq.m		m^2	12		
B.12	Concrete Curb Renewal	E7, CW 3240,				
a)	Concrete Splash Strip (180mm height, monolithic, 300mm width, SD-223A)		m	48		
B.13	Partial Slab Patches	E5, CW 3230				
a)	150mm reinforced concrete pavement for early opening (24 hours)		m ²	40		
b)	200mm reinforced concrete pavement for early opening (24 hours)		m ²	10		
B.14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	15		
В	St. Mary's Road - Worthington Ave to Mara	lbo Avenue			Subtotal:	
С	Rue Des Meurons - Hamel Avenue to Bertra	and Street				
C.1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	24.0		
b)	250mm					

2013 WATERMAIN RENEWALS CONTRACT 4

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	388.0		
C.2	Hydrant Assembly	CW 2110				
a)	SD-006		each	4		
C.3	Watermain Valve	CW 2110				
a)	150mm		each	4		
b)	250mm		each	4		
C.4	Fittings	CW 2110				
a)	Tees (SD-004)					
i)	250mm x 250mm x 150mm		each	3		
ii)	250mm x 250mm x 200mm		each	1		
b)	Bends (SD-004)					
i)	250mm - 22 1/2°		each	2		
C.5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	14		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	6		
C.6	Corporation Stops	CW 2110				
a)	19mm		each	36		
b)	25mm		each	3		
C.7	Curb Stops	CW 2110				
a)	19mm		each	2		
C.8	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
C.9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
ii)	250mm		each	2		

2013 WATERMAIN RENEWALS CONTRACT 4


ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	36		
b)	25mm		each	3		
C.11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	4		
b)	On Water Services		each	10		
C.12	Continuity Bonding	CW 2110	each	31		
C.13	Miscellaneous Concrete Slab Renewal	E6, CW 3240				
a)	Sidewalk (SD-228A)					
ij	5 sq. m to 20 sq.m		m ²	30		
C.14	Concrete Curb Renewal	E7, CW 3240				
a)	Barrier Curb (180mm high)		m	10		
C.15	Partial Slab Patches	E5, CW 3230				
a)	200mm reinforced concrete pavement for early opening (24 hours)		m ²	175		
C.16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	25		
С	Rue Des Meurons - Hamel Avenue to Bertra	and Street			Subtotal:	
D	St. Mary's Road - Highfield Street to Metcal	f Avenue				
D.1	Watermain Renewal	CW 2110				
a)	150mm					
ij	trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
b)	200mm					
i)	bedding, Class 3 backfill		m	40.0		
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	500.0		
D.2	Hydrant Assembly	CW 2110				
		i e		ı	i l	
a)	SD-006		each	1		

2013 WATERMAIN RENEWALS CONTRACT 4

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.3	New Hydrant Assembly on Existing Watermain	CW 2110				
a)	SD-006		each	1		
D.4	Watermain Valve	CW 2110				
a)	150mm		each	1		
b)	200mm		each	2		
c)	250mm		each	5		
D.5	Fittings	CW 2110				
a)	Tees					
i)	250mm x 250mm x 150mm		each	1		
ii)	250mm x 250mm x 200mm		each	2		
iii)	250mm x 250mm x 250mm		each	1		
b)	Bends (SD-004)					
i)	150mm - 11 1/4°		each	1		
ii)	200mm - 11 1/4°		each	1		
iii)	250mm - 11 1/4°		each	1		
iv)	250mm - 22 1/2°		each	3		
v)	250mm - 45°		each	1		
c)	Reducers					
i)	200mm - 150mm		each	1		
ii)	350mm - 250mm		each	1		
D.6	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	45		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	215		
D.7	Corporation Stops	CW 2110				
a)	19mm		each	28		
b)	25mm		each	13		

2013 WATERMAIN RENEWALS CONTRACT 4

UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.8	Curb Stops	CW 2110				
a)	19mm		each	2		
b)	25mm		each	10		
D.9	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
b)	25mm		each	10		
D.10	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
ii)	200mm		each	3		
iii)	250mm		each	3		
iv)	350mm		each	1		
D.11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	28		
b)	25mm		each	13		
D.12	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	5		
b)	On Water Services		each	37		
D13	Continuity Bonding	CW 2110	each	4		
D.14	Miscellaneous Concrete Slab Renewal	E6, CW 3240				
a)	Sidewalk (SD-228A)					
i)	5 sq. m to 20 sq.m		m^2	60		
D.15	Concrete Curb Renewal	E7, CW 3240				
a)	Barrier Curb (180mm high)		m	100		
D.16	Partial Slab Patches	E5, CW 3230				
a)	200mm reinforced concrete pavement for early opening (24 hours)		m²	310		
D.17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	40		
D	St. Mary's Road - Highfield Street to Metcal	f Avenue			Subtotal:	



2013 WATERMAIN RENEWALS CONTRACT 4

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	St. Anne's Road - Fermor Avenue to Havelo	ock Avenue				
E.1	Watermain Renewal	CW 2110				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
E.2	Hydrant Assembly	CW 2110				
a)	SD-007		each	1		
E.3 a)	New Hydrant Assembly on Existing Watermain SD-007 (connection to 300mm watermain)	CW 2110	each	1		
E.4	Watermain Valve	CW 2110	odon	•		
a)	150mm	OW 2110	each	7		
	300mm			3		
b)		0111 0440	each	3		
E.5	Fittings	CW 2110				
a)	Bends (SD-005)					
i)	150mm - 45°		each	7		
b)	Tees (SD-004)					
i)	350mm x 350mm x 150mm		each	8		
E.6	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	4		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	4		
c)	50mm					
i) E.7	trenchless installation, Class B sand bedding, Class 1 backfill Corporation Stops	CW 2110	m	8		
a)	19mm		each	16		
b)	25mm		each	7		
c)	38mm		each	3		
d)	50mm		each	5		

2013 WATERMAIN RENEWALS CONTRACT 4

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	8		
ii)	300mm		each	18		
E.9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	16		
b)	25mm		each	7		
c)	38mm		each	3		
d)	50mm		each	5		
E.10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	31		
E.11	Partial Slab Patches	CW3410				
a)	200mm reinforced concrete pavement for early opening (24 hours)		m ²	85		
E.12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	20		
E	St. Anne's Road - Fermor Avenue to Havelo	ock Avenue	1		Subtotal:	
E F	St. Anne's Road - Fermor Avenue to Havelo Provisional Items	ock Avenue			Subtotal:	
		CW 2030	m ³	40.0	Subtotal:	
F	Provisional Items	<u> </u>	m³	40.0	Subtotal:	
F F.1	Provisional Items Granular Backfill Material	CW 2030			Subtotal:	
F F.1 F.2	Provisional Items Granular Backfill Material Cement Stabilized Fill	CW 2030 CW 2030	m ³ each/	20.0	Subtotal:	
F.1 F.2 F.3	Provisional Items Granular Backfill Material Cement Stabilized Fill Maintaining Curb Stop Excavations	CW 2030 CW 2030 CW 2110	m ³ each/ day	20.0 10.0	Subtotal:	
F.1 F.2 F.3	Provisional Items Granular Backfill Material Cement Stabilized Fill Maintaining Curb Stop Excavations Sodding	CW 2030 CW 2030 CW 2110 CW 3510	m ³ each/ day m ²	20.0 10.0 30.0	Subtotal:	
F.1 F.2 F.3 F.4 F.5	Provisional Items Granular Backfill Material Cement Stabilized Fill Maintaining Curb Stop Excavations Sodding Adjustment of Precast Sidewalk Blocks	CW 2030 CW 2030 CW 2110 CW 3510 CW 3235	m ³ each/ day m ²	20.0 10.0 30.0	Subtotal:	
F.1 F.2 F.3 F.4 F.5 F.6	Provisional Items Granular Backfill Material Cement Stabilized Fill Maintaining Curb Stop Excavations Sodding Adjustment of Precast Sidewalk Blocks Fittings Bends (SD-005)	CW 2030 CW 2030 CW 2110 CW 3510 CW 3235	m ³ each/ day m ²	20.0 10.0 30.0	Subtotal:	
F.1 F.2 F.3 F.4 F.5 F.6 a)	Provisional Items Granular Backfill Material Cement Stabilized Fill Maintaining Curb Stop Excavations Sodding Adjustment of Precast Sidewalk Blocks Fittings Bends (SD-005) 150mm - 45°	CW 2030 CW 2030 CW 2110 CW 3510 CW 3235	m ³ each/ day m ² m ²	20.0 10.0 30.0 10.0	Subtotal:	
F.1 F.2 F.3 F.4 F.5 F.6 a)	Provisional Items Granular Backfill Material Cement Stabilized Fill Maintaining Curb Stop Excavations Sodding Adjustment of Precast Sidewalk Blocks Fittings Bends (SD-005) 150mm - 45° 200mm - 45°	CW 2030 CW 2030 CW 2110 CW 3510 CW 3235	m ³ each/day m ² m ²	20.0 10.0 30.0 10.0	Subtotal:	
F.1 F.2 F.3 F.4 F.5 F.6 a) i)	Provisional Items Granular Backfill Material Cement Stabilized Fill Maintaining Curb Stop Excavations Sodding Adjustment of Precast Sidewalk Blocks Fittings Bends (SD-005) 150mm - 45° 200mm - 45°	CW 2030 CW 2030 CW 2110 CW 3510 CW 3235	m³ each/day m² m² each each	20.0 10.0 30.0 10.0	Subtotal:	

2013 WATERMAIN RENEWALS CONTRACT 4

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.8	Curb Stops	CW 2110				
a)	38mm		each	2		
F.9	Curb Stop Boxes	CW 2110				
a)	38mm		each	2		
F.10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	38mm		each	2		
F.11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2		
b)	On Water Services		each	5		
F.12	Continuity Bonding	CW 2110	each	5		
F.13	Regrading of Existing Sewer Serice - Up to 1.5 metres long	CW 2110				
i)	100mm		each	3		
ii)	150mm		each	3		
F	Provisional Items				Subtotal:	
	SUMMARY				-	
Α	Avenue Du Couvent				Subtotal:	
В	St. Mary's Road - Worthington Ave to Maral	bo Avenue			Subtotal:	
С	Rue Des Meurons - Hamel Avenue to Bertrand Street			Subtotal:		
D	St. Mary's Road - Highfield Street to Metcalf Avenue			Subtotal:		
E	St. Anne's Road - Fermor Avenue to Havelock Avenue			Subtotal:		
F	Provisional Items				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						

(Seal)

Template Version: C120120419 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per described, for the payment of which sum to	and firmly bound unto THE CITY OF WINN reent (10%) of the Total Bid Price set out in the Principal and Surety bind themselves, their ntly and severally, firmly by these presents.	he Bid hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 247-2013		
2013 WATERMAIN RENEWALS CONTRA	CT 4	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is accordance with the terms of the Bid, enters in a performance security for guaranteeing the fair, but otherwise shall remain in full force and ef	ito a Contract with ithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to

become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______ , 20____ for BID OPPORTUNITY NO. 247-2013 2013 WATERMAIN RENEWALS CONTRACT 4 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Materi 185 Ki	ty of Winnipeg ate Finance Department als Management Division ng Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 247-2013
	2013 WATERMAIN RENEWALS CONTRACT 4
Pursua	ant to the request of and for the account of our customer,
(Name	f Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
demar Letter payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for the without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	
and w	confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 26, 2013.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		