#### FORM A: BID (See B8)

1.	Contract Title	FERRY ROAD AND RIVE CONTRACT NO. 1	RBEND COMBINED SEWER	RELIEF
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different fro	m above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if app	blicable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact personal the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use ascribed to them in the Ge	ed in the Contract shall have eneral Conditions	e the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

#### **FORM B: PRICES**

(See B9)

#### FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	NESS AVENUE BERRY STREET TO MADISON STREET					
A.1	Land Drainage Sewers	CW 2130				
a) i)	600mm – C76 – CL IV Trenchless installation, Class A Type 3 bedding, Class 3 backfill a) 3 – 4 m		m	55		
	b) 4 – 5 m		m	60		
	c) 5-6 m		m	35		
b) i)	750mm – C76 – CL IV Trenchless installation, Class A Type 3 bedding, Class 3 backfill a) 4-5 m		m	30		
c) i)	1050mm – C76 – CL III Trenchless installation, Class A Type 3 bedding, Class 3 backfill a) 4 – 5 m		m	160		
d) i)	1050mm - C76 - CL IV Trenchless installation, Class A Type 3 bedding, Class 3 backfill a) 5 - 6 m b) 6 - 7 m		m m	90 60		
e) i)	1350mm – C76 – CL III Trenchless installation, Class A Type 3 bedding, Class 3 backfill a) 4 – 5 m		m	105		
	b) 6 – 7 m		m	60		
f) i)	1500mm – C76 – CL IV Trenchless installation, Class A Type 3 bedding, Class 3 backfill a) 10 – 11 m		m	25		

#### **FORM B: PRICES**

(See B9)

#### FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.2	Manhole	CW 2130				
a)	SD-010					
i)	1500mm Ø x 1800mm high base (S108)		vt.m	6		
ii)	1500mm Ø x 3600mm high base (S109)		vt.m	6		
iii)	1800mm Ø x 2400mm high base (S101)		vt.m	5		
iv)	1800mm Ø x 3700mm high base (S107)		vt.m	6		
v)	2100mm Ø x 2400mm high base (S102)		vt.m	5		
iv)	2400mm Ø x 2400mm high base (S103)		vt.m	5		
iiv)	2400mm Ø x 5400mm high base (S105)		vt.m	10		
iiiv)	2400mm Ø x 5000mm high base (S104)		vt.m	7		
<b>A.4</b> a)	Remove and Replace Existing Catch Basin/ Curb Inlet SD-024 1800mm deep	CW 2130	each	15		
A.5	Abandon Existing Catch Basin/Curb Inlet	CW 2130	each	9		
<b>A.6</b> a) i)	Catch Basin Lead 250mm SDR-35 trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	160		
<b>A.7</b> a) i)	Catch Basin Lead Riser SD-015 250mm	CW 2130	vt.m	50		
<b>A.8</b> a)	Abandoning Existing Catch Basin Lead and/or Sewers Under Pavement 250mm and Smaller	CW 2130	each	23		

#### **FORM B: PRICES**

(See B9)

#### FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1

	PRICES	0050	11817	ADDDOX	LINUT	AMOUNT
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A.9</b> a)	Sewer Inspection 250mm	CW 2130	m	100		
,	600mm			145		
b)			m			
c)	750mm		m	30		
d)	1050mm		m	310		
e)	1350mm		m	170		
f)	1500mm		m	25		
A.10	Concrete Pipe – Three Edge Bearing					
۵)	Test 600mm C76 – CL IV		aaah	4		
a)			each	1		
b)	750mm C76 – CL IV		each	1		
c)	1050mm C76 – CL III		each	1		
d)	1050mm C76 – CL IV		each	1		
e)	1350mm C76 – CL III		each	1		
f)	1500mm C76 – CL IV		each	1		
	Total Part A			l	l	
В	KENSINGTON STREET NESS AVENUE TO SILVER AVENUE					
B.1	Land Drainage Sewers	CW 2130				
a) i)	300mm SDR-35 trenchless installation, Class B Type 3 bedding, Class 3 backfill a) 0 – 4 m		m	30		
b) i)	375mm SDR-35 trenchless installation, Class B Type 3 bedding, Class 3 backfill a) 0 – 4 m		m	125		
c) i)	450mm C76 – CL IV trenchless installation, Class A Type 3 bedding, Class 3 backfill a) 0 – 4 m		m	85		

## FORM B: PRICES

(See B9)

#### FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
INU.		KET.		QUANTITY	FRICE	
d)	525mm C76 – CL IV					
i)	trenchless installation, Class A Type 3 bedding, Class 3 backfill					
	a) 0 – 4 m		m	120		
e)	600mm C76 – CL IV					
i)	trenchless installation, Class A Type 3 bedding, Class 1 backfill		m	15		
	a) 0 – 4 m		m	່າວ		
ii)	trenchless installation, Class A Type 3					
	bedding, Class 3 backfill a) 0 – 4 m		m	70		
	,					
B.2	Manhole	CW 2130				
a) i)	SD-010 1200mm Ø base		vt.m	13		
ii)	1500mm Ø x 1800mm high base		vt.m	4		
	,					
B.3	Remove and Replace Existing Catch	CW 2130				
	Basin/ Curb Inlet		ooch	11		
a)	SD-024 1800mm deep		each	11		
B.4	Abandon Existing Catch Basin/Curb Inlet	CW 2130	each	4		
	-					
B.5	Catch Basin Lead	CW 2130				
a)	250mm SDR-35					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	55		
B.6	Catch Basin Lead Riser	CW 2130				
a) i)	SD-015 250mm SDR-35		vt.m	5		
B.7	Connecting Existing Catch Basin Lead to	CW 2130				
a)	New Manhole 200mm		each	1		
B.8	Abandoning Existing Catch Basin Lead and/or Sewers Under Pavement	CW 2130				
a)	250mm and Smaller		each	12		

#### FORM B: PRICES

(See B9)

#### FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.9	Plugging Existing Sewers And Sewer Services Smaller Than 300mm	CW 2130				
a)	200mm		each	1		
B.10	Sewer Inspection	CW 2130				
a)	300mm		m	30		
b)	375mm		m	125		
c)	450mm		m	85		
d)	525mm		m	120		
e)	600mm		m	85		
B.11	Concrete Pipe – Three Edge Bearing Test					
a)	450mm C76 – CL IV		each	1		
b)	525mm C76 – CL IV		each	1		
	Total Part B	1				
С	MADISON STREET NESS AVENUE TO 300 METERS NORTH					
C.1	Land Drainage Sewers	CW 2130				
a) i)	375mm SDR-35 trenchless installation, Class B Type 3 bedding, Class 3 backfill a) 0 – 4 m		m	45		
b) i)	450mm C76 – CL IV trenchless installation, Class A Type 3 bedding, Class 3 backfill a) 0 – 4 m		m	105		
c) i)	600mm C76 – CL IV trenchless installation, Class A Type 3 bedding, Class 3 backfill a) 0 – 4 m		m	105		
	b) 4 – 5 m		m	95		

#### **FORM B: PRICES**

(See B9)

#### FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.2	Manhole	CW 2130				
a) i)	SD-010 1200mm Ø base		vt.m	14		
,						
ii)	1500mm Ø x 1800mm high base		vt.m	13		
C.3	Remove and Replace Existing Catch	CW 2130				
2)	Basin/ Curb Inlet		ooob	8		
a)	SD-024 1800mm deep		each	0		
C.4	Abandon Existing Catch Basin/Curb Inlet	CW 2130	each	6		
0.4	Abandon Existing Catch Basin/Curb inlet	CVV 2130	Cacii	U		
C.5	Catch Basin Lead	CW 2130				
a) i)	250mm SDR-35 trenchless installation, Class B sand		m	80		
.,	bedding, Class 3 backfill		'''			
C.6	Catch Basin Lead Riser	CW 2130				
a)	SD-015			_		
i)	250mm SDR -35		vt.m	5		
C.7	Connecting New Catch Pagin Load to	CW 2420				
6.7	Connecting New Catch Basin Lead to Existing Catch Basin Lead	CW 2130				
a)	250 mm to 200mm		each	1		
C.8	Connecting Existing Catch Basin Lead to	CW 2130				
a)	New Manhole 200mm		each	1		
( u)	20011111		Caon	'		
C.9	Abandoning Existing Catch Basin Lead	CW 2130				
	and/or Sewers Under Pavement					
a)	250mm and Smaller		each	10		
0 15		0144 6 4 6 5				
<b>C.10</b> a)	Sewer Inspection 250mm	CW 2130	m	25		
b)	375mm		m	45		
c)	450mm		m	105		
d)	600mm		m	200		

#### **FORM B: PRICES**

(See B9)

#### FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1

ITEM NO.	PRICES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
·	Total Part C	I	Ι		1	1
D	PROVISIONAL ITEMS					
D.1	Dewatering	E8	Allow	1		\$100,000.00
<b>D.2</b> a) i)	Regrading of Existing Sewer Service 100 to 150 mm Up to 1.5 m long	CW 2110	each	10		
ii)	Longer than 1.5m long		m	150		
<b>D.3</b> a) b)	Manhole Lifter Rings 38mm 51mm	CW 3210	each each	5		
D.4		CW 2130				
a)	Replacing Standard Frames and Covers AP-004 Frame	CVV 2130	each	1		
b)	AP-005 Solid Cover		each	1		
c)	AP-006 Grated Cover		each	1		
D.5	Foundation, Bedding and Backfill Cement Stabilized Backfill Material	CW 2030	m³	150		
<b>D.6</b> a)	Partial Slab Patches 150mm Reinforced Concrete Pavement	CW 2130	m²	15		
b)	200mm Reinforced Concrete Pavement		m²	15		
<b>D.7</b> a)	Concrete Curb Installation Barrier Curb (SD-204)	CW 3240	m	10		
b)	Ramp Curb I(SD-229B)		m	10		
D.8	Miscellaneous Concrete Slab Renewal 100mm Sidewalk (SD-228A)	CW 3235	m²	50		

#### **FORM B: PRICES**

(See B9)

#### FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO. <b>D.9</b>	Construction of Asphaltic Concrete	REF. E 19		QUANTITY	PRICE	
D.3	Overlay	L 19				
a)	Main Line Paving Type 1A		Allow			\$35,000.00
			ance			
D.10	Construction of Asphalt Patches	CW 3410	tonne	20		
D.11	Asphaltic Concrete Planing	E 19	Allow			¢15 000 00
a)	Planning 0 – 50 mm depth		ance			\$15,000.00
D.12	Suppling and Placing Base Course Material	CW 3110				
a)	Limestone		m³	25		
D.13	Regrading Existing	CW 3330		. –		
a)	Interlocking Paving Stone Installations		m²	15		
b)	Sidewalk Blocks		m²	15		
	Total Part D				•	
ТОТА	L BID PRICE (GST extra) (in figures) \$					
				· · · · · · · · · · · · · · · · · · ·		<del> </del>
	-					

Name of Bidder		

(Seal)

Template Version: C120130321- C BCivil

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### BID BOND

BID BOND		
KNOW ALL MEN BY THESE PRESENTS 1	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto <b>THE CITY OF WINNIPEG</b> cent (10%) of the Total Bid Price set out in the Bine Principal and Surety bind themselves, their heir ntly and severally, firmly by these presents.	id hereinafter
WHEREAS the Principal has submitted a Bi	id to the Obligee for	
BID OPPORTUNITY NO. 425-2013		
FERRY ROAD AND RIVERBEND COMBIN	IED SEWER RELIEF CONTRACT NO. 1	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

(Seal)

Template Version: C120130321- C BCivil

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 425-2013 FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_\_, (Name of Surety)

By: (Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
The City of Winnipeg Corporate Finance De Materials Managemer 185 King Street, Main Winnipeg MB R3B 1	t Division Floor
RE: BID SECURIT	Y - BID OPPORTUNITY NO. 425-2013
FERRY ROAI	O AND RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 1
Pursuant to the reque	st of and for the account of our customer,
(Name of Bidder)	,
(Address of Bidder) WE HEREBY ESTAB in the aggregate	LISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
	Canadian dollars.
demand for payment Letter of Credit for the payment without inqu	of Credit may be drawn on by you at any time and from time to time upon written made upon us by you. It is understood that we are obligated under this Standby payment of monies only and we hereby agree that we shall honour your demand for iring whether you have a right as between yourself and our customer to make such ecognizing any claim of our customer or objection by the customer to payment by us.
	andby Letter of Credit may be reduced from time to time only by amounts drawn upon notice in writing given to us by you if you desire such reduction or are willing that it be
Partial drawings are p	ermitted.
	that all demands for payment made within the terms and currency of this Standby duly honoured if presented to us at:
(Address)	
and we confirm and he	ereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 28, 2013

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)