

**FORM A: BID**  
(See B9)

1. Contract Title PROVINCE OF MANITOBA/CITY OF WINNIPEG 2013 LOCAL STREET RENEWAL PROGRAM – PARK GROVE DRIVE & ST. PIERRE STREET; 2013 INTERSECTION IMPROVEMENTS – RED RIVER BOULEVARD & DES MEURONS STREET; 2013 NEW SIDEWALKS AND ASSOCIATED WORKS – ST. ANNE’S ROAD & VARIOUS OTHER LOCATIONS

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City Province Postal Code

(Mailing address if different)

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

(Choose one)

\_\_\_\_\_  
City Province Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person Title

\_\_\_\_\_  
Telephone Number Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>Red River Boulevard West at Main Street - Intersection Improvement</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Excavation	CW 3110-R17	m <sup>3</sup>	160		
A.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	235		
A.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	170		
A.4	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	20		
A.5	Grading of Boulevards	CW 3110-R17	m <sup>2</sup>	40		
A.6	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	235		
	<b>ROADWORKS - RENEWALS</b>					
A.7	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	140		
A.8	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Bullnose		m <sup>2</sup>	5		
A.9	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m <sup>2</sup>	85		
ii)	Bullnose	SD-227C	m <sup>2</sup>	2		
A.10	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	130		
A.11	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A	m	40		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
A.12	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening (72 Hour) (Reinforced)		m <sup>2</sup>	210		
A.13	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	35		
A.14	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	30		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>JOINT AND CRACK SEALING</b>					
A..15	Reflective Crack Maintenance	CW 3250-R7	m	50		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
A.16	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
	<b>ADJUSTMENTS</b>					
A.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.18	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
A.19	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
A.20	Replacing Existing Flat Top Reducer	CW 2110-R11	each	1		
	<b>LANDSCAPING</b>					
A.21	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m <sup>2</sup>	40		
	<b>MISCELLANEOUS</b>					
A.22	Tree Removal (50mm - 100mm Diameter)	E9	each	4		
<b>A</b>	<b><u>Red River Boulevard West at Main Street - Intersection Improvement</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>Des Meurons Street from Vivian Avenue to Morier Avenue - Intersection Improvement</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Excavation	CW 3110-R17	m <sup>3</sup>	35		
B.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	65		
B.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	50		
B.4	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	12		
B.5	Grading of Boulevards	CW 3110-R17	m <sup>2</sup>	120		
B.6	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	65		
	<b>ROADWORKS - RENEWALS</b>					
B.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m <sup>2</sup>	70		
B.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	140		
B.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m <sup>2</sup>	25		
B.10	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m <sup>2</sup>	25		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	6		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	10		
B.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	100		
ii)	Modified Barrier (Integral)		m	35		

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	110		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	40		
iii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	5		
iv)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	25		
B.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
B.15	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	50		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
B.16	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening (72 Hour) (Reinforced)		m <sup>2</sup>	60		
B.17	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	10		
B.18	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
<b>LANDSCAPING</b>						
B.19	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m <sup>2</sup>	200		
<b>B</b>	<b><u>Des Meurons Street from Vivian Avenue to Morier Avenue - Intersection Improvement</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>C</b>	<b><u>St. Annes Road (East Side) from #1205 St. Anne's Road to Creek Bend Road - New Sidewalk</u></b>					
	<b>EARTH AND BASE WORKS</b>					
C.1	Excavation	CW 3110-R17	m <sup>3</sup>	80		
C.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	1600		
C.3	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	25		
C.4	Grading of Boulevards	CW 3110-R17	m <sup>2</sup>	185		
C.5	Ditch Grading	CW 3110-R17	m <sup>2</sup>	1070		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
C.6	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	500		
C.7	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	2		
	<b>LANDSCAPING</b>					
C.8	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m <sup>2</sup>	185		
<b>C</b>	<b><u>St. Annes Road (East Side) from #1205 St. Anne's Road to Creek Bend Road - New Sidewalk</u></b>				Subtotal:	



**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
<b>D</b>	<b><u>Compark Road from Ashworth Street to 165 Meters West of St. Anne's Road - New Sidewalk</u></b>						
	<b>EARTH AND BASE WORKS</b>						
D.1	Excavation	CW 3110-R17	m <sup>3</sup>	75			
D.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	650			
D.3	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	25			
D.4	Grading of Boulevards	CW 3110-R17	m <sup>2</sup>	740			
	<b>ROADWORKS - RENEWALS</b>						
D.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9					
i)	100 mm Sidewalk	SD-228A					
a)	Less than 5 sq.m.		m <sup>2</sup>	5			
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	15			
D.6	Concrete Curb Removal	CW 3240-R10					
i)	Mountable Curb		m	20			
D.7	Construction of Asphaltic Concrete Overlay	CW 3410-R9					
i)	Main Line Paving						
a)	Type IA		tonne	150			
ii)	Tie-ins and Approaches						
a)	Type IA		tonne	15			
	<b>ROADWORKS - NEW CONSTRUCTION</b>						
D.8	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14					
i)	Construction of Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	650			
	<b>ADJUSTMENTS</b>						
D.9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1			
	<b>LANDSCAPING</b>						
D.10	Sodding	CW 3510-R9					
i)	width < 600 mm		m <sup>2</sup>	20			
ii)	width > or = 600 mm		m <sup>2</sup>	720			
<b>D</b>	<b><u>Compark Road from Ashworth Street to 165 Meters West of St. Anne's Road - New Sidewalk</u></b>					Subtotal:	

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>E</b>	<b><u>Oddy Street from Bannatyne Avenue West to William Avenue West - New Sidewalk</u></b>					
	<b>EARTH AND BASE WORKS</b>					
E.1	Excavation	CW 3110-R17	m <sup>3</sup>	10		
E.2	Sub-Grade Compaction	CW 3110-R17	m <sup>2</sup>	55		
E.3	Supplying and Placing Base Course Material	CW 3110-R17	m <sup>3</sup>	5		
E.4	Grading of Boulevards	CW 3110-R17	m <sup>2</sup>	70		
	<b>ROADWORKS - RENEWALS</b>					
E.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	10		
E.6	Concrete Curb Removal	CW 3240-R10				
i)	Curb Ramp		m	5		
E.7	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	15		
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
E.8	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	40		
E.9	Concrete Sidewalk with Thickened Edge	E11	m <sup>2</sup>	55		
	<b>ADJUSTMENTS</b>					
E.10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
	<b>LANDSCAPING</b>					
E.11	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m <sup>2</sup>	70		
<b>E</b>	<b><u>Oddy Street from Bannatyne Avenue West to William Avenue West - New Sidewalk</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>F</b>	<b><u>Park Grove Drive (West Leg) from Beaverhill Boulevard to Chatsworth Place - Local Street Renewal</u></b>					
	<b>EARTH AND BASE WORKS</b>					
F.1	Grading of Boulevards	CW 3110-R17	m <sup>2</sup>	2400		
	<b>ROADWORKS - RENEWALS</b>					
F.2	Slab Replacement	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	45		
F.3	Partial Slab Patches	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m <sup>2</sup>	25		
ii)	150 mm Concrete Pavement (Type B)		m <sup>2</sup>	160		
iii)	150 mm Concrete Pavement (Type D)		m <sup>2</sup>	40		
F.4	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	170		
F.5	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	290		
F.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	20		
ii)	Stamped Coloured Concrete Approach	E11	m <sup>2</sup>	30		
F.7	Concrete Curb Removal	CW 3240-R10				
i)	Lip Curb	SD-202C	m	935		
F.8	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205	m	935		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	55		
iii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	80		
F.9	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	8		
F.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	45		

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.11	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	980		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
F.12	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	240		
	<b>JOINT AND CRACK SEALING</b>					
F.13	Reflective Crack Maintenance	CW 3250-R7	m	1625		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
F.14	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	8		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	4		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	<b>ADJUSTMENTS</b>					
F.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
F.16	Lifter Rings	CW 3210-R7				
i)	51 mm		each	8		
ii)	64 mm		each	1		
iii)	76 mm		each	1		
	<b>LANDSCAPING</b>					
F.17	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m <sup>2</sup>	2400		
<b>F</b>	<b><i>Park Grove Drive (West Leg) from Beaverhill Boulevard to Chatsworth Place - Local Street Renewal</i></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>G</b>	<b><u>St. Pierre Street from Lemay Avenue to Du Couvent Avenue - Local Street Renewal</u></b>					
	<b>EARTH AND BASE WORKS</b>					
G.1	Grading of Boulevards	CW 3110-R17	m <sup>2</sup>	250		
	<b>ROADWORKS - RENEWALS</b>					
G.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type C)		m <sup>2</sup>	10		
G.3	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	10		
G.4	Supply of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	5		
G.5	Removal of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	5		
G.6	Concrete Curb Renewal	CW 3240-R10				
i)	Curb and Gutter (125 mm reveal ht,Barrier, Integral, 450 mm width, 150 mm Plain Concrete Pavement)					
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	15		
ii)	Curb and Gutter (75 mm reveal ht,Modified Lip Curb, Integral, 450 mm width, 150 mm Plain Concrete Pavement)					
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	100		
c)	Greater than 30 m		m	30		
G.7	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	10		
G.8	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	500		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	35		
G.9	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	2000		

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
G.10	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
	<b>ADJUSTMENTS</b>					
G.11	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
G.12	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	2		
iii)	64 mm		each	1		
G.13	Adjustment of Valve Boxes	CW 3210-R7	each	1		
G.14	Valve Box Extensions	CW 3210-R7	each	1		
G.15	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
	<b>LANDSCAPING</b>					
G.16	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	5		
ii)	width > or = 600 mm		m <sup>2</sup>	250		
<b>G</b>	<b><u>St. Pierre Street from Lemay Avenue to Du Couvent Avenue - Local Street Renewal</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>H</b>	<b><u>St. Pierre Street from St. Therese Avenue to South Limit - Local Street Renewal</u></b>					
	<b>EARTH AND BASE WORKS</b>					
H.1	Grading of Boulevards	CW 3110-R17	m <sup>2</sup>	200		
	<b>ROADWORKS - RENEWALS</b>					
H.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
	i) 150 mm Concrete Pavement (Type A)		m <sup>2</sup>	5		
	ii) 150 mm Concrete Pavement (Type B)		m <sup>2</sup>	10		
	iii) 150 mm Concrete Pavement (Type C)		m <sup>2</sup>	10		
	iv) 150 mm Concrete Pavement (Type D)		m <sup>2</sup>	100		
H.3	Drilled Tie Bars	CW 3230-R7				
	i) 20 M Deformed Tie Bar		each	125		
H.4	Concrete Curb Renewal	CW 3240-R10				
	i) Curb and Gutter (125 mm reveal ht, Barrier, Integral, 300 mm width, 150 mm Plain Concrete Pavement)					
	a) Less than 3 m		m	15		
	b) 3 m to 30 m		m	80		
	ii) Curb and Gutter (75 mm reveal ht, Lip Curb, Integral, 300 mm width, 150 mm Plain Concrete Pavement)					
	a) 3 m to 30 m		m	120		
H.5	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	60		
H.6	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
	i) Main Line Paving					
	a) Type IA		tonne	450		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	70		
H.7	Planing of Pavement	CW 3450-R5				
	i) 50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	2700		

**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
H.8	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-011 - Mountable Curb and Gutter Inlet		each	1		
	<b>ADJUSTMENTS</b>					
H.9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
H.10	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	2		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
H.11	Adjustment of Valve Boxes	CW 3210-R7	each	3		
H.12	Valve Box Extensions	CW 3210-R7	each	1		
	<b>LANDSCAPING</b>					
H.13	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m <sup>2</sup>	200		
<b>H</b>	<b><i>St. Pierre Street from St. Therese Avenue to South Limit - Local Street Renewal</i></b>				Subtotal:	



**FORM B: PRICES**  
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
A	<u>Red River Boulevard West at Main Street - Intersection Improvement</u>				Subtotal:	
B	<u>Des Meurons Street from Vivian Avenue to Morier Avenue - Intersection Improvement</u>				Subtotal:	
C	<u>St. Annes Road (East Side) from #1205 St. Anne's Road to Creek Bend Road - New Sidewalk</u>				Subtotal:	
D	<u>Compark Road from Ashworth Street to 165 Meters West of St. Anne's Road - New Sidewalk</u>				Subtotal:	
E	<u>Oddy Street from Bannatyne Avenue West to William Avenue West - New Sidewalk</u>				Subtotal:	
F	<u>Park Grove Drive (West Leg) from Beaverhill Boulevard to Chatsworth Place - Local Street Renewal</u>				Subtotal:	
G	<u>St. Pierre Street from Lemay Avenue to Du Couvent Avenue - Local Street Renewal</u>				Subtotal:	
H	<u>St. Pierre Street from St. Therese Avenue to South Limit - Local Street Renewal</u>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____						
_____						
_____						

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B12)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 527-2013

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2013 LOCAL STREET RENEWAL PROGRAM – PARK GROVE DRIVE & ST. PIERRE STREET; 2013 INTERSECTION IMPROVEMENTS – RED RIVER BOULEVARD & DES MEURONS STREET; 2013 NEW SIDEWALKS AND ASSOCIATED WORKS – ST. ANNE'S ROAD & VARIOUS OTHER LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B12)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 527-2013

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2013 LOCAL STREET RENEWAL PROGRAM – PARK GROVE DRIVE & ST. PIERRE STREET; 2013 INTERSECTION IMPROVEMENTS – RED RIVER BOULEVARD & DES MEURONS STREET; 2013 NEW SIDEWALKS AND ASSOCIATED WORKS – ST. ANNE'S ROAD & VARIOUS OTHER LOCATIONS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B12)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 527-2013

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2013 LOCAL STREET RENEWAL PROGRAM –  
PARK GROVE DRIVE & ST. PIERRE STREET; 2013 INTERSECTION IMPROVEMENTS – RED RIVER  
BOULEVARD & DES MEURONS STREET; 2013 NEW SIDEWALKS AND ASSOCIATED WORKS – ST.  
ANNE'S ROAD & VARIOUS OTHER LOCATIONS

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding  
in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 16, 2013.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)