

FORM A: BID
(See B7)

1. Contract Title 2013 CITY OF WINNIPEG/PROVINCE OF MANITOBA

LOCAL STREET RENEWAL PROGRAM: PARR STREET, DUNROBIN AVENUE AND OTHER VARIOUS LOCATIONS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part 1: City Funded Work						
A REHABILITATION: PARR STREET - HARTFORD AVENUE TO JEFFERSON AVENUE						
EARTH AND BASE WORKS						
A.1	Excavation	CW 3110-R17	m ³	25		
A.2	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm - Limestone		tonne	75		
A.3	Supplying and Placing Base Course Material	CW 3110-R17	m ³	25		
A.4	Grading of Boulevards	CW 3110-R17	m ²	300		
ROADWORK - REMOVALS/RENEWALS						
A.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m ²	150		
A.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m ²	15		
ii)	150 mm Concrete Pavement (Type B)		m ²	75		
iii)	150 mm Concrete Pavement (Type C)		m ²	50		
iv)	150 mm Concrete Pavement (Type D)		m ²	150		
A.7	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	200		
A.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	200		
A.9	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	30		
c)	Greater than 30 m		m	175		
ii)	Curb Ramp		m	25		
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	50		

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	425		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	75		
A.11	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	75		
	JOINT AND CRACK SEALING					
A.12	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	300		
A.13	Reflective Crack Maintenance	CW 3250-R7	m	1150		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.14	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1		
A.15	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
A.16	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
A.17	Drainage Connection Pipe	CW 2130-R12	m	8		
	ADJUSTMENTS					
A.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.19	Lifter Rings	CW 3210-R7				
i)	38 mm		each	3		
A.20	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.21	LANDSCAPING Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	180		
A	<u>REHABILITATION: PARR STREET - HARTFORD AVENUE TO JEFFERSON AVENUE</u>				Subtotal:	

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B RECONSTRUCTION: DUNROBIN AVENUE - RALEIGH STREET TO GOLSPIE STREET						
EARTH AND BASE WORKS						
B.1	Excavation	CW 3110-R17	m ³	2300		
B.2	Sub-Grade Compaction	CW 3110-R17	m ²	3000		
B.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm - Limestone		tonne	2300		
B.4	Supplying and Placing Base Course Material	CW 3110-R17	m ³	250		
B.5	Grading of Boulevards	CW 3110-R17	m ²	700		
B.6	Separation Geotextile Fabric	CW 3130-R4	m ²	3000		
ROADWORKS - RENEWALS						
B.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m ²	2500		
ii)	Asphalt Pavement		m ²	200		
B.8	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	30		
B.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	20		
b)	Greater than 20 sq.m.		m ²	80		
B.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
B.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m ²	50		
B.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	50		
B.13	Planing of Pavement	CW 3450-R5				

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	0 - 50 mm Depth (Asphalt)		m ²	150		
ROADWORKS - NEW CONSTRUCTION						
B.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	580		
ii)	Construction of Curb and Gutter (150 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	80		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	30		
iv)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	25		
B.15	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	575		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
JOINT AND CRACK SEALING						
B.16	Reflective Crack Maintenance	CW 3250-R7	m	300		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.17	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	4		
B.18	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
B.19	Drainage Connection Pipe	CW 2130-R12	m	40		
B.20	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	8		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	8		
B.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250mm Drainage Connection Pipe		each	4		
B.22	Installation of Subdrains	CW 3120-R4	m	100		
ADJUSTMENTS						
B.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
B.24	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		
B.25	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2		
B.26	Adjustment of Valve Boxes	CW 3210-R7	each	1		
B.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	6		
LANDSCAPING						
B.28	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	700		
B	<u>RECONSTRUCTION: DUNROBIN AVENUE - RALEIGH STREET TO GOLSPIE STREET</u>				Subtotal:	

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C RECONSTRUCTION: PARR STREET - RUPERTSLAND AVENUE TO MCADAM AVENUE						
C.1	Excavation	CW 3110-R17	m ³	1500		
C.2	Sub-Grade Compaction	CW 3110-R17	m ²	2200		
C.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	1500		
ii)	150 mm		tonne	1800		
C.4	Supplying and Placing Base Course Material	CW 3110-R17	m ³	250		
C.5	Grading of Boulevards	CW 3110-R17	m ²	1200		
C.6	Separation Geotextile Fabric	CW 3130-R4	m ²	2200		
ROADWORKS - RENEWALS						
C.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m ²	1800		
C.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	50		
C.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	80		
C.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	20		
C.11	Slab Replacement	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced for Back Lanes)		m ²	400		
C.12	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	200		
ROADWORKS - NEW CONSTRUCTION						
C.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement Slip Form Paving)	SD-200	m	520		
ii)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement, through backlanes)	SD-200 SD-202B	m	75		

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	36		
C.14	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	400		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	100		
JOINT AND CRACK SEALING						
C.15	Reflective Crack Maintenance	CW 3250-R7	m	300		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C.16	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1		
C.17	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
C.18	Installation of Subdrains	CW 3120-R4	m	120		
C.19	Drainage Connection Pipe	CW 2130-R12	m	15		
C.20	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
C.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
ADJUSTMENTS						
C.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
C.23	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
C.24	Lifter Rings	CW 3210-R7				

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	38 mm		each	2		
ii)	51 mm		each	1		
C.25	Adjustment of Valve Boxes	CW 3210-R7	each	2		
C.26	LANDSCAPING Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	200		
ii)	width > or = 600 mm		m ²	1000		
C	<u>RECONSTRUCTION: PARR STREET - RUPERTSLAND AVENUE TO MCADAM AVENUE</u>				Subtotal:	

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D RECONSTRUCTION: FRASERS GROVE - HENDERSON HIGHWAY TO WOODVALE AVENUE						
D.1	Excavation	CW 3110-R17	m³	2500		
D.2	Sub-Grade Compaction	CW 3110-R17	m²	3550		
D.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm - Limestone		tonne	3500		
D.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	275		
D.5	Grading of Boulevards	CW 3110-R17	m²	2000		
D.6	Separation Geotextile Fabric	CW 3130-R4	m²	3550		
ROADWORKS - RENEWALS						
D.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	3300		
ii)	Asphalt Pavement		m²	200		
D.8	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	200		
D.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	50		
D.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
D.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m²	200		
D.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	75		
D.13	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	100		
ROADWORKS - NEW CONSTRUCTION						
D.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	625		
ii)	Construction of Curb and Gutter (150 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	25		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	150		
iv)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	75		
D.15	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	650		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
JOINT AND CRACK SEALING						
D.16	Reflective Crack Maintenance	CW 3250-R7	m	200		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
D.17	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024 (1800mm deep)		each	4		
D.18	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
D.19	Drainage Connection Pipe	CW 2130-R12	m	50		
D.20	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
D.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250mm Drainage Connection Pipe		each	4		
D.22	Installation of Subdrains	CW 3120-R4	m	100		
ADJUSTMENTS						
D.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
D.24	Replacing Existing Risers	CW 2130-R12				

 Name of Bidder

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Pre-cast Concrete Risers		vert. m	1		
D.25	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2		
D.26	Adjustment of Valve Boxes	CW 3210-R7	each	2		
D.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
	LANDSCAPING					
D.28	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	2000		
D	<u>RECONSTRUCTION: FRASERS GROVE - HENDERSON HIGHWAY TO WOODVALE AVENUE</u>				Subtotal:	

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
------	-------------	------------	------	------------------	------------	--------

PART 2: MANITOBA HYDRO FUNDED WORK

E STREET LIGHT INSTALLATION

<u>DUNROBIN AVENUE - RALEIGH STREET TO GOLSPIE STREET</u>						
NEW STREET LIGHT INSTALLATION						
E.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel	E16.	each	4.0		
E.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E16.	lin.m	288.0		
E.3	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E16.	lin.m	40.0		
E.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire	E16.	each	4.0		
E.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire	E16.	each	1.0		
E.6	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of	E16.	each	1.0		
E.7	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9	E16.	each	4.0		
<u>PARR STREET - RUPERTSLAND AVENUE TO MCADAM AVENUE</u>						
NEW STREET LIGHT INSTALLATION						
E.8	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel	E16.	each	5.0		
E.9	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E16.	lin.m	323.0		
E.10	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E16.	lin.m	100.0		
E.11	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire	E16.	each	5.0		
E.12	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire	E16.	each	1.0		
E.13	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of	E16.	each	2.0		
E.14	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9	E16.	each	5.0		

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>FRASER'S GROVE - HENDERSON HIGHWAY TO WOODVALE STREET</u>						
NEW STREET LIGHT INSTALLATION						
E.15	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel	E16.	each	6.0		
E.16	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E16.	lin.m	361.0		
E.17	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E16.	lin.m	51.5		
E.18	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire	E16.	each	6.0		
E.19	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire	E16.	each	2.0		
E.20	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of	E16.	each	1.0		
E.21	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9	E16.	each	6.0		
					Sub-Total:	
E	STREET LIGHT INSTALLATION					

SUMMARY

Part 1: City Funded Work

A	REHABILITATION: PARR STREET - HARTFORD AVENUE TO JEFFERSON AVENUE	Subtotal:	
B	RECONSTRUCTION: DUNROBIN AVENUE - RALEIGH STREET TO GOLSPIE STREET	Subtotal:	
C	RECONSTRUCTION: PARR STREET - RUPERTSLAND AVENUE TO MCADAM AVENUE	Subtotal:	
D	RECONSTRUCTION: FRASERS GROVE - HENDERSON HIGHWAY TO WOODVALE AVENUE	Subtotal:	
Total Price Part 1			

Part 2: HYDRO FUNDED WORK

E	STREET LIGHT INSTALLATION -	Subtotal:	
Total Price Part 2			

TOTAL BID PRICE (GST EXTRA)

(in figures)

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 653-2013

2013 CITY OF WINNIPEG/PROVINCE OF MANITOBA

LOCAL STREET RENEWAL PROGRAM: PARR STREET, DUNROBIN AVENUE AND OTHER VARIOUS LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 653-2013

2013 CITY OF WINNIPEG/PROVINCE OF MANITOBA

LOCAL STREET RENEWAL PROGRAM: PARR STREET, DUNROBIN AVENUE AND OTHER VARIOUS LOCATIONS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 653-2013

2013 CITY OF WINNIPEG/PROVINCE OF MANITOBA
LOCAL STREET RENEWAL PROGRAM: PARR STREET, DUNROBIN AVENUE AND OTHER VARIOUS
LOCATIONS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 27, 2013.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)