FORM A: BID (See B7)

1.	Contract Title	2013 CITY OF WINNIPE	G/PROVINCE OF MANITOBA	
		LOCAL STREET RENEW AVENUE AND OTHER V	/AL PROGRAM: PARR STREE ARIOUS LOCATIONS	ET, DUNROBIN
2.	Bidder			
		Name of Bidder		······································
		Usual Business Name of Bidder	as it appears on Invoice (if different fro	om above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		······································
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if ap	plicable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes o	rizes the following contact per f the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us	ed in the Contract shall hav	e the meanings

ascribed to them in the General Conditions.

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
P	art 1: City Funded Work					
Α	REHABILITATION: PARR STREET - HART	FORD AVENUE	TO JEF	FERSON AVE	ENUE	
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R17	m³	25		
A.2	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm - Limestone		tonne	75		
A.3	Supplying and Placing Base Course Material	CW 3110-R17	m³	25		
A.4	Grading of Boulevards	CW 3110-R17	m²	300		
	ROADWORK - REMOVALS/RENEWALS					
A.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m²	150		
۹.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m²	15		
ii)	150 mm Concrete Pavement (Type B)		m²	75		
iii)	150 mm Concrete Pavement (Type C)		m²	50		
iv)	150 mm Concrete Pavement (Type D)		m²	150		
۹.7	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	200		
A.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	200		
A.9	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205,				
а	Less than 3 m	SD-206A	m	10		
b	3 m to 30 m		m	30		
c	Greater than 30 m		m	175		
ii)	Curb Ramp		m	25		
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	50		

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Construction of Asphaltic Concrete Overlay	CW 3410-R9				
Main Line Paving					
Type IA		tonne	425		
Tie-ins and Approaches					
Type IA		tonne	75		
Planing of Pavement	CW 3450-R5				
0 - 50 mm Depth (Asphalt)		m²	75		
JOINT AND CRACK SEALING					
Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	300		
Reflective Crack Maintenance	CW 3250-R7	m	1150		
ASSOCIATED DRAINAGE AND					
Catch Basin	CW 2130-R12				
SD-024, 1800 mm deep		each	1		
Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
AP-005 - Standard Solid Cover for Standard Frame		each	2		
AP-006 - Standard Grated Cover for Standard Frame		each	1		
Connecting to Existing Catch Basin	CW 2130-R12				
250 mm Drainage Connection Pipe		each	1		
Drainage Connection Pipe	CW 2130-R12	m	8		
ADJUSTMENTS					
Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
Lifter Rings	CW 3210-R7				
38 mm		each	3		
Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
	Type IA Tie-ins and Approaches Type IA Planing of Pavement 0 - 50 mm Depth (Asphalt) JOINT AND CRACK SEALING Longitudinal Joint & Crack Filling (> 25 mm in width) Reflective Crack Maintenance ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin SD-024, 1800 mm deep Replacing Existing Manhole and Catch Basin Frames & Covers AP-004 - Standard Frame for Manhole and Catch Basin AP-005 - Standard Solid Cover for Standard Frame AP-006 - Standard Grated Cover for Standard Frame Connecting to Existing Catch Basin 250 mm Drainage Connection Pipe Drainage Connection Pipe ADJUSTMENTS Adjustment of Catch Basins / Manholes Frames Lifter Rings 38 mm	Main Line Paving Type IA Tie-ins and Approaches Type IA Planing of Pavement 0 - 50 mm Depth (Asphalt) JOINT AND CRACK SEALING Longitudinal Joint & Crack Filling (> 25 mm in width) Reflective Crack Maintenance ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin CW 2130-R12 SD-024, 1800 mm deep Replacing Existing Manhole and Catch Basin AP-004 - Standard Frame for Manhole and Catch Basin AP-005 - Standard Solid Cover for Standard Frame Connecting to Existing Catch Basin CW 2130-R12 AP-006 - Standard Grated Cover for Standard Frame Connecting to Existing Catch Basin CW 2130-R12 ADJUSTMENTS Adjustment of Catch Basins / Manholes Frames Lifter Rings CW 3210-R7 CW 3210-R7 CW 3210-R7	Main Line Paving Type IA Tie-ins and Approaches Type IA Planing of Pavement 0 - 50 mm Depth (Asphalt) JOINT AND CRACK SEALING Longitudinal Joint & Crack Filling (> 25 mm in width) Reflective Crack Maintenance ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin CW 2130-R12 Frames & Covers AP-004 - Standard Frame for Manhole and Catch Basin AP-005 - Standard Solid Cover for Standard Frame AP-006 - Standard Grated Cover for Standard Frame Connecting to Existing Catch Basin CW 2130-R12 Each CW 2130-R12 Each CW 2130-R12 Each Each CW 2130-R12 Each Each CW 2130-R12 Each Each Each Each Each Each Each Eac	Construction of Asphaltic Concrete Overlay Main Line Paving Type IA Tie-ins and Approaches Type IA Planing of Pavement 0 - 50 mm Depth (Asphalt) CW 3450-R5 JOINT AND CRACK SEALING Longitudinal Joint & Crack Filling (> 25 mm on width) Reflective Crack Maintenance CW 3250-R7 m 300 CW 3250-R7 m 1150 ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin CW 2130-R12 SD-024, 1800 mm deep Replacing Existing Manhole and Catch Basin CW 2130-R12 Frames & Covers AP-004 - Standard Frame for Manhole and Catch Basin AP-005 - Standard Solid Cover for Standard Frame Connecting to Existing Catch Basin CW 2130-R12 Each 1 CW 2130-R12 Each 1 CW 2130-R12 Each 1 CW 2130-R12 Each 1 AP-005 - Standard Grated Cover for Standard Frame Connecting to Existing Catch Basin CW 2130-R12 Each 1 CW 2130-R12 Each 1 AD-006 - Standard Grated Cover for Standard Frame Connecting to Existing Catch Basin CW 2130-R12 Each 1 CW 2130-R12 Each 1 ADJUSTMENTS Adjustment of Catch Basins / Manholes Frames Lifter Rings CW 3210-R7 Each 3 Each 3	Construction of Asphaltic Concrete Overlay Main Line Paving Type IA Tie-ins and Approaches Type IA Planing of Pavement 0 - 50 mm Depth (Asphalt) JOINT AND CRACK SEALING Longitudinal Joint & Crack Filling (> 25 mm in width) Reflective Crack Maintenance CW 3250-R7 m 1150 ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin CW 2130-R12 SD-024, 1800 mm deep Replacing Existing Manhole and Catch Basin CW 2130-R12 Frames & Covers AP-004 - Standard Frame for Manhole and Catch Basin AP-005 - Standard Solid Cover for Standard Frame Connecting to Existing Catch Basin CW 2130-R12 Each 1 Each 1

FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	LANDSCAPING					
A.21	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	180		
Α	REHABILITATION: PARR STREET - HART AVENUE	Subtotal:				

В	DECONCEDUCTION: DUNDODIN AVENUE					
	RECONSTRUCTION: DUNROBIN AVENUE	- RALEIGH ST	REET TO	O GOLSPIE S	TREET	
	EARTH AND BASE WORKS					
3.1	Excavation	CW 3110-R17	m³	2300		
3.2	Sub-Grade Compaction	CW 3110-R17	m²	3000		
3.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm - Limestone		tonne	2300		
3.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	250		
3.5	Grading of Boulevards	CW 3110-R17	m²	700		
	Separation Geotextile Fabric	CW 3130-R4	m²	3000		
	ROADWORKS - RENEWALS					
3.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	2500		
ii)	Asphalt Pavement		m²	200		
3.8	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	30		
3.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	20		
b)	Greater than 20 sq.m.		m²	80		
3.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	10		
3.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m²	50		
3.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	50		
3.13	Planing of Pavement	CW 3450-R5				

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)		0 - 50 mm Depth (Asphalt)		m²	150		
		ROADWORKS - NEW CONSTRUCTION					
3.14		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)		Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm	SD-200	m	580		
ii)		Plain Concrete Pavement) Construction of Curb and Gutter (150 mm ht, Modified Barrier, Integral, 600 mm width,	SD-200 SD-203B	m	80		
iii)		150 mm Plain Concrete Pavement) Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	30		
iv)		Construction of Barrier (150 mm ht, Integral)	SD-204	m	25		
3.15		Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)		Main Line Paving					
	a)	Type IA		tonne	575		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	20		
		JOINT AND CRACK SEALING					
3.16		Reflective Crack Maintenance	CW 3250-R7	m	300		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
3.17		Remove and Replace Existing Catch Basin	CW 2130-R12				
i)		SD-024		each	4		
3.18		Remove and Replace Existing Catch Pit	CW 2130-R12				
i)		SD-023		each	4		
3.19		Drainage Connection Pipe	CW 2130-R12	m	40		
3.20		Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)		AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)		AP-005 - Standard Solid Cover for Standard		each	2		
iii)		Frame AP-006 - Standard Grated Cover for Standard Frame		each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	8		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	8		
B.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250mm Drainage Connection Pipe		each	4		
B.22	Installation of Subdrains	CW 3120-R4	m	100		
	ADJUSTMENTS					
B.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
B.24	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		
B.25	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2		
B.26	Adjustment of Valve Boxes	CW 3210-R7	each	1		
B.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	6		
	LANDSCAPING					
B.28	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	700		
В	RECONSTRUCTION: DUNROBIN AVENUE STREET	- RALEIGH ST	REET TO	O GOLSPIE	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	RECONSTRUCTION: PARR STREET - RUF	PERTSLAND AV	/ENUE 1	O MCADAM A	AVENUE	
C.1	Excavation	CW 3110-R17	m³	1500		
C.2	Sub-Grade Compaction	CW 3110-R17	m²	2200		
C.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	1500		
ii)	150 mm		tonne	1800		
C.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	250		
C.5	Grading of Boulevards	CW 3110-R17	m²	1200		
C.6	Separation Geotextile Fabric	CW 3130-R4	m²	2200		
	ROADWORKS - RENEWALS					
C.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	1800		
C.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	50		
C.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	80		
C.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	20		
C.11	Slab Replacement	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced for		m²	400		
C.12	Back Lanes) Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	200		
	ROADWORKS - NEW CONSTRUCTION					
C.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement Slip Form Paving)	SD-200	m	520		
ii)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement, through backlanes)	SD-200 SD-202B	m	75		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	36		
2.14	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
а	Type IA		tonne	400		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	100		
	JOINT AND CRACK SEALING					
C.15	Reflective Crack Maintenance	CW 3250-R7	m	300		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.16	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1		
C.17	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
C.18	Installation of Subdrains	CW 3120-R4	m	120		
C.19	Drainage Connection Pipe	CW 2130-R12	m	15		
C.20	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet		each	2		
0.21	Frame and Box Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
	ADJUSTMENTS					
2.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
0.23	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
0.24	Lifter Rings	CW 3210-R7				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT	
		REF.		QUANTITY			
i)	38 mm		each	2			
ii)	51 mm		each	1			
C.25	Adjustment of Valve Boxes	CW 3210-R7	each	2			
	LANDSCAPING						
C.26	Sodding	CW 3510-R9					
i)	width < 600 mm		m²	200			
ii)	width > or = 600 mm		m²	1000			
С	RECONSTRUCTION: PARR STREET - RUP	RECONSTRUCTION: PARR STREET - RUPERTSLAND AVENUE TO MCADAM					
C	AVENUE						

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	RECONSTRUCTION: FRASERS GROVE - I	HENDERSON H	IGHWA	Y TO WOODV	ALE AVENUE	
D.1	Excavation	CW 3110-R17	m³	2500		
D.2	Sub-Grade Compaction	CW 3110-R17	m²	3550		
D.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm - Limestone		tonne	3500		
0.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	275		
0.5	Grading of Boulevards	CW 3110-R17	m²	2000		
D.6	Separation Geotextile Fabric	CW 3130-R4	m²	3550		
	ROADWORKS - RENEWALS					
0.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	3300		
ii)	Asphalt Pavement		m²	200		
0.8	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	200		
0.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	50		
0.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	10		
0.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m²	200		
0.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	75		
0.13	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	100		
244	ROADWORKS - NEW CONSTRUCTION	CW 2240 D44				
D.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				

	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
,	Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	625		
	Construction of Curb and Gutter (150 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	25		
	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	150		
iv)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	75		
	Construction of Asphaltic Concrete Pavements Main Line Paving	CW 3410-R9				
a)	Type IA		tonne	650		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
,	JOINT AND CRACK SEALING					
D.16	Reflective Crack Maintenance	CW 3250-R7	m	200		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024 (1800mm deep)		each	4		
D.18	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
D.19	Drainage Connection Pipe	CW 2130-R12	m	15		
	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
	Connecting to Existing Catch Basin	CW 2130-R12				
i) :	250mm Drainage Connection Pipe		each	50		
D.22	Installation of Subdrains	CW 3120-R4	m	100		
	ADJUSTMENTS					
	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
	Replacing Existing Risers	CW 2130-R12				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
i)	Pre-cast Concrete Risers		vert. m	1		
D.25	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2		
D.26	Adjustment of Valve Boxes	CW 3210-R7	each	2		
D.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
	LANDSCAPING					
D.28	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	2000		
D	RECONSTRUCTION: FRASERS GROVE - HENDERSON HIGHWAY TO				Subtotal:	
Ь	WOODVALE AVENUE					

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
ADT	⊥	REF.		QUANTITY		
4KI	2. WANTOBA RTURU FUNDED W	UKN				
Е	STREET LIGHT INSTALLATION					
	DUNROBIN AVENUE - RALEIGH STREET			T		
	TO GOLSPIE STREET					
	NEW STREET LIGHT INSTALL ATION					
	NEW STREET LIGHT INSTALLATION					
E.1	Removal of 25' to 35' street light pole and	E16.	each	4.0		
	precast, poured in place concrete, steel					
E.2	Installation of #4 AL C/N or 1/0 AL Triplex	E16.	lin.m	288.0		
E.3	streetlight cable by open trench method. Installation of cable (#4 AL C/N or 1/0 AL	E16.	lin.m	40.0		
∟.3	Triplex) by boring method.	L 10.	1111.111	40.0		
E.4	Installation of 25'/35' pole, davit arm and	E16.	each	4.0		
	precast concrete base including luminaire					
E.5	Installation of one (1) 10' ground rod at end	E16.	each	1.0		
E.6	of street light circuit. Trench #4 ground wire Install / lower 3 m of Cable Guard, ground	E16.	each	1.0		
⊑.0	lug, cable up pole, and first 3 m section of	⊏10.	eacii	1.0		
E.7	Connect 2/C #12 copper conductor street	E16.	each	4.0		
	light cables per Standard CD310-4, CD310-9					
	PARR STREET - RUPERTSLAND AVENUE					
	TO MCADAM AVENUE					
	NEW STREET LIGHT INSTALLATION					
г.	Demond of OFI to OFI attract limbs male and	E40		5.0		
E.8	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel	E16.	each	5.0		
E.9	Installation of #4 AL C/N or 1/0 AL Triplex	E16.	lin.m	323.0		
	streetlight cable by open trench method.					
E.10	Installation of cable (#4 AL C/N or 1/0 AL	E16.	lin.m	100.0		
E 14	Triplex) by boring method.	E46	0006	F 0		
E.11	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire	E16.	each	5.0		
E.12	Installation of one (1) 10' ground rod at end	E16.	each	1.0		
	of street light circuit. Trench #4 ground wire	-				
E.13	Install / lower 3 m of Cable Guard, ground	E16.	each	2.0		
- 44	lug, cable up pole, and first 3 m section of	E40		5.0		
E.14	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9	E16.	each	5.0		
	liight cables per Standard CD310-4, CD310-9			I	1	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	FRASER'S GROVE - HENDERSON HIGHWAY TO WOODVALE STREET					
	NEW STREET LIGHT INSTALLATION					
E.15	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel	E16.	each	6.0		
E.16	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E16.	lin.m	361.0		
E.17	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E16.	lin.m	51.5		
E.18	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire	E16.	each	6.0		
E.19	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire	E16.	each	2.0		
E.20	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of	E16.	each	1.0		
E.21	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9	E16.	each	6.0		
E	STREET LIGHT INSTALLATION				Sub-Total:	

	SUMMARY		
P	art 1: City Funded Work		
Α	REHABILITATION: PARR STREET - HARTFORD AVENUE TO JEFFERSON AVENUE	Subtotal:	
В	RECONSTRUCTION: DUNROBIN AVENUE - RALEIGH STREET TO GOLSPIE STREET	Subtotal:	
С	RECONSTRUCTION: PARR STREET - RUPERTSLAND AVENUE TO MCADAM AVENUE	Subtotal:	
D	RECONSTRUCTION: FRASERS GROVE - HENDERSON HIGHWAY TO WOODVALE AVENUE	Subtotal:	
	Tota	al Price Part 1	

Part	2: HYDRO FUNDED WORK	<			
E	STREET LIGHT INSTALLATION -			Subtotal:	
			Tota	I Price Part 2	
TOTAL B	ID PRICE (GST EXTRA)	(in figures)		·	

(Seal)

Template Version: C120130321- C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pe described, for the payment of which sum t	and firmly bound unto THE CITY OF WINNIPEG reent (10%) of the Total Bid Price set out in the Bid the Principal and Surety bind themselves, their heirs intly and severally, firmly by these presents.	l hereinafter
WHEREAS the Principal has submitted a E	Bid to the Obligee for	
BID OPPORTUNITY NO. 653-2013		
	NNIPEG/PROVINCE OF MANITOBA PARR STREET, DUNROBIN AVENUE AND OTHER	VARIOUS
as more fully set out in the Bid Opportunity		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not a accordance with the terms of the Bid, enters into a Cd performance security for guaranteeing the faithful pd., but otherwise shall remain in full force and effect.	contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	(See)
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertabecome bound as Surety for the Principal,	akes and agrees with THE CITY OF WINNIPEG to
(Name of Bidder)	of
(
(Place)	
the Bidder to you on	, 20 for
BID OPPORTUNITY NO. 653-2013	
2013 CITY OF WINNIPEG/P LOCAL STREET RENEWAL PROGRAM: PARR STRE LOCATIONS	
in an amount equal to fifty percent (50%) of the Contra Work shown and described in the Bid Opportunity, Performance Bond to be maintained and continue in fu period. The Performance Bond shall be in the form spe	if our Principal's Bid is accepted by you, such ll force and effect until the expiration of the warranty
It is a condition that this Agreement to Bond shall mentioned above is not required from our Principa Submission Deadline.	
AND IT IS HEREBY DECLARED AND AGREED that nothing of any kind or matter whatsoever that will not or release of liability of the Surety, any law or usage notwithstanding.	discharge the Principal shall operate as a discharge
SIGNED AND SEALED this day of	, 20
(Name	of Surety)
By:	Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - BID OPPORTUNITY NO. 653-2013
2013 CITY OF WINNIPEG/PROVINCE OF MANITOBA LOCAL STREET RENEWAL PROGRAM: PARR STREET, DUNROBIN AVENUE AND OTHER VARIOUS LOCATIONS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 27, 2013.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)