### FORM A: BID (See B8)

1.	Contract Title	2014 DOWNTOWN & REGIONAL SIDEWA DETECTABLE WARNING SURFACE TILE ASSOCIATED WORKS	
2.	Bidder	Name of Bidder	
		Name of Bidder	
		Usual Business Name of Bidder as it appears on Invo	ice (if different from above)
		Street	
		City Province	Postal Code
	(Mailing address if different)	Email Address of Bidder	
		Facsimile Number	
		Street or P.O. Box	
	(Choose one)	City Province	Postal Code
		The Bidder is:	
		a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above nam	e.
3.	Contact Person	The Bidder hereby authorizes the following the Bidder for purposes of the Bid.	g contact person to represen
		Contact Person Title	
		Telephone Number Facsimile Nu	mber
4.	Definitions	All capitalized terms used in the Contra ascribed to them in the General Conditions	
<b>5</b> .	Offer	The Bidder hereby offers to perform the Contract for the Total Bid Price, in Canad Prices, appended hereto.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Forty Five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Downtown Sidewalk Renewals					
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R18	m³	34		
A.2	Grading of Boulevards	CW 3110-R18	m²	240		ı
	ROADWORKS - RENEWALS					1
A.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R87				ı
i)	200 mm Concrete Pavement (Type B)		m²	10		
A.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	12		1
A.5	Drilled Tie Bars	CW 3230-R8				1
i)	20 M Deformed Tie Bar		each	110		
A.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				ı
i)	Salvage Existing Interlocking Paving Stones	E12	m²	880		ı
A.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				1
i)	100 mm Sidewalk	SD-228A	m²	130		
ii)	Monolithic Curb & 100 mm Concrete Sidewalk with Block-outs for Paving Stones	E13	m²	615		ı
A.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				1
a)	5 sq.m. to 20 sq.m.		m²	35		
b)	Greater than 20 sq.m.		m²	90		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	253		1
A.9	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	72		
A.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				ı

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	3 m to 30 m		m	20		
b)	Greater than 30 m		m	80		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	48		
A.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	12		
A.12	Construction of Asphalt Patches	CW 3410-R10	m²	51		
A.13	Detectable Warning Surface Tiles	CW 3326-R1				
i)	300 mm X 300 mm		each	4		
ii)	610 mm X 1220 mm		each	7		
	ROADWORKS - NEW CONSTRUCTION					
A.14	Interlocking Paving Stones	CW 3330-R5,				
A.15	Endicott Clay Paver - Dark Ironspot	E10	m²	90		
	ADJUSTMENTS					
A.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
A.17	Adjustment of Valve Boxes	CW 3210-R7	each	13		
A.18	Valve Box Extensions	CW 3210-R7	each	3		
A.19	Adjustment of Curb Stop Boxes	CW 3210-R7	each	8		
A.20	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
A.21	Curb Stop Extensions	CW 3210-R7	each	2		
A.22	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	3		
	LANDSCAPING					
A.23	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	230		
A.24	Salt Tolerant Grass Seeding	E8	m²	30		

The City of Winnipeg
Bid Opportunity No. 145-2014
Template Version: C420131129-RW

## FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	MISCELLANEOUS					
A.25	Reinforced Concrete Tree Well Curb	E14	m	48		
A.26	Supply and Install Cast Iron Tree Grate - ADA Compliant - 600 mm Diameter Tree Opening	E15	each	5		
Α	Downtown Sidewalk Renewals				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Winnipeg Police Service Headquarters Sid	ewalk Renewals	<u>s</u>			
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R18	m³	32		
B.2	Removal of Existing Concrete Bases	CW 3110-R18				
i)	600 mm Diameter or Less		each	1		
	ROADWORKS - RENEWALS					
B.3	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	71		
B.4	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Curb and Sidewalk		m²	1300		
B.5	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb & 100 mm Concrete Sidewalk with Block-outs for Paving Stones	E13	m²	1300		
B.6	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	42		
B.7	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	12		
B.8	Construction of Asphalt Patches	CW 3410-R10	m²	108		
B.9	Detectable Warning Surface Tiles	CW 3326-R1				
i)	610 mm X 1220 mm		each	4		
	ROADWORKS - NEW CONSTRUCTION					
B.10	Interlocking Paving Stones	CW 3330-R5, E10				
i)	Endicott Clay Paver - Dark Ironspot	EIU	m²	210		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
B.11	Adjustment of Valve Boxes	CW 3210-R7	each	2		
B.12	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
B.13	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	3		
B.14	Curb Stop Extensions	CW 3210-R7	each	1		
B.15	Raising of Existing Hydrant	CW 2110-R11	each	1		
B.16	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	1		
	LANDSCAPING					
B.17	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	60		
В	Winnipeg Police Service Headquarters Sid	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Regional Sidewalk Renewals					
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R18	m³	62		
C.2	Grading of Boulevards	CW 3110-R18	m²	100		
	ROADWORKS - RENEWALS					
C.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R87				
i)	200 mm Concrete Pavement (Type B)		m²	10		
C.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	12		
C.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	216		
C.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Salvage Existing Interlocking Paving Stones	E12	m²	75		
C.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	20		
b)	5 sq.m. to 20 sq.m.		m²	100		
c)	Greater than 20 sq.m.		m²	60		
ii)	150 mm Reinforced Sidewalk - Early Opening (24 hour)	E11				
a	5 sq.m. to 20 sq.m.		m²	15		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	850		
iv)	Monolithic Curb & 100 mm Concrete Sidewalk with Block-outs for Paving Stones	E13	m²	1420		
C.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	3		
C.9	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	3		
C.10	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	3		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
á	Less than 3 m		m	5		
k	3 m to 30 m		m	10		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	100		
C.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
C.13	Construction of Asphalt Patches	CW 3410-R10	m²	140		
C.14	Detectable Warning Surface Tiles	CW 3326-R1				
i)	300 mm X 300 mm		each	8		
ii)	610 mm X 1220 mm		each	32		
	ROADWORKS - NEW CONSTRUCTION					
C.15	Interlocking Paving Stones	CW 3330-R5, E10				
i)	Endicott Clay Paver - Dark Ironspot	LIO	m²	74		
ii)	Beldin Regimental - Red		m²	120		
	ADJUSTMENTS					
C.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
C.17	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
C.18	Adjustment of Valve Boxes	CW 3210-R7	each	14		
C.19	Valve Box Extensions	CW 3210-R7	each	3		
C.20	Adjustment of Curb Stop Boxes	CW 3210-R7	each	18		
C.21	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	5		
C.22	Curb Stop Extensions	CW 3210-R7	each	6		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.23	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	3		
	LANDSCAPING					
C.24	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	100		
ii)	width > or = 600 mm		m²	55		
C.25	Salt Tolerant Grass Seeding	E8	m²	45		
С	Regional Sidewalk Renewals	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Detectable Warning Surface Tile Installation	<u>ons</u>				
	EARTH AND BASE WORKS					
D.1	Supplying and Placing Base Course Material	CW 3110-R18	m³	34		
	ROADWORKS - RENEWALS					
0.2	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	440		
0.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Salvage Existing Interlocking Paving Stones	E12	m²	180		
0.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Concrete Sidewalk with Block-outs for Paving Stones	E9	m²	172		
0.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
ć	a) 5 sq.m. to 20 sq.m.		m²	308		
0.6	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
6	Less than 3 m	0D-200A	m	6		
k	3 m to 30 m		m	36		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	18		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	266		
0.7	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	26		
0.8	Construction of Asphalt Patches	CW 3410-R10	m²	84		
0.9	Detectable Warning Surface Tiles	CW 3326-R1				
i)	300 mm X 300 mm		each	4		
ii)	610 mm X 1220 mm		each	53		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
D.10	Interlocking Paving Stones	CW 3330-R5, E10				
i)	Endicott Clay Paver - Dark Ironspot	•	m²	22		
	ADJUSTMENTS					
D.11	Relocating Existing Hydrant - Type B	CW 2110-R11	each	1		
D.12	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	3		
D	Detectable Warning Surface Tile Installations			Subtotal:		

The City of Winnipeg
Bid Opportunity No. 145-2014
Template Version: C420131129-RW

### FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
Α	Downtown Sidewalk Renewals			Subtotal:		
В	Winnipeg Police Service Headquarters Sidewalk Renewals		Subtotal:			
С	Regional Sidewalk Renewals			Subtotal:		
D	Detectable Warning Surface Tile Installatio	ns_			Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						

(Seal)

Template Version: C420131129 - RW

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	S THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten p described, for the payment of which sum	Id and firmly bound unto <b>THE CITY OF WINNIPE</b> opercent (10%) of the Total Bid Price set out in the Bin the Principal and Surety bind themselves, their hei jointly and severally, firmly by these presents.	id hereinafter
WHEREAS the Principal has submitted a	Bid to the Obligee for	
BID OPPORTUNITY NO. 145-2014		
2014 DOWNTOWN & REGIONAL SIDEV INSTALLATIONS AND ASSOCIATED W	VALK RENEWALS, DETECTABLE WARNING SURFORKS	FACE TILE
as more fully set out in the Bid Opportunit	ty.	
if said Bid is accepted and the Principal, i the said Obligee and furnishes the require	obligation is such that if the Bid of the Principal is no in accordance with the terms of the Bid, enters into a red performance security for guaranteeing the faithful bid, but otherwise shall remain in full force and effect.	Contract with performance
IN WITNESS WHEREOF the Principal an	nd Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
(	Per:	-
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 145-2014 2014 DOWNTOWN & REGIONAL SIDEWALK RENEWALS, DETECTABLE WARNING SURFACE TILE INSTALLATIONS AND ASSOCIATED WORKS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Forty Five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 145-2014
2014 DOWNTOWN & REGIONAL SIDEWALK RENEWALS, DETECTABLE WARNING SURFACE TILE INSTALLATIONS AND ASSOCIATED WORKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)  WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 27, 2014

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)