

- REFERENCE NOTES**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - BASELINE IS CENTRE LINE RIGHT-OF-WAY
 - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - REFER TO AECOM FIELD BOOK NO. 4806

- CONSTRUCTION NOTES**
- PLACE NEW ASPHALTIC PAVEMENT TYPE1A (AVG THICKNESS 100mm)
 - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w 100mm ASPHALT OVERLAY
 - REMOVE EXISTING FRAME AND COVER AND INSTALL NEW FRAME AND COVER (AP-005 AND AP-004)
 - ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
 - INSTALL NEW CAST IRON RISER RING
 - REMOVE EXISTING CURB AND CONSTRUCT NEW BARRIER CURB (150mm REVEAL HT. DOWELLED)
 - CONSTRUCT NEW BARRIER CURB (150mm REVEAL HT. SEPARATE)
 - RENEW EXISTING 100mm CONCRETE SIDEWALK
 - REGRADE EXISTING PATIO BLOCKS
 - ADJUST EXISTING WATER VALVE TO GRADE
 - ADJUST EXISTING CURB STOP
 - REMOVE EXISTING CATCHPIT AND ABANDON LEAD
 - INSTALL NEW CURB AND GUTTER INLET c/w CATCHPIT (SD-023) AND CONNECT TO EXISTING CATCHBASIN



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
150 mm W.W.M.	WATERMAIN	150 mm W.W.M.	---	HYDRO	---	---	C PROFILE	---
Hydrant symbol	HYDRANT	Hydrant symbol	---	M.T.S.	---	---	NORTHWEST GUTTER	---
Valve symbol	VALVE	Valve symbol	---	CONCRETE	---	---	SOUTHWEST GUTTER	---
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	---	ASPHALT	---	---	N/W PROPERTY LINE	---
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	---	PROPERTY LINE	---	---	S/E PROPERTY LINE	---
Manhole symbol	MANHOLE	Manhole symbol	---	SURVEY BAR	---	---		---
Catch basin symbol	CATCH BASIN	Catch basin symbol	---	ELEVATION	(35.750)	---		---
Catch pit symbol	CATCH PIT	Catch pit symbol	---	TREE	(300Ø)	---		---
Junction symbol	JUNCTIONS	Junction symbol	---	SIDEWALK RAMP	---	---		---
Culvert symbol	CULVERT	Culvert symbol	---	CONCRETE SIDEWALK	---	---		---
Gas symbol	GAS	Gas symbol	---	FENCE	---	---		---

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 85R502 Tilt in median Main St & Jefferson Ave, 8.7m S of CL Jefferson Ave produced from W. & 2.6m W of E curb left turn lane, E side Main St

ELEV. 231.170

0	ISSUED FOR TENDER	03/11/2014	BC
A	ISSUED FOR REVIEW	02/28/2014	BC
NO.	REVISIONS	DATE	BY

AECOM


DESIGNED BY: BC/SS CHECKED BY: KWR

DRAWN BY: PB/RT APPROVED BY:

HOR. SCALE: 1:250
VERTICAL: 1:10

RELEASED FOR CONSTRUCTION BY: [Signature]

ISSUED FOR REVIEW DATE: March 10/14



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2014 LOCAL STREET RENEWAL PROGRAM

SEVEN OAKS AVENUE-JONES STREET- SCOTIA STREET REHABILITATION
STATION 3+50 TO STATION 4+50

CITY DRAWING NUMBER: SHEET 03 OF 20

CONSULTANT DRAWING NO. CT-03