



REFERENCE NOTES

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
- C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- D. REFER TO AECOM FIELD BOOK NO. 4803

CONSTRUCTION NOTES

1. PLACE NEW ASPHALTIC PAVEMENT TYPE 1A (AVG THICKNESS 85mm)
2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w 85mm ASPHALT OVERLAY
3. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
4. REMOVE EXISTING FRAME AND COVER AND INSTALL NEW FRAME AND COVER (AP-005 AND AP-004)
5. ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
6. INSTALL NEW CAST IRON RISER RING
7. REMOVE EXISTING MOUNTABLE CURB AND CONSTRUCT NEW BARRIER CURB (100mm HT. DOWELLED)
8. REMOVE EXISTING CURB AND CONSTRUCT NEW MODIFIED BARRIER CURB (150mm HT.)
9. CONSTRUCT NEW BARRIER CURB (100mm HT. SEPARATE)
10. CONSTRUCT NEW CURB RAMP (10mm HT. INTEGRAL)
11. CONSTRUCT NEW BARRIER CURB (10mm REVEAL HT. DOWELLED)
12. REMOVE EXISTING CATCHBASIN AND ABANDON LEAD
13. INSTALL NEW CURB AND GUTTER INLET c/w 1200 CATCHBASIN (SD-024) AND CONNECT NEW LEAD TO EXISTING CATCHBASIN
14. INSTALL NEW CURB AND GUTTER INLET c/w 1200 CATCHBASIN (SD-024) AND CONNECT NEW LEAD TO EXISTING 375 CONCRETE LDS
15. RENEW EXISTING 100mm CONCRETE SIDEWALK
16. ADJUST EXISTING WATER VALVE TO GRADE
17. ADJUST EXISTING CURB STOP TO GRADE
18. REMOVE AND REINSTALL EXISTING PAVERS



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	—X—	C PROFILE
Hydrant	HYDRANT	Valve	M.T.S.	North/West Gutter	North/West Gutter
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	CONCRETE	South/East Gutter	South/East Gutter
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	ASPHALT	N/W PROPERTY LINE	N/W PROPERTY LINE
Manhole	MANHOLE	Manhole	PROPERTY LINE	S/E PROPERTY LINE	S/E PROPERTY LINE
Catch Basin	CATCH BASIN	Catch Pit	SURVEY BAR		
Catch Pit	CATCH PIT	Junctions	ELEVATION (35.750)		
Junctions	JUNCTIONS	Culvert	TREE		
Culvert	CULVERT	Gas	SIDEWALK RAMP		
Gas	GAS	Existing	CONCRETE SIDEWALK		
Existing	LEGEND - PLAN	Proposed	FENCE		
Proposed	LEGEND - PLAN	Existing	LEGEND - PROFILE		

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. ELEV.	81R913	S W corner Leila Ave & Diplomat Dr.
	231.109	Tbt 0.02m S of S.L. Leila Ave & 5.1m E of W.L. Diplomat Dr
ISSUED FOR TENDER	03/11/2014	BC
ISSUED FOR REVIEW	02/28/2014	BC
NO. REVISIONS	DATE	BY

AECOM

DESIGNED BY BC/SS CHECKED BY KWR

DRAWN BY PB/RT APPROVED BY

HR. SCALE: 1:250
VERTICAL: 1:10

RELEASED FOR CONSTRUCTION BY: [Signature]
DATE: March 10/14

CONSULTANT DRAWING NO. CT-19



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2014 LOCAL STREET RENEWAL PROGRAM

AMBASSADOR ROW - SINCLAIR STREET TO LEILA AVENUE REHABILITATION
STATION 8+10 TO STATION 9+50

CITY DRAWING NUMBER SHEET 19 OF 20