

REFERENCE NOTES

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
- C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- D. REFER TO AECOM FIELD BOOK NO. 4803

CONSTRUCTION NOTES

1. PLACE NEW ASPHALTIC PAVEMENT TYPE1A (AVG THICKNESS 85mm)
2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w 85mm ASPHALT OVERLAY
3. REMOVE EXISTING FRAME AND COVER AND INSTALL NEW FRAME AND COVER (AP-005 AND AP-004)
4. ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
5. INSTALL NEW CAST IRON RISER RING
6. RENEW EXISTING 100mm CONCRETE SIDEWALK
7. RENEW EXISTING ASPHALT SIDEWALK
8. REMOVE EXISTING MOUNTABLE CURB AND CONSTRUCT NEW BARRIER CURB (100mm REVEAL HT. DOWELLED)
9. CONSTRUCT NEW BARRIER CURB (100mm REVEAL HT. SEPARATE)
10. REMOVE EXISTING CURB AND CONSTRUCT NEW MODIFIED BARRIER CURB (150mm REVEAL HT. DOWELLED)
11. CONSTRUCT NEW MODIFIED BARRIER CURB (150mm REVEAL HT. DOWELLED)
12. CONSTRUCT NEW CURB RAMP (10mm REVEAL HT. INTEGRAL)
13. REMOVE EXISTING CATCHBASIN AND ABANDON LEAD
14. INSTALL NEW CURB AND GUTTER INLET c/w 1200 CATCHBASIN (SD-024) AND CONNECT TO EXISTING 450 CONCRETE LDS
15. REMOVE EXISTING ASPHALT OVERLAY
16. ADJUST EXISTING WATER VALVE TO GRADE
17. ADJUST EXISTING CURB STOP TO GRADE
18. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT



EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
150 mm W.M.	WATERMAIN	150 mm W.M.	---	HYDRO	---	---	C PROFILE	---
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	---	CONCRETE	---	---	NORTHWEST GUTTER	---
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	---	ASPHALT	---	---	SOUTHEAST GUTTER	---
○	MANHOLE	●	---	PROPERTY LINE	---	---	N/W PROPERTY LINE	---
□	CATCH BASIN	■	---	ELEVATION	---	---	S/E PROPERTY LINE	---
▽	CATCH PIT	▼	---	TREE	---	---		---
+	JUNCTIONS	+	---	CONCRETE SIDEWALK	---	---		---
▭	CULVERT	▭	---	FENCE	---	---		---
---	GAS	---	---		---	---		---


LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. ELEV.	81R913	SW corner Leila Ave & Diplomat Dr.
	231.109	7.02m S of S.L. Leila Ave & 5.1m E of W.L. Diplomat Dr.
NO.	REVISIONS	DATE BY
0	ISSUED FOR TENDER	03/11/2014 BC
A	ISSUED FOR REVIEW	02/28/2014 BC

DESIGNED BY	BC/SS	CHECKED BY	KWR
DRAWN BY	PB/RT	APPROVED BY	
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE:	March 10/14
FEBRUARY 2014		DATE	



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2014 LOCAL STREET RENEWAL PROGRAM

AMBASSADOR ROW - SINCLAIR STREET TO LEILA AVENUE REHABILITATION STATION 9+50 TO LEILA AVENUE

CITY DRAWING NUMBER: SHEET 20 OF 20

CONSULTANT DRAWING NO. CT-20

METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES