

**FORM A: BID**  
(See B9)

1. Contract Title 2014 WATERMAIN RENEWALS CONTRACT 2

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
GST Registration Number (if applicable)

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. \_\_\_\_\_ Dated \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b>Elm Park Road</b>					
A. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	215.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	3		
A. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
A. 4	Fittings	CW 2110				
a)	Tees					
i)	150mm X 150mm X 150mm		each	1		
b)	Bends (SD-004)					
i)	150mm - 45°		each	2		
A. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
A. 6	Corporation Stops	CW 2110				
a)	19mm		each	25		
A. 7	Curb Stops	CW 2110				
a)	19mm		each	1		
A. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	1		
A. 9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	25		
A. 10	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
b)	Perpendicular connection					
i)	150mm		each	1		
A. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	16		
b)	On Metallic Watermains		each	3		
A. 12	Continuity Bonding	CW 2110	each	10		
A. 13	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	70.0		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 14	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m <sup>2</sup>		m <sup>2</sup>	160.0		
A. 15	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	55.0		
b)	Lip curb & gutter					
i)	Less than 3 m		m	10.0		
<b>A</b>	<b>Subtotal Section A - Elm Park Road</b>					
<b>B</b>	<b>Newark Road</b>					
B. 1	Watermain Renewal	CW 2110				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
b)	150mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	200.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	2		
B. 3	Watermain Valve	CW 2110				
a)	150mm		each	4		
B. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 11 1/4°		each	4		
ii)	150mm - 22 1/2°		each	1		
iii)	150mm - 45°		each	2		
b)	Crosses					
i)	300mm X 300mm X 150mm X 150mm		each	1		
B. 5	Corporation Stops	CW 2110				
a)	19mm		each	19		
B. 6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	19		
B. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	300mm		each	2		
ii)	150mm		each	2		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1		
B. 9	Continuity Bonding	CW 2110	each	19		
B. 10	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	20.0		
b)	200mm reinforced concrete pavement		m <sup>2</sup>	20.0		
B. 11	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m <sup>2</sup>		m <sup>2</sup>	5.0		
B. 12	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	5.0		
b)	Lip curb & gutter					
i)	Less than 3 m		m	20.0		
<b>B</b>	<b>Subtotal Section B - Newark Road</b>					
<b>C</b>	<b>Watt Street</b>					
C. 1	Watermain Renewal	CW 2110				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	45.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		m	225.0		
c)	150mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	5.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		m	55.0		
C. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	1		
C. 3	Watermain Valve	CW 2110				
a)	250mm		each	1		
b)	200mm		each	6		
c)	150mm		each	3		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 4	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 200mm		each	1		
ii)	200mm X 200mm X 150mm		each	1		
b)	Bends (SD-004)					
i)	200mm - 45°		each	2		
ii)	200mm - 22 1/2°		each	2		
iii)	150mm - 45°		each	8		
c)	Bends (SD-005)					
i)	200mm - 45°		each	4		
ii)	150mm - 45°		each	2		
d)	Crosses					
i)	250mm X 250mm X 200mm X 200mm		each	1		
ii)	200mm x 200mm X 150mm X 150mm		each	2		
e)	Reducers					
i)	200mm - 150mm		each	2		
C. 5	Watermain and Water Service Insulation	CW 2110				
a)	In a trench (SD - 018)					
i)	100mm thick		m	7.0		
C. 6	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
C. 7	Corporation Stops	CW 2110				
a)	25mm		each	1		
b)	19mm		each	2		
C. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	1		
C. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	3		
b)	On Water Services		each	3		
C. 10	Continuity Bonding	CW 2110	each	1		
C. 11	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	7		
ii)	200mm		each	1		
iii)	250mm		each	2		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 12	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	2		
b)	25mm		each	1		
C. 13	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	1		
C. 14	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	35.0		
b)	200mm reinforced concrete pavement		m <sup>2</sup>	100.0		
c)	200mm reinforced concrete pavement for early opening (24 hours)		m <sup>2</sup>	25.0		
C. 15	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m <sup>2</sup>		m <sup>2</sup>	210.0		
C. 16	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	65.0		
b)	Ramp curb					
i)	Less than 3 m		m	15.0		
C. 17	Construction of Asphaltic Concrete Patches Type 1A	CW 3410				
			m <sup>2</sup>	145.0		
<b>C</b>	<b>Subtotal Section C - Watt Street</b>					
<b>D</b>	<b>Harbison Avenue West</b>					
D. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	390.0		
D. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	4		
D. 3	Watermain Valve	CW 2110				
a)	150mm		each	3		
D. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 45°		each	2		
D. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	200.0		



**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 6	Corporation Stops	CW 2110				
a)	19mm		each	76		
D. 7	Curb Stops	CW 2110				
a)	19mm		each	38		
D. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	38		
D. 9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	76		
D. 10	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
D. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	73		
D. 12	Continuity Bonding	CW 2110	each	21		
<b>D</b>	<b>Subtotal Section D - Harbison</b>					
<b>E</b>	<b>Ottawa Avenue</b>					
E. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	180.0		
E. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	3		
E. 3	Watermain Valve	CW 2110				
a)	150mm		each	4		
E. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 45°		each	4		
E. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	88.0		
E. 6	Corporation Stops	CW 2110				
a)	19mm		each	28		
E. 7	Curb Stop Boxes	CW 2110				
a)	19mm		each	10		
E. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	10		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	28		
E. 10	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
E. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1		
b)	On Water Services		each	26		
E. 12	Continuity Bonding	CW 2110	each	7		
E. 13	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	45.0		
E. 14	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m <sup>2</sup>		m <sup>2</sup>	75.0		
E. 15	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	30.0		
b)	Ramp curb					
i)	Less than 3 m		m	5.0		
E. 16	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m <sup>2</sup>	45.0		
E. 17	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	1		
<b><u>E</u></b>	<b>Subtotal Section E - Ottawa Avenue</b>					
<b><u>F</u></b>	<b>Roch Street</b>					
F. 1	Watermain Renewal	CW 2110				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	50.0		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 2	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	250mm - 45°		each	1		
b)	Crosses					
i)	250mm X 250mm X 150mm X 150mm		each	1		
c)	Plugs					
i)	250mm		each	1		
F. 3	Corporation Stops	CW 2110				
a)	19mm		each	2		
F. 4	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	2		
F. 5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	250mm		each	1		
F. 6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	2		
F. 7	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	20.0		
F. 8	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m <sup>2</sup>	20.0		
<b>E</b>	<b>Subtotal Section F - Roch Street</b>					
<b>G</b>	<b>Woodvale Street</b>					
G. 1	Watermain Renewal	CW 2110				
a)	200mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	175.0		
b)	200mm Pre-Insulated 50 mm Thick					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	30.0		
c)	150mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	60.0		
d)	150mm Pre-Insulated 50 mm Thick					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	15.0		
G. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	2		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G. 3	Watermain Valve	CW 2110				
a)	200mm		each	4		
b)	150mm		each	3		
G. 4	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 200mm		each	1		
ii)	200mm X 200mm X 150mm		each	1		
b)	Bends (SD-004)					
i)	200mm - 11 1/4°		each	1		
ii)	200mm - 45°		each	1		
iii)	150mm - 45°		each	12		
c)	Bends (SD-005)					
i)	200mm - 45°		each	6		
ii)	150mm - 45°		each	4		
d)	Crosses					
i)	200mm x 200mm X 200mm X 200mm		each	1		
e)	Reducers					
i)	200mm - 150mm		each	5		
G. 5	Corporation Stops	CW 2110				
a)	19mm		each	6		
b)	50mm		each	2		
G. 6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	6		
b)	50mm		each	2		
G. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	6		
G. 8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	5		
b)	On Water Services		each	8		
G. 9	Watermain and Water Service Insulation	CW 2110				
a)	In a trench (SD - 018)					
i)	100mm thick		m	5.0		
G. 10	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	3		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G. 11	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	70.0		
G. 12	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m <sup>2</sup>		m <sup>2</sup>	25.0		
G. 13	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	60.0		
G. 14	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m <sup>2</sup>	20.0		
<b>G</b>	<b>Subtotal Section G - Woodvale Street</b>					
<b>H</b>	<b>Corton Place</b>					
H. 1	Watermain Renewal	CW 2110				
a)	38mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	25.0		
H. 2	New Watermain Valve on Existing Watermain	CW 2110				
a)	250mm		each	1		
b)	150mm		each	1		
H. 3	Corporation Stops	CW 2110				
a)	38mm		each	1		
H. 4	Curb Stops	CW 2110				
a)	38mm		each	1		
H. 5	Curb Stop Boxes	CW 2110				
a)	38mm		each	1		
H. 6	Fittings	CW 2110				
a)	Plugs					
i)	150mm		each	1		
H. 7	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On 38 Copper Watermains		each	2		
H. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	38mm		each	1		
H. 9	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	10.0		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. 10	Concrete Curb Renewal	CW 3240				
a)	Lip curb & gutter					
i)	Less than 3 m		m	5.0		
<b>H</b>	<b>Subtotal Section H - Corton Place</b>					
<b>I</b>	<b>Briar Del Place</b>					
I. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	5.0		
b)	38mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	25.0		
I. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
I. 3	Watermain Valve	CW 2110				
a)	150mm		each	1		
I. 4	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
I. 5	New Watermain Valve on Existing Watermain	CW 2110				
a)	250mm		each	1		
I. 6	Corporation Stops	CW 2110				
a)	38mm		each	1		
I. 7	Curb Stops	CW 2110				
a)	38mm		each	1		
I. 8	Curb Stop Boxes	CW 2110				
a)	38mm		each	1		
I. 9	Fittings	CW 2110				
a)	Plugs					
i)	150mm		each	1		
I. 10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On 38 Copper Watermains		each	2		
I. 11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	38mm		each	1		
I. 12	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m <sup>2</sup>	10.0		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I. 13	Concrete Curb Renewal	CW 3240				
a)	Lip curb & gutter					
i)	Less than 3 m		m	5.0		
<b>I</b>	<b>Subtotal Section I - Briar Del Place</b>					
<b>J</b>	<b>Riel Avenue</b>					
J. 1	New Hydrant Assembly on Existing Watermain	CW 2110				
a)	SD-006		each	1		
<b>J</b>	<b>Subtotal Section J - Riel Avenue</b>					
<b>K</b>	<b>Provisional Items</b>					
K. 1	Granular Backfill Material	CW 2030	m <sup>3</sup>	60.0		
K. 2	Cement Stabilized Fill	CW 2030	m <sup>3</sup>	25.0		
K. 3	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m <sup>2</sup>	10.0		
K. 4	Adjustment of Precast Sidewalk Blocks	CW 3235	m <sup>2</sup>	10.0		
K. 5	Sodding	CW 3510	m <sup>2</sup>	40.0		
K. 6	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 11 1/4°		each	2		
ii)	200mm - 11 1/4°		each	2		
b)	Bends (SD-005)					
i)	150mm - 22.5°		each	2		
ii)	200mm - 22.5°		each	2		
iii)	250mm - 45°		each	2		
iv)	300mm - 45°		each	2		
K. 7	Water Services	CW 2110				
a)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
b)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
c)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
K. 8	Corporation Stops	CW 2110				
a)	38mm		each	2		
K. 9	Curb Stops	CW 2110				
a)	25mm		each	2		
b)	38mm		each	2		
c)	50mm		each	2		

**FORM B: PRICES**  
 (SEE B10)

2014 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K. 10	Curb Stop Boxes	CW 2110				
a)	25mm		each	2		
b)	38mm		each	2		
c)	50mm		each	2		
K. 11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	25mm		each	2		
b)	38mm		each	2		
c)	50mm		each	2		
K. 12	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	100mm		each	5		
b)	150mm		each	5		
c)	200mm		each	5		
d)	250mm		each	5		
K. 13	Temporary Surface Restorations	E9	m <sup>2</sup>	50		
K. 14	Watermains Installed with Oil and Gas Resistant Gaskets - Surcharge	E10	lin m	60		
K. 15	Disposal of Hydrocarbon Contaminated Soil	E11	m <sup>3</sup>	50		
<b>K</b>	<b>Subtotal Section K - Provisional</b>					
TOTAL BID PRICE (GST extra) (in figures) \$ _____						

\_\_\_\_\_  
 Name of Bidder



**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B12)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 270-2014

2014 WATERMAIN RENEWALS CONTRACT 2

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B12)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 270-2014

2014 WATERMAIN RENEWALS CONTRACT 2

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B12)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 270-2014  
2014 WATERMAIN RENEWALS CONTRACT 2

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 25, 2014.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)