


1 PILOT PLANT PLAN
1:50

NOTES:

1. ALLOWABLE LOAD ON ACCESS PLATFORM = 4.8 kPa.
2. SEE DWG WX-S0404 FOR ACCESS PLATFORM DETAILS.
3. MAX ALLOWABLE LL ON EXISTING FLOOR = 12 kPa.
4. T.O.C. ELEVATION OF EQUIPMENT PADS PER EQUIPMENT REQUIREMENTS. CROSSCHECK WITH PROCESS EQUIPMENT PRIOR TO FORMING.



REFERENCE DRAWINGS:

- 1-0601R-S0014-001-02 STRUCTURAL RESIDUALS HANDLING AREA SECOND FLOOR PLAN
- 1-0601R-M0005-001-04 PROCESS MECHANICAL SECOND FLOOR PLAN

B.M. ELEV.			
CONSTRUCTION COMPLETION DATE: YYYY MM DD			
DESIGNED BY	KS	CHECKED BY	RP
DRAWN BY	JBC	APPROVED BY	BW
SCALE: HORIZONTAL	1:50	RELEASED FOR CONSTRUCTION	
SCALE: VERTICAL	-	DATE	2014 01 21
NO.	REVISIONS	DATE	BY

CH2MHILL

DESIGNED BY: KS
DRAWN BY: JBC
SCALE: HORIZONTAL 1:50
SCALE: VERTICAL -
DATE: 2014 01 21

CHECKED BY: RP
APPROVED BY: BW
RELEASED FOR CONSTRUCTION
DATE:

ENGINEER'S SEAL
ORIGINAL SIGNED BY R.P. PARIKH
JAN 21, 2014
CONSULTANT DRAWING NUMBER
WX-S0121

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENGINEERING DIVISION

MEZZANINE, WALKWAY AND EQUIPMENT SUPPORTS FOR A WATER TREATMENT RESEARCH AND PROCESS OPTIMIZATION FACILITY
STRUCTURAL
PLAN AT 239.410

SHEET 2 OF 9
CITY DRAWING NUMBER
1-0601X-S0001-001-01