


MAYFAIR PLACE



EXISTING TREES TO BE PROTECTED DURING CONSTRUCTION (TYP.)

GENERAL NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
2. ENSURE THE LOCATION OF ALL EXISTING SERVICES BOTH OLD AND RECENTLY INSTALLED ARE CLEARLY LOCATED ON SITE PRIOR TO CONSTRUCTION. THE CONTRACTOR WILL BE RESPONSIBLE FOR REPAIRING ALL DAMAGE CAUSED TO SERVICES DURING CONSTRUCTION.
3. A MINIMUM CLEARANCE OF 1.0 METER MUST BE PROVIDED BETWEEN THE UNDERSIDE OF ANY EXISTING WATERMAIN OR SEWERMAIN AND THE TOP OF PROPOSED WORKS.
4. A MINIMUM CLEARANCE OF 0.5 METER MUST BE PROVIDED BETWEEN THE UNDERSIDE OF THE PROPOSED WORKS AND THE TOP OF ANY EXISTING WATERMAIN OR SEWERMAIN.
5. A MINIMUM CLEARANCE OF 2.0 METERS MUST BE PROVIDED BETWEEN ANY EXISTING WATERMAIN OR SEWERMAIN PIPE AND THE PROPOSED WORKS.
6. CONTACT THE CUSTOMER TECHNICAL SERVICES BRANCH AT 986-3322, 48 HOURS PRIOR TO CONSTRUCTION FOR CLEARANCE OF EXISTING WATER AND WASTEWATER UTILITIES.

U/G SERVICE NOTES:

1. LOCATIONS OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION. ANY ENCUMBRANCES SHALL BE REPORTED TO THE CONTRACT ADMINISTRATOR IMMEDIATELY.
2. DUCTS CONTAIN FIBRE OPTIC CABLES MUST BE EXCAVATED IN ACCORDANCE WITH UTILITY'S EXPRESS REQUIREMENTS. THE CONTRACTOR SHALL CONTACT THE UTILITY AT LEAST SEVEN (7) DAYS PRIOR TO EXCAVATION.

GENERAL LEGEND

- PROPERTY LINE — PROPERTY LINE
- WM — WATERMAIN
- CS — SEWER LINE
- O/H HYDRO — OVERHEAD HYDRO LINE
- U/G HYDRO — UNDERGROUND HYDRO
- H — HYDRO POLE
- △ — CATCH BASIN
- ⊗ — WATER VALVE
- ⊙ — HYDRANT
- - - - - LIMIT OF WORK
- — EXISTING TREES TO BE PROTECTED DURING CONSTRUCTION

LAYOUT & MATERIALS LEGEND

- [Pattern] SOD PER CW 3510 & SD-243
- [Pattern] ASPHALT PAD TO PARK PATHWAY ASPHALT SCD-648
- [Pattern] ASPHALT PAD TO PARK PATHWAY ASPHALT SCD-648
- [Pattern] SODDING PER CW 3510 & SD-243 FEATHER SOD INTO EXISTING SOD (TYP.)
- [Symbol] 3.05m HT. CHAIN LINK FENCE TO CW3550
- [Symbol] LIGHT STANDARD - SEE ELECTRICAL

1 LAYOUT & MATERIALS PLAN
L2.0 SCALE: 1:100

												<p>Project: MAYFAIR PARK ASPHALT AND LIGHTING IMPROVEMENTS BCI II FORT ROUGE EAST FORT GARRY WARD WINNIPEG, MANITOBA</p>		<p>Sheet No. L2.0 Rev. 3</p>															
<table border="1"> <tr> <th>No.</th> <th>Date</th> <th>Issue/Revision</th> <th>By</th> </tr> <tr> <td>3</td> <td>14/05/26</td> <td>ISSUED FOR TENDER</td> <td>JH</td> </tr> <tr> <td>2</td> <td>14/05/02</td> <td>ISSUED FOR 100% REVIEW</td> <td>JH</td> </tr> <tr> <td>1</td> <td>11/02/14</td> <td>ISSUED FOR 30% REVIEW</td> <td>JH</td> </tr> </table>		No.	Date	Issue/Revision	By	3	14/05/26	ISSUED FOR TENDER	JH	2	14/05/02	ISSUED FOR 100% REVIEW	JH	1	11/02/14	ISSUED FOR 30% REVIEW	JH	<p>Design: JH Drawn: JH Checked: MG Scale: 1:100 Date: 11/02/14 File: 14-008</p>		<p>Contact: James Hudson</p>		<p>Contact: Tower Engineering Group Unit 1 - 1140 Waverley St. Winnipeg, MB R3B 0R4 Tel: (204) 925-1150 Fax: (204) 925-1155 Email: towereng@towereng.co Web: www.towereng.co</p>		<p>Contact: HTFC 500-115 Bannatyne Avenue East Winnipeg, MB R3B 0R3 Phone: 204 944 9907 Web: htfc.mb.ca</p>		<p>Project: MAYFAIR PARK ASPHALT AND LIGHTING IMPROVEMENTS BCI II FORT ROUGE EAST FORT GARRY WARD WINNIPEG, MANITOBA</p>		<p>Sheet No. L2.0 Rev. 3</p>	
No.	Date	Issue/Revision	By																										
3	14/05/26	ISSUED FOR TENDER	JH																										
2	14/05/02	ISSUED FOR 100% REVIEW	JH																										
1	11/02/14	ISSUED FOR 30% REVIEW	JH																										