



- HARD LANDSCAPE GENERAL NOTES**
- 1) CONDUCT ALL WORK IN ACCORDANCE WITH THE SPECIFICATIONS.
 - 2) ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE SPECIFIED.
 - 3) CONTRACT ADMINISTRATOR TO APPROVE LAYOUT FOR GENERAL CONFORMANCE. THE CONTRACTOR REMAINS RESPONSIBLE FOR ENSURING THE DESIGN IS IMPLEMENTED AS DRAWN.
 - 4) SURVEY AND STAKE OUT MAIN GRID LINES PRIOR TO PROCEEDING WITH SITE LAYOUT. CONFIRM WITH CONTRACT ADMINISTRATOR ON SITE PRIOR TO PROCEEDING WITH ROUGH GRADES.
 - 5) STAKEOUT DESIGN AND CONFIRM LAYOUT OF PATHS AND FITNESS EQUIPMENT WITH THE CONTRACT ADMINISTRATOR PRIOR TO PLACING FINISHED SURFACE MATERIALS.
 - 6) ROUGH GRADE THE SUB-GRADE AND COMPACT PRIOR TO PLACING BASE MATERIALS, ENSURING POSITIVE DRAINAGE.
 - 7) INSTALL ALL SUB-BASE AND BASE MATERIALS PER SPECIFICATION SECTION 'E' OF BID OPPORTUNITY 55-2014, AND IN ACCORDANCE WITH DRAWING L2.5.
 - 8) INSTALL PATH SURFACE MATERIAL AS PER THE SPECIFICATIONS AND IN ACCORDANCE WITH DRAWING L2.5.
 - 9) INSTALL FITNESS EQUIPMENT AS PER MANUFACTURER'S SPECIFICATIONS AND CUT SHEETS.
 - 10) PLACE MATERIALS TO FORM SMOOTH, UNBROKEN, CONTINUOUS AND ACCESSIBLE FINISHED SURFACES CONFORMING TO DESIGN GRADES AND DETAILS.
 - 12) ENSURE ADJACENT SURFACES MEET FLUSH AND TRUE WITHOUT BREAKS, RIDGES OR TRIPPING HAZARDS.
 - 13) INSTALL HARD LANDSCAPE SURFACES PRIOR TO SOFT LANDSCAPE SURFACES UNLESS OTHERWISE AUTHORIZED BY THE CONTRACT ADMINISTRATOR.
 - 14) OBTAIN APPROVAL OF INSTALLED SURFACE FROM THE CONTRACT ADMINISTRATOR AND REPAIR ANY NOTED DEFICIENCIES AS SOON AS POSSIBLE.
 - 15) KEEP FINISHED SURFACE CLEAN OF ALL CONSTRUCTION DEBRIS AND EXTRANEOUS MATERIALS.
 - 16) PROTECT FINISHED SURFACES FOR ONGOING CONSTRUCTION ON SITE.
 - 17) CONTACT THE CONTRACT ADMINISTRATOR IMMEDIATELY IF THERE IS A DISCREPANCY BETWEEN THE DRAWING AND EXISTING CONDITIONS.
 - 18) OBTAIN FINAL APPROVAL OF ALL SURFACES FROM THE CONTRACT ADMINISTRATOR PRIOR TO DEMOBILIZATION AND PROJECT CLOSE OUT.

- LEGEND**
- PROPERTY LINE
 - EXISTING DRAINAGE LINE (APPROXIMATE)
 - EXISTING TREE
 - EXISTING LIGHT STANDARD
 - PARK PATH CRUSHED LIMESTONE AS PER SCD-645
 - ENGINEERED WOOD FIBER BASE AS PER SPECIFICATIONS AND DETAILS 9L2.7 AND 9L2.7
 - SINGLE TIMBER EDGING. SEE DETAIL 10L2.7
 - NEW TREE (ELM)
 - NEW TREE (MAPLE)
 - NEW TREE (ASH)
 - NEW TREE (BASSWOOD)
 - EXISTING BUS STOP

- TREKFIT FITNESS EQUIPMENT LAYOUT**
- Pull Up Bars
 - Vant Bars (2)
 - Balance Beam
 - Dip Station
 - Monkey Bars
 - Long Bench
 - Hurdles (6)
 - Parallel Bars
 - Pull Up Bars (Triple)
 - Step Benches (3)

SCALE BAR (METRES)

No.	Revisions	Date	By
3	Revisions	2014/01/09	COW
2	Internal	2014/05/13	
1	66 %	2013/12/20	COW

Date: March 20, 2014 Scale: 1:400

Designed By: CN/CWM
 Drawn By: CWM
 Checked By: CN

LOMBARD NORTH GROUP
 287 Taché Ave.
 Winnipeg, Manitoba R2H 2A1
 Tel: (204) 942-3898 Tel: (204) 947-5696

THE CITY OF WINNIPEG
 Planning, Property and Development Department
 Planning and Land Use Division
 Unit 15 - 30 Fort Street, Winnipeg, Manitoba R3C 4X5

Project Title
PAT PHILLIPS PARK & SHAUGHNESSY PARK FITNESS TRAILS

Sheet Title
SHAUGHNESSY PARK - LAYOUT PLAN

Project No. Drawing No.
L2.2