



**MAIN FLOOR PLAN - DEMOLITION**  
SCALE: 1/8"=1'-0"

**ROOM LEGEND:**

- 101 - EXIT STAIR
- 102 - POOL
- 103 - EXIT STAIR
- 104 - STAIR
- 105 - OFFICE
- 106 - STORAGE
- 107 - STAIRS
- 108 - VESTIBULE
- 109 - LOBBY
- 110 - FIRST AID (TO BE DEMOLISHED)
- 111 - STAIRS
- 112 - RECEPTION
- 113 - OFFICE
- 114 - OFFICE
- 115 - STAIRS
- 116 - STAIRS
- 117 - STAIRS
- 118 - STORAGE
- 119 - STORAGE
- 120 - MEN'S WASHROOM
- 121 - WOMEN'S WASHROOM
- 122 - CORRIDOR

**NOTES:**

THESE DRAWINGS SHALL NOT BE SCALED.

THE CONTRACTOR SHALL VISIT THE SITE AND SATISFY ONESELF ALL DIMENSIONS, DATUM, AND DETAILED INFORMATION SHOWN ARE CORRECT.

THE CONTRACTOR IS TO REVIEW AND COORDINATE ALL ARCHITECTURAL, MECHANICAL, ELECTRICAL AND STRUCTURAL DRAWINGS FOR ADDITIONAL OPENINGS THROUGH FLOORS, WALLS, AND CEILINGS FOR DUCT, PIPE & ELECTRICAL RISERS AND ALL OPENINGS NOT SHOWN ON DRAWINGS.

ALL OPENINGS THROUGH FIRE ASSEMBLIES ARE TO BE FIRE STOPPED AND SEALED WITH ILC APPROVED FIRE STOPPING TO MAINTAIN THE INTEGRITY OF THE FIRE SEPARATION, AND PROVIDE A SMOKE-TIGHT BARRIER.

ALL PRODUCTS AND MATERIALS TO BE USED AND INSTALLED SHALL CONFORM WITH MANUFACTURER'S SPECIFICATIONS & APPLICABLE CODES.

THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH AND MAKE GOOD ALL EXISTING CONSTRUCTION AFFECTED BY THE REMOVAL OF ALL ITEMS FORMING THE PART OF THE RENOVATION WORK.

WHERE NEW FLOORING AND BASE IS TO BE INSTALLED IN EXISTING AREAS (REFER TO FLOOR PLAN AND ROOM SCHEDULE) THE EXISTING FLOORING SURFACE AND BASE MUST BE REMOVED, UNLESS OTHERWISE NOTED. ALL FLOOR SURFACES SHALL BE PREPARED IN ACCORDANCE TO MANUFACTURER'S RECOMMENDATIONS FOR INSTALLATION OF NEW FLOOR.

WHERE PAINTING OF EXISTING WALLS IS INDICATED ON THE ROOM SCHEDULE, THESE WALLS MUST BE CLEANED OF ANY EXISTING WALL COVERING, PATCHED & PREPARED TO ACCEPT NEW MATERIAL, UNLESS OTHERWISE NOTED.

**DEMOLITION NOTES:**

- SEE ALSO STRUCT., MECH. & ELECT. DEMOLITION DWGS
- 1 REMOVE & DISCARD. PREPARE FOR NEW.
  - 2 REMOVE & DISCARD REMAINING GLAZED BRICK, COMMON BRICK & PIPE GUARDRAIL. PREPARE FOR NEW.
  - 3 REMOVE & TURN OVER TO CONTRACT ADMINISTRATOR
  - 4 PREPARE EXISTING FLOOR FOR NEW FLOOR FINISH
  - 5 DEMOLISH, REMOVE, DISCARD & MAKE GOOD
  - 6 DEMOLISH, REMOVE & DISCARD. PREPARE FOR NEW

**LEGEND:**

- EXTENT OF EXIST. TILE TO BE REMOVED SEE STRUCT. FOR EXTENT OF SLAB TO BE REMOVED
- EXIST. TO BE DEMOLISHED
- EXIST. 1 HR FIRE-RATED WALL

**LEAD PAINT NOTES:**

1. PAINT HAS BEEN TESTED FOR LEAD CONTENT. SEE SPECIFICATIONS FOR REQUIREMENTS.

No.	REVISION/DESCRIPTION	BY	DATE
0	ISSUED FOR CONSTRUCTION		15.02.17

SEAL

DRAWN: SNH  
DATE: 2014.10.27

CHECKED: [Signature]  
USER APPROVAL

DESIGNED: RUL  
APPROVED: [Signature]

THE CITY OF WINNIPEG  
PLANNING, PROPERTY AND  
DEVELOPMENT DEPARTMENT  
MUNICIPAL ACCOMMODATIONS DIVISION  
3-65 GARRY STREET, R3C 4K4

PROJECT  
**SHERBROOK POOL  
REFURBISHMENT OF SHERBROOK POOL**

381 SHERBROOK STREET  
SHEET TITLE  
**BUILDING  
MAIN FLOOR PLAN  
DEMOLITION**

SCALE AS SHOWN	PROJECT No: 2013-173	SHEET No: B03
-------------------	-------------------------	------------------

