FORM A: BID (See B8)

1.	Contract Title	2015 Local Streets Rene Andrews St, and Various	wal Program: Church Ave, Mach Other Locations	nray Ave,
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidde	er as it appears on Invoice (if different fro	m above)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province	Postal Code
		The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	ler the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	orizes the following contact pers of the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		sed in the Contract shall have beneral Conditions and D2.	e the meanings
5.	Offer		rs to perform the Work in acco d Price, in Canadian funds, set	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above
		(Print here name and official capacity of individual whose signature appears above

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART	1 CITY FUNDED WORK					
Α	CHURCH AVENUE - AIKINS ST TO SALTER	R ST, ASPHALT	RECON	STRUCTION		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	815		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	1630		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1150		
4.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	165		
A.5	Grading of Boulevards	CW 3110-R19	m²	1550		
4.6	Separation Geotextile Fabric	CW 3130-R4	m²	1630		
٩.7	Supply and Install Geogrid	CW 3135-R1	m²	100		
	ROADWORKS - RENEWALS					
8.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	1525		
4.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	135		
A.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		
A.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
۸.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а) Less than 5 sq.m.		m²	75		
b	5 sq.m. to 20 sq.m.		m²	140		
С) Greater than 20 sq.m.		m²	335		
A.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	3		
A.14	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	1		
A.15	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	60		
A.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	25		
A.17	Detectable Warning Surface Tiles	CW 3326-R2	each	8		
	ROADWORKS - NEW CONSTRUCTION					
A.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Slip Form Paving	SD-200	m	270		
ii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	30		
iii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	25		
iv)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	15		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
A.19	Construction of Asphaltic Concrete	REF. CW 3410-R10		QUANTITY		
	Pavements					
i)	Main Line Paving					
а	Type IA		tonne	350		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.20	Catch Basin c/w Barrier Curb and Gutter Inlet Frame and Cover	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
A.21	Sewer Service	CW 2130-R12				
i)	250 mm, PVC SDR-35					
а	In a Trench, Class B Bedding, Class 3 Backfill		m	10		
b	Trenchless Installation, Class B Type Bedding, Class 3 Backfill		m	20		
A.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
A.23	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type SDR-35) Connecting Pipe					
а	Connecting to 375 mm (Type Clay) Sewer		each	4		
۸.24	Removal of Existing Catch Basins	CW 2130-R12	each	4		
A.25	Installation of Subdrains	CW 3120-R4	m	96		
A.26	Removal of Existing Pipes	E16	m	10		
	ADJUSTMENTS					
٨.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.28	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		

DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	REF.		QUANTITY		
Sodding	CW 3510-R9				
width < 600 mm		m²	100		
width > or = 600 mm		m²	1450		
MISCELLANEOUS					
Adjustment of Sprinkler Head and/or Drainage Pipe	E17	each	2		
Replacement of Existing Sprinkler Pipe	E17	m	10		
CHURCH AVENUE - AIKINS ST TO SALTER	R ST, ASPHALT	RECON	STRUCTION	Subtotal:	
MACHRAY AVENUE - MAIN ST TO EMSLIE	ST, ASPHALT I	RECONS	STRUCTION		
EARTH AND BASE WORKS					
Excavation	CW 3110-R19	m³	885		
Sub-Grade Compaction	CW 3110-R19	m²	1800		
Crushed Sub-base Material	CW 3110-R19				
50 mm		tonne	1250		
Supplying and Placing Base Course Material	CW 3110-R19	m³	180		
Grading of Boulevards	CW 3110-R19	m²	1600		
Separation Geotextile Fabric	CW 3130-R4	m²	1800		
ROADWORKS - RENEWALS					
Pavement Removal	CW 3110-R19				
Concrete Pavement		m²	1460		
Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
150 mm Concrete Pavement (Reinforced)		m²	205		
Drilled Dowels	CW 3230-R8				
19.1 mm Diameter		each	20		
	LANDSCAPING Sodding width < 600 mm width > or = 600 mm MISCELLANEOUS Adjustment of Sprinkler Head and/or Drainage Pipe Replacement of Existing Sprinkler Pipe CHURCH AVENUE - AIKINS ST TO SALTER MACHRAY AVENUE - MAIN ST TO EMSLIE EARTH AND BASE WORKS Excavation Sub-Grade Compaction Crushed Sub-base Material 50 mm Supplying and Placing Base Course Material Grading of Boulevards Separation Geotextile Fabric ROADWORKS - RENEWALS Pavement Removal Concrete Pavement Slab Replacement - Early Opening (72 hour) 150 mm Concrete Pavement (Reinforced) Drilled Dowels	LANDSCAPING Sodding CW 3510-R9 width < 600 mm width > or = 600 mm MISCELLANEOUS Adjustment of Sprinkler Head and/or Drainage Pipe Replacement of Existing Sprinkler Pipe E17 CHURCH AVENUE - AIKINS ST TO SALTER ST, ASPHALT MACHRAY AVENUE - MAIN ST TO EMSLIE ST, ASPHALT IN SUB-Grade Compaction Crushed Sub-base Material Crushed Sub-base Material Supplying and Placing Base Course Material Crushed Sub-base Material Crushed Sub-base Material Separation Geotextile Fabric CW 3110-R19 Grading of Boulevards CW 3110-R19 Grading of Boulevards CW 3110-R19 Concrete Pavement Slab Replacement - Early Opening (72 hour) CW 3230-R8 150 mm Concrete Pavement (Reinforced) Drilled Dowels CW 3230-R8	LANDSCAPING Sodding Width < 600 mm Width > or = 600 mm MISCELLANEOUS Adjustment of Sprinkler Head and/or Drainage Pipe Replacement of Existing Sprinkler Pipe E17 CHURCH AVENUE - AIKINS ST TO SALTER ST, ASPHALT RECONS EARTH AND BASE WORKS Excavation CW 3110-R19 Sub-Grade Compaction Crushed Sub-base Material Supplying and Placing Base Course Material Crushed Sub-base Material CW 3110-R19 Separation Geotextile Fabric CW 3110-R19 Tonne ROADWORKS - RENEWALS Pavement Removal Concrete Pavement Slab Replacement - Early Opening (72 hour) CW 3230-R8 M2 CW 3230-R8 M2 CW 3230-R8 M2 CW 3230-R8 M2 CW 3230-R8 M2	LANDSCAPING CW 3510-R9 M2 100 width < 600 mm	REF. QUANTITY

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20		
3.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	25		
b)	5 sq.m. to 20 sq.m.		m²	115		
c)	Greater than 20 sq.m.		m²	400		
3.12	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	50		
3.13	Detectable Warning Surface Tiles	CW 3326-R2	each	8		
	ROADWORKS - NEW CONSTRUCTION					
3.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Slip Form Paving	SD-200	m	250		
ii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	35		
iii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	70		
iv)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	20		
v)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	20		


ITEM		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
3.15		Construction of Asphaltic Concrete	REF. CW 3410-R10		QUANTITY		
J. 10		Pavements	000 0410 1010				
i)		Main Line Paving					
	2)	Type IA		tonno	400		
	a)	Type IA		tonne	400		
ii)		Tie-ins and Approaches					
	- \	T			50		
	a)	Type IA		tonne	50		
		ASSOCIATED DRAINAGE AND					
3.16		UNDERGROUND WORKS Catch Basin c/w Barrier Curb and Gutter	CW 2130-R12				
		Inlet Frame and Cover					
i)		SD-024, 1800 mm deep		each	4		
3.17		Sewer Service	CW 2130-R12				
		255. 2535	3.7 2.00 1012				
i)		250 mm, PVC SDR-35					
	a)	In a Trench, Class B Bedding, Class 3		m	10		
		Backfill			. •		
	b)	Trenchless Installation, Class B Bedding, Class 3 Backfill		m	10		
3.18		Connecting to Existing Sewer	CW 2130-R12				
3.10		Commonly to Externing Cowo.	011 2100 1112				
i)		250 mm (Type SDR-35) Connecting Pipe					
	a)	Connecting to 300 mm (Type Clay) Sewer		each	4		
	ω,	(.), po e.a,, ee		00.01.			
3.19		Removal of Existing Catch Basins	CW 2130-R12	each	4		
3.20		Installation of Subdrains	CW 3120-R4	m	96		
20			011 0120-11 4	'''	30		
3.21		Removal of Existing Pipes	E17	m	10		
		ADJUSTMENTS					
3.22		Adjustment of Catch Basins / Manholes	CW 3210-R7	each	2		
3.23		Frames Lifter Rings	CW 3210-R7				
J.2U		Litter Kings	JVV JZ 10-1(/				
i)		38 mm		each	1		
::\		51 mm		aaah	4		
ii)		51 mm		each	1		
3.24		Adjustment of Valve Boxes	CW 3210-R7	each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.25	Valve Box Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
3.26	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	100		
ii)	width > or = 600 mm		m²	1500		
В	MACHRAY AVENUE - MAIN ST TO EMSLIE	ST, ASPHALT I	RECONS	STRUCTION	Subtotal:	
С	ANDREWS STREET - JEFFERSON AV TO F	ARTFORD AV,	ASPHA	<u>LT</u>		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	1325		
C.2	Sub-Grade Compaction	CW 3110-R19	m²	2650		
0.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1870		
2.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	265		
C.5	Grading of Boulevards	CW 3110-R19	m²	2075		
2.6	Separation Geotextile Fabric	CW 3130-R4	m²	2650		
	ROADWORKS - RENEWALS					
2.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	2100		
2.8	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	295		
C.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	25		
:.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	25		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.11		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	95		
	c)	Greater than 20 sq.m.		m²	500		
.12		Concrete Curb Renewal	CW 3240-R10				
i)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	85		
.13		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Asphalt)		m²	60		
ii)		0 - 50 mm Depth (Concrete)		m²	15		
		ROADWORKS - NEW CONSTRUCTION					
C.14		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)		Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Slip Form Paving	SD-200	m	325		
ii)		Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	30		
iii)		Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	60		
iv)		Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	30		
v)		Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	30		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
:.15	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	575		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
2.16	Catch Basin c/w Barrier Curb and Gutter Inlet Frame and Cover	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
C.17	Catch Pit c/w Barrier Curb and Gutter Inlet Frame and Cover	CW 2130-R12				
i)	SD-023		each	2		
:.18	Sewer Service	CW 2130-R12				
i)	250 mm, PVC SDR-35					
a)	In a Trench, Class B Bedding, Class 3 Backfill		m	25		
b)	Trenchless Installation, Class B Bedding, Class 3 Backfill		m	10		
.19	Drainage Connection Pipe	CW 2130-R12	m	6		
.20	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type SDR-35) Connecting Pipe					
a)	Connecting to 1050 mm (Type Concrete) Sewer		each	6		
2.21	Removal of Existing Catch Basins	CW 2130-R12	each	6		
2.22	Installation of Subdrains	CW 3120-R4	m	144		
2.23	Removal of Existing Pipes	E16	m	18		
	ADJUSTMENTS					
.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.25	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
C.26	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
	LANDSCAPING					
C.27	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	175		
ii)	width > or = 600 mm		m²	1900		
С	ANDREWS STREET - JEFFERSON AV TO F	 HARTFORD AV,	ASPHA	<u>LT</u>	Subtotal:	
D	HALLET STREET - ROVER AV TO EUCLID	AV, REHABILIT	ATION			
	EARTH AND BASE WORKS					
D.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	15		
D.2	Pavement Repair Fabric	E11	m²	2100		
	ROADWORKS - RENEWALS					
D.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	70		
D.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	5		
ii)	150 mm Concrete Pavement (Type B)		m²	15		
iii)	150 mm Concrete Pavement (Type D)		m²	20		
D.5	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	60		



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	30		
ii)	25 M Deformed Tie Bar		each	60		
0.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	35		
0.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	22		
0.9	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
D.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	50		
b)	3 m to 30 m		m	195		
c)	Greater than 30 m		m	450		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	36		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	20		
D.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	45		
0.12	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	410		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	25		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.13	Planing of Pavement	CW 3450-R5		-		
i)	0 - 50 mm Depth (Asphalt)		m²	1500		
ii)	0 - 50 mm Depth (Concrete)		m²	500		
	JOINT AND CRACK SEALING					
D.14	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.15	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	3		
D.16	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		m	2		
D.17	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
D.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
D.19	Lifter Rings	CW 3210-R7				
i)	38 mm		each	4		
ii)	51 mm		each	7		
D.20	Adjustment of Valve Boxes	CW 3210-R7	each	1		
D.21	Valve Box Extensions	CW 3210-R7	each	1		

UNII PRI		SPEC.	LINIT	ADDDOV	UNIT PRICE	ANACHINIT
ITEM	DESCRIPTION	REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
0.22	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	185		
D	HALLET STREET - ROVER AV TO EUCLID	 AV, REHABILIT	ATION		Subtotal:	
E	AIRLIES STREET - MERRIWOOD AV TO JE	FFERSON AV,	REHABI	LITATION		
	EARTH AND BASE WORKS					
≣.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	45		
≣.2	Pavement Repair Fabric	E11	m²	2380		
	ROADWORKS - RENEWALS					
≣.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	190		
Ξ.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	3		
ii)	150 mm Concrete Pavement (Type B)		m²	9		
iii)	150 mm Concrete Pavement (Type D)		m²	60		
≣.5	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	80		
≣.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	40		
ii)	25 M Deformed Tie Bar		each	150		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Ξ. 7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	50		
b)	5 sq.m. to 20 sq.m.		m²	25		
c)	Greater than 20 sq.m.		m²	20		
≣.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
Ē.9	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	1		
≣.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	40		
b)	3 m to 30 m		m	60		
c)	Greater than 30 m		m	540		
≣.11	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	470		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	60		
≣.12	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	2180		
ii)	0 - 50 mm Depth (Concrete)		m²	240		
	JOINT AND CRACK SEALING					
Ξ.13	Reflective Crack Maintenance	CW 3250-R7	m	500		

_

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	20		
ii)	150 mm Concrete Pavement (Type B)		m²	140		
iii)	150 mm Concrete Pavement (Type D)		m²	35		
F.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	500		
F.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	250		
ii)	25 M Deformed Tie Bar		each	100		
F.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	35		
b	5 sq.m. to 20 sq.m.		m²	30		
С) Greater than 20 sq.m.		m²	180		
F.7	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	140		
ii)	Modified Lip Curb (75 mm reveal ht, Dowelled)	SD-202C	m	1140		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	15		
F.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	20		
F.9	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
а) Type IA		tonne	990		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	140		


ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Concrete)		m²	100		
	JOINT AND CRACK SEALING					
F.11	Reflective Crack Maintenance	CW 3250-R7	m	700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F.12	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-011 - Mountable Curb and Gutter Inlet		each	2		
	ADJUSTMENTS					
F.13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
F.14	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2		
	LANDSCAPING					
F.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	750		
ii)	width > or = 600 mm		m²	250		
	MISCELLANEOUS					
F.16	Adjustment of Sprinkler Head and/or Drainage Pipe	E17	each	2		
F.17	Replacement of Existing Sprinkler Pipe	E17	m	15		
F	ASHMORE DRIVE - MANDALAY DR TO AD	SUM DR, REHA	BILITAT	TION	Subtotal:	
G	DUVAL STREET - ADSUM DR TO MARGAT	E RD, REHABIL	ITATIOI	<u>v</u>		
	EARTH AND BASE WORKS					
G.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	40		
ı		I .				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - RENEWALS					
G.2	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	160		
G.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	4		
ii)	150 mm Concrete Pavement (Type B)		m²	75		
G.4	Partial Depth Planing of Existing Joints	E12	m²	120		
G.5	Asphalt Patching of Partial Depth Joints	E12	m²	120		
G.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	300		
G.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	125		
ii)	25 M Deformed Tie Bar		each	50		
G.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	30		
b)	5 sq.m. to 20 sq.m.		m²	5		
G.9	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
€.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	100		
b)	Greater than 30 m		m	500		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	65		
iii)	Modified Lip Curb (40 mm reveal ht, Dowelled)	SD-202C	m	10		
iv)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	10		
6.11	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	475		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
6.12	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Concrete)		m²	150		
	JOINT AND CRACK SEALING					
6.13	Reflective Crack Maintenance	CW 3250-R7	m	550		
G.14	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Replacing Existing Manhole and Catch Basin	CW 2130-R12				
	Frames & Covers	OW 2130-1012				
i)	AP-011 - Mountable Curb and Gutter Inlet		each	1		
	ADJUSTMENTS					
6.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
6.16	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2		
6.17	Adjustment of Valve Boxes	CW 3210-R7	each	1		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
0.40		REF.		QUANTITY		
G.18	Valve Box Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
G.19	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	500		
G	DUVAL STREET - ADSUM DR TO MARGAT	E RD, REHABIL	ITATION	<u>/</u>	Subtotal:	
PART 2	MANITOBA HYDRO FUNDED	WORK				
	(See B9.5, B15.2.1, B16.5, D2,	D14.2-3, D1	5.4)			
н	CHURCH AVENUE - AIKINS ST TO SALTER	R ST STREET I	IGHTING	3		
	GIORGITAVENOE AIRING OF TO GALTER	l	 	<u>2</u> 1		
	NEW STREET LIGHT INSTALLATION					
H.1	Removal of 25' to 35' street light pole and	E14	each	4		
	precast, poured in place concrete, steel					
	power installed base or direct buried					
	including davit arm, luminaire and appurtenances.					
H.2	Installation of #4 AL C/N or 1/0 AL Triplex	E14	m	206		
	streetlight cable by open trench method.					
H.3	Installation of cable(s) (#4 AL C/N or 1/0 AL	E14	m	10		
	Triplex) by boring method.					
H.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire	E14	each	4		
	and appurtenances.					
H.5	Installation of one (1) 10' ground rod at end	E14	each	1		
11.5	of street light circuit. Trench #4 ground w ire	L14	eacii	'		
	up to 1 m from rod location to new street					
	light and connect (hammerlock) to top of the ground rod.					
H.6	Install / lower 3 m of Cable Guard, ground	E14	each	1		
п.6	lug, cable up pole, and first 3 m section of	L14	eacii	1		
	ground rod per Standard CD 315-5.					
H.7	Terminate 2/C #12 copper conductor to	E14	each	4		
	street light cables per Standard CD310-4,					
	CD310-9 or CD310-10.					
H.8	Installation of overhead span of #4 duplex	E14	per	5		
	between new or existing streetlight poles and connect luminaire to provide temporary		span			
	feed.					
H.9	Removal of overhead span of #4 duplex	E14	per	5		
	between new or existing streetlight poles to		span			
	remove temporary feed.					
	ı	ı	ı	1	1	· ·

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H.10	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E14	each	1		
н	CHURCH AVENUE - AIKINS ST TO SALTER	ST, STREET	LIGHTING	2	Subtotal:	
I,	MACHRAY AVENUE - MAIN ST TO EMSLIE	ST, STREET L	IGHTING	:		
	NEW STREET LIGHT INSTALLATION					
I.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E14	each	4		
1.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E14	m	170		
1.3	Installation of cable(s) (#4 AL C/N or 1/0 AL Triplex) by boring method.	E14	m	15		
1.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E14	each	4		
1.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E14	each	2		
1.6	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E14	each	1		
1.7	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E14	each	4		
1.8	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E14	per span	4		
1.9	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E14	per span	4		
I	MACHRAY AVENUE - MAIN ST TO EMSLIE	ST, STREET L	IGHTING		Subtotal:	



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
SUMMARY								
PART 1 CITY FUNDED WORK								
Α	CHURCH AVENUE - AIKINS ST TO SALTER ST, ASPHALT RECONSTRUCTION Subtotal:							
В	MACHRAY AVENUE - MAIN ST TO EMSLIE ST, ASPHALT RECONSTRUCTION Subtotal:							
C	ANDREWS STREET - JEFFERSON AV TO HARTFORD AV, ASPHALT RECONSTRUCTION				Subtotal:			
D	HALLET STREET - ROVER AV TO EUCLID AV, REHABILITATION			Subtotal:				
E	AIRLIES STREET - MERRIWOOD AV TO JEFFERSON AV, REHABILITATION			Subtotal:				
F	ASHMORE DRIVE - MANDALAY DR TO ADSUM DR, REHABILITATION			Subtotal:				
G	DUVAL STREET - ADSUM DR TO MARGATE RD, REHABILITATION			Subtotal:				
(total price) PART 1								
PART 2 MANITOBA HYDRO FUNDED WORK (See B9.5, B15.2.1, B16.5, D2, D14.2-3, D15.4)								
Н	CHURCH AVENUE - AIKINS ST TO SALTER	ST, STREET L	IGHTING	<u> </u>	Subtotal:			
ı	MACHRAY AVENUE - MAIN ST TO EMSLIE	ST, STREET LI	GHTING		Subtotal:			
(total price) PART 2								
TOTAL BID PRICE (GST extra) (in figures)								

(Seal)

Template Version: C420150116 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

THE PART OF THE PA	1112021112021110111111	

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pedescribed, for the payment of which sum	d and firmly bound unto THE CITY OF WINNIPEG (he ercent (10%) of the Total Bid Price set out in the Bid he the Principal and Surety bind themselves, their heirs, e bintly and severally, firmly by these presents.	ereinafter
WHEREAS the Principal has submitted a I	Bid to the Obligee for	
BID OPPORTUNITY NO. 151-2015		
2015 Local Streets Renewal Program: Chi Locations	urch Ave, Machray Ave, Andrews St, and Various Other	
as more fully set out in the Bid Opportunity	<i>1</i> .	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the require	obligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a Coned performance security for guaranteeing the faithful period, but otherwise shall remain in full force and effect.	tract with
IN WITNESS WHEREOF the Principal and	d Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	(O = = 1)
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 151-2015 2015 Local Streets Renewal Program: Church Ave, Machray Ave, Andrews St, and Various Other Locations in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) (Seal) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 151-2015
2015 Local Streets Renewal Program: Church Ave, Machray Ave, Andrews St, and Various Other Locations
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writte demand for payment made upon us by you. It is understood that we are obligated under this Standb Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make suc demand and without recognizing any claim of our customer or objection by the customer to payment by us
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upo it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it b made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standb Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 23, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)