

FORM A: BID
(See B8)

1. Contract Title 2015 Local Streets Program – Powers St, Burrows Ave, Redwood Ave, and Various Other Locations

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

(Choose one)

City

Province

Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	_____
_____		_____	_____
_____		_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>POWERS STREET - PRITCHARD AV TO BURROWS AV, ASPHALT RECONSTRUCTION</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m ³	1050		
A.2	Sub-Grade Compaction	CW 3110-R19	m ²	2100		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1490		
A.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	210		
A.5	Grading of Boulevards	CW 3110-R19	m ²	2160		
A.6	Separation Geotextile Fabric	CW 3130-R4	m ²	2100		
A.7	Supply and Install Geogrid	CW 3135-R1	m ²	100		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	1775		
A.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	220		
A.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	15		
A.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	20		
b)	5 sq.m. to 20 sq.m.		m ²	25		
c)	Greater than 20 sq.m.		m ²	720		
A.13	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	45		
ROADWORKS - NEW CONSTRUCTION						
A.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Slip Form Paving	SD-200	m	285		
ii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	25		
iii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	140		
iv)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	20		
A.15	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	450		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	110		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.16	Catch Basin c/w Barrier Curb and Gutter Inlet Frame and Cover	CW 2130-R12				

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	i) SD-024, 1800 mm deep Sewer Service	CW 2130-R12	each	6		
	i) 250 mm, PVC SDR-35					
	a) In a Trench, Class B Bedding, Class 3 Backfill		m	10		
	b) Trenchless Installation, Class B Bedding, Class 3 Backfill		m	12		
A.18	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-005 - Standard Solid Cover for Standard Frame		each	1		
A.19	Connecting to Existing Sewer	CW 2130-R12				
	i) 250 mm (Type SDR-35) Connecting Pipe					
	a) Connecting to 600 mm (Type PVC) Sewer		each	6		
A.20	Removal of Existing Catch Basins	CW 2130-R12	each	6		
A.21	Installation of Subdrains	CW 3120-R4	m	144		
	ADJUSTMENTS					
A.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
A.23	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	0.5		
A.24	Lifter Rings	CW 3210-R7				
	i) 51 mm		each	1		
A.25	Adjustment of Valve Boxes	CW 3210-R7	each	2		
A.26	Valve Box Extensions	CW 3210-R7	each	2		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
LANDSCAPING						
A.27	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	200		
ii)	width > or = 600 mm		m ²	1960		
A	<u>POWERS STREET - PRITCHARD AV TO BURROWS AV, ASPHALT RECONSTRUCTION</u>				Subtotal:	
B	<u>REDWOOD AVENUE - SGT TOMMY PRINCE ST TO BATTERY ST, CONCRETE RECONSTRUCTION</u>					
EARTH AND BASE WORKS						
B.1	Excavation	CW 3110-R19	m ³	1200		
B.2	Sub-Grade Compaction	CW 3110-R19	m ²	1910		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1800		
B.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	145		
B.5	Grading of Boulevards	CW 3110-R19	m ²	1800		
B.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1910		
ROADWORKS - RENEWALS						
B.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	1615		
B.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		
B.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	50		
b)	5 sq.m. to 20 sq.m.		m ²	130		
c)	Greater than 20 sq.m.		m ²	720		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	3		
B.11	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	1		
B.12	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	20		
ROADWORKS - NEW CONSTRUCTION						
B.13	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced) Slip Form Paving		m ²	1500		
ii)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	175		
B.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Barrier (180 mm ht, Integral) Slip Form Paving	SD-204	m	350		
ii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	60		
iii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	30		
B.15	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.16	Catch Basin c/w Barrier Curb and Gutter Inlet Frame and Cover	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
B.17	Sewer Service	CW 2130-R12				
i)	250 mm, PVC SDR-35					
a)	In a Trench, Class B Bedding, Class 3 Backfill		m	10		
b)	Trenchless Installation, Class B Bedding, Class 3 Backfill		m	10		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.18	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	375 MM					
a)	Class 3 Backfill		each	1		
B.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
B.20	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type SDR-35) Connecting Pipe					
a)	Connecting to 375 mm (Type Clay) Sewer		each	4		
B.21	Removal of Existing Catch Basins	CW 2130-R12	each	4		
B.22	Installation of Subdrains	CW 3120-R4	m	96		
ADJUSTMENTS						
B.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
B.24	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	1		
B.25	Adjustment of Valve Boxes	CW 3210-R7	each	1		
LANDSCAPING						
B.26	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	120		
ii)	width > or = 600 mm		m ²	1680		
MISCELLANEOUS						
B.27	Adjustment of Sprinkler Head and/or Drainage Pipe	E17	each	1		
B.28	Replacement of Existing Sprinkler Pipe	E17	m	5		
B	<u>REDWOOD AVENUE - SGT TOMMY PRINCE ST TO BATTERY ST, CONCRETE RECONSTRUCTION</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>BURROWS AVENUE - KEEWATIN ST TO DORSET ST, REHABILITATION</u>					
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	60		
	ROADWORKS - RENEWALS					
C.2	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	240		
C.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m ²	125		
ii)	150 mm Concrete Pavement (Type D)		m ²	25		
C.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	400		
C.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	150		
ii)	25 M Deformed Tie Bar		each	150		
C.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m ²	50		
ii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	10		
b)	5 sq.m. to 20 sq.m.		m ²	50		
c)	Greater than 20 sq.m.		m ²	300		
iii)	Bullnose	SD-227C	m ²	15		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	40		
b)	3 m to 30 m		m	35		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	12		
C.8	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	940		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	120		
C.9	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	3320		
ii)	50 - 100 mm Depth (Asphalt)		m ²	360		
C.10	Detectable Warning Surface Tiles	CW 3326-R2	each	2		
	ROADWORKS - NEW CONSTRUCTION					
C.11	100 mm Concrete Sidewalk	CW 3325-R5	m ²	40		
	JOINT AND CRACK SEALING					
C.12	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.13	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
C.14	Catch Basin Cleaning	CW 2140-R3	each	1		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
C.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
C.16	Lifter Rings	CW 3210-R7				
i)	51 mm		each	1		
C.17	Adjustment of Valve Boxes	CW 3210-R7	each	1		
C.18	Valve Box Extensions	CW 3210-R7	each	1		
C.19	City of Winnipeg Supplied Curb and Gutter Inlet Risers		each			
	LANDSCAPING					
C.20	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	130		
	MISCELLANEOUS					
C.21	Adjustment of Sprinkler Head and/or Drainage Pipe	E17	each	1		
C.22	Replacement of Existing Sprinkler Pipe	E17	m	5		
C	<u>BURROWS AVENUE - KEEWATIN ST TO DORSET ST, REHABILITATION</u>				Subtotal:	
D	<u>REDWOOD AVENUE - SHEPPARD ST TO SHAUGNESSY ST, REHABILITATION</u>					
	EARTH AND BASE WORKS					
D.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	15		
D.2	Pavement Repair Fabric	E11	m ²	3350		
	ROADWORKS - RENEWALS					
D.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	75		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m ²	7		
ii)	150 mm Concrete Pavement (Type B)		m ²	40		
iii)	150 mm Concrete Pavement (Type C)		m ²	14		
iv)	150 mm Concrete Pavement (Type D)		m ²	50		
D.5	Partial Depth Planing of Existing Joints	E12	m ²	200		
D.6	Asphalt Patching of Partial Depth Joints	E12	m ²	200		
D.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	65		
D.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	25		
ii)	25 M Deformed Tie Bar		each	40		
D.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	100		
b)	5 sq.m. to 20 sq.m.		m ²	200		
c)	Greater than 20 sq.m.		m ²	700		
D.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	60		
b)	3 m to 30 m		m	60		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	40		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	12		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.11	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	1165		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	90		
D.12	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	260		
ii)	0 - 50 mm Depth (Concrete)		m ²	35		
	JOINT AND CRACK SEALING					
D.13	Reflective Crack Maintenance	CW 3250-R7	m	700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.14	Catch Pit c/w Barrier Curb and Gutter Inlet Frame and Cover	CW 2130-R12				
i)	SD-023		each	1		
D.15	Drainage Connection Pipe	CW 2130-R12	m	5		
D.16	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
	ADJUSTMENTS					
D.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
D.18	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
D.19	Adjustment of Valve Boxes	CW 3210-R7	each	2		
D.20	Valve Box Extensions	CW 3210-R7	each	2		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
D.21	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	200		
D	<u>REDWOOD AVENUE - SHEPPARD ST TO SHAUGNESSY ST, REHABILITATION</u>				Subtotal:	
E	<u>ROSE HILL WAY & PLACE - GARTON AV TO ROSE HILL PL, REHABILITATION & ASPHALT OVERLAY</u>					
	EARTH AND BASE WORKS					
E.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	65		
	ROADWORKS - RENEWALS					
E.2	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	270		
E.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m ²	175		
E.4	Partial Depth Planing of Existing Joints	E12	m ²	70		
E.5	Asphalt Patching of Partial Depth Joints	E12	m ²	70		
E.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	660		
E.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	300		
ii)	25 M Deformed Tie Bar		each	130		
E.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	100		
b)	5 sq.m. to 20 sq.m.		m ²	105		
c)	Greater than 20 sq.m.		m ²	45		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.9	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
E.10	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
E.11	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	90		
ii)	Modified Lip Curb (75 mm reveal ht, Dowelled)	SD-202C	m	600		
iii)	Modified Lip Curb (40 mm reveal ht, Dowelled)	SD-202C	m	25		
iv)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	15		
E.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	20		
E.13	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	750		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	170		
E.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	85		
ii)	0 - 50 mm Depth (Concrete)		m ²	45		
	JOINT AND CRACK SEALING					
E.15	Reflective Crack Maintenance	CW 3250-R7	m	700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.16	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	1		
E.17	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-011 - Mountable Curb and Gutter Inlet		each	2		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.18	Catch Basin Cleaning	CW 2140-R3	each	1		
ADJUSTMENTS						
E.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
E.20	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
E.21	Adjustment of Valve Boxes	CW 3210-R7	each	1		
E.22	Valve Box Extensions	CW 3210-R7	each	1		
LANDSCAPING						
E.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	500		
ii)	width > or = 600 mm		m ²	50		
MISCELLANEOUS						
E.24	Adjustment of Sprinkler Head and/or Drainage Pipe	E17	each	2		
E.25	Replacement of Existing Sprinkler Pipe	E17	m	10		
E	<u>ROSE HILL WAY & PLACE - GARTON AV TO ROSE HILL PL, REHABILITATION & ASPHALT OVERLAY</u>				Subtotal:	
SUMMARY						
A	<u>POWERS STREET - PRITCHARD AV TO BURROWS AV, ASPHALT RECONSTRUCTION</u>				Subtotal:	
B	<u>REDWOOD AVENUE - SGT TOMMY PRINCE ST TO BATTERY ST, CONCRETE RECONSTRUCTION</u>				Subtotal:	
C	<u>BURROWS AVENUE - KEEWATIN ST TO DORSET ST, REHABILITATION</u>				Subtotal:	
D	<u>REDWOOD AVENUE - SHEPPARD ST TO SHAUGNESSY ST, REHABILITATION</u>				Subtotal:	
E	<u>ROSE HILL WAY & PLACE - GARTON AV TO ROSE HILL PL, REHABILITATION & ASPHALT OVERLAY</u>				Subtotal:	
TOTAL BID PRICE (GST extra)			(in figures)		_____	

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 152-2015

2015 Local Streets Program – Powers St, Burrows Ave, Redwood Ave, and Various Other Locations

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 152-2015

2015 Local Streets Program – Powers St, Burrows Ave, Redwood Ave, and Various Other Locations

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 152-2015

2015 Local Streets Program – Powers St, Burrows Ave, Redwood Ave, and Various Other Locations

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 25, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)