FORM A: BID (See B9)

1.	Contract Title	2015 LOCAL STREET RENEWAL PROGRAM – LOGAN AVENUE, SHEPPARD STREET, OMANDS CREEK BOULEVARD					
2.	Bidder	Name of Bidder					
		Usual Business Name of Bidder as it a	ppears on Invoice (if different from abov	/e)			
		Street		,			
		City	Province	Postal Code			
	(Mailing address if different)	Email Address of Bidder					
		Facsimile Number					
		Street or P.O. Box					
	(Choose one)	City	Province	Postal Code			
		The Bidder is:					
		a sole proprietor					
		a partnership					
		a corporation					
		carrying on business under the	above name.				
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		represent			
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings			
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.					

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

	F	FORM B: PRICES (SEE B4)	;			
UNIT PRIC	CES	()				[
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	RECONSTRUCTION: LOGAN AVENUE - OM	IANDS CREEK B	OULEVA	ARD TO 2200 I	LOGAN AVE	NUE
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	2300		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	4975		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	3600		
ii)	150 mm		tonne	100		
A.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	385		
A.5	Grading of Boulevards	CW 3110-R19	m²	820		
A.6	Supply and Install Geogrid	CW 3135-R1	m²	1000		
A.7	Separation / Reinforcement Geotextile Fabric	CW 3130-R4	m²	4975		
	ROADWORK - REMOVALS/RENEWALS					
A.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	4425		
ii)	Asphalt Pavement		m²	250		
4.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	450		
A.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	380		
4.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	625		
A.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	00 2000	m	10		
b)	3 m to 30 m		m	10		
A.13	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	175		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
A.14	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R16				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	4100		
A.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	50		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	650		
A.16	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Туре ІА		tonne	75		
A.17	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
A.18	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5		
iii)	TF 122 Modified Barrier Curb and Gutter Inlet Frame and Box	E13	each	4		
iv)	TF 122 Modified Barrier Curb and Gutter Inlet Cover	E13	each	4		
A.19	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	3		
4.20	Drainage Connection Pipe	CW 2130-R12	m	20		
4.21	Installation of Subdrains	CW 3120-R4	m	48		
	ADJUSTMENTS					
A.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
A.23	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		
A.24	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	1		
4.25	Adjustment of Valve Boxes	CW 3210-R7	each	1		
A.26	Valve Box Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
4.27	Sodding	CW 3510-R9				
ii)	width > or = 600 mm		m²	850		
			I	RD TO		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
в	REHABILITATION: OMANDS CREEK BOULEVARD - LOGAN AVENUE TO BROOKSIDE BLVD					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m³	25		
B.2	Sub-Grade Compaction	CW 3110-R19	m²	40		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	20		
B.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	5		
B.5	Separation / Reinforcement Geotextile Fabric	CW 3130-R4	m²	40		
	ROADWORK - REMOVALS/RENEWALS					
3.6	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	40		
B.7	Partial Slab Patches	CW 3230-R8				
i)	- Early Opening (72 hour) 200 mm Concrete Pavement (Type A)		m²	50		
ii)	200 mm Concrete Pavement (Type B)		m²	900		
iii)	200 mm Concrete Pavement (Type C)		m²	350		
iv)	200 mm Concrete Pavement (Type D)		m²	350		
3.8	Partial Depth Planing of Existing Joints	E16	m²	300		
3.9	Asphalt Patching of Partial Depth Joints	E16	m²	300		
3.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	1450		
3.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1700		
3.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	100		
b)	3 m to 30 m		m	300		
c)	Greater than 30 m		m	150		
ii)	Modified Barrier (150 mm reveal ht,	SD-203B	m	25		
3.13	Dowelled) Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Туре IA		tonne	2500		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	300		
B.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	150		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
B.15	Reflective Crack Maintenance	CW 3250-R7	m	2500		
	ROADWORK - NEW CONSTRUCTION					
B.16 i)	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians Construction of 200 mm Concrete Pavement (Reinforced)	CW 3310-R16	m²	35		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
3.17	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	4		
B.18	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	9		
V)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	9		
3.19	Drainage Connection Pipe	CW 2130-R12	m	6		
3.20	Catch Basin Cleaning	CW 2140-R3	each	12		
	ADJUSTMENTS					
3.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
3.22	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		
3.23	Lifter Rings	CW 3210-R7				
i)	38 mm		each	4		
ii)	51 mm		each	4		
3.24	Adjustment of Valve Boxes	CW 3210-R7	each	2		
3.25	Valve Box Extensions	CW 3210-R7	each	2		
B.26	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
	LANDSCAPING					
B.27	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	90		
	REHABILITATION: OMANDS CREEK BOUL BROOKSIDE BLVD	EVARD - LOGAN	AVENU	<u>E TO</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	REHABILITATION: SHEPPARD STREET - IN	KSTER BOULE	ARD TO	CHURCH AV	ENUE	
	ROADWORK - REMOVALS/RENEWALS					
C.1	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	400		
C.2	Partial Slab Patches	CW 3230-R8				
i)	- Early Opening (72 hour) 200 mm Concrete Pavement (Type A)		m²	105		
ii)	200 mm Concrete Pavement (Type B)		m²	550		
iii)	200 mm Concrete Pavement (Type C)		m²	320		
iv)	200 mm Concrete Pavement (Type D)		m²	300		
C.3	Partial Depth Planing of Existing Joints	E16	m²	300		
C.4	Asphalt Patching of Partial Depth Joints	E16	m²	300		
C.5	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	1250		
C.6	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1500		
C.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	8		
b)	5 sq.m. to 20 sq.m.		m²	5		
ii)	Bullnose	SD-227C	m²	50		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	20		
C.8	Concrete Curb Renewal	CW 3240-R10				
i) a)	Curb and Gutter (150 mm reveal ht, Barrier, Integral, 600 mm width, 150 mm Plain Less than 3 m	SD-200	m	10		
b)	3 m to 30 m		m	135		
c)	Greater than 30 m		m	435		
ii) a)	Curb and Gutter (150 mm reveal ht, Modified Barrier, Integral, - 600 mm width, 150 mm Plain Concrete Pavement) 3 m to 30 m	SD-200 SD-203B	m	22		
C.9	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Туре ІА		tonne	2350		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	92		
C.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	875		
C.11	Detectable Warning Surface Tiles	CW 3326-R2	each	12		
						[

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
C.12	Reflective Crack Maintenance	CW 3250-R7	m	2200		
C.13	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	7		
C.14	Drainage Connection Pipe	CW 2130-R12	m	44		
C.15	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame		each	11		
v)	and Box AP-009 - Barrier Curb and Gutter Inlet Cover		each	11		
C.16	Catch Basin Cleaning	CW 2140-R3	each	5		
	ADJUSTMENTS					
C.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
C.18	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
C.19	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	4		
C.20	Adjustment of Valve Boxes	CW 3210-R7	each	3		
C.21	Valve Box Extensions	CW 3210-R7	each	3		
C.22	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
	LANDSCAPING					
C.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	345		
С	REHABILITATION: SHEPPARD STREET - IN AVENUE	KSTER BOULE	ARD TO	CHURCH	Subtotal:	
Α	RECONSTRUCTION: LOGAN AVENUE - OM LOGAN AVENUE	IANDS CREEK B	OULEVA	ARD TO 2200	Subtotal:	
в	REHABILITATION: OMANDS CREEK BOUL BROOKSIDE BLVD	Subtotal:				
С	REHABILITATION: SHEPPARD STREET - IN AVENUE	KSTER BOULE	/ARD TO	CHURCH	Subtotal:	
					Total Price	
	•					
OTAL	BID PRICE (GST EXTRA)	(in figures)				

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 23-2015

2015 LOCAL STREET RENEWAL PROGRAM – LOGAN AVENUE, SHEPPARD STREET, OMANDS CREEK BOULEVARD

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
	Per:	(Seal)
(Witness as to Principal if no seal)	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

BID OPPORTUNITY NO. 23-2015

2015 LOCAL STREET RENEWAL PROGRAM – LOGAN AVENUE, SHEPPARD STREET, OMANDS CREEK BOULEVARD

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

By:

(Name of Surety)

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 23-2015

2015 LOCAL STREET RENEWAL PROGRAM – LOGAN AVENUE, SHEPPARD STREET, OMANDS CREEK BOULEVARD

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 31, 2015.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)