

FORM A: BID
(See B8)

1. Contract Title 2015 Regional Street Renewal Program – Osborne St Rehabilitation and Sherbrook St., Ellice Ave. and Osborne St Mill and Fill

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

(Choose one)

City

Province

Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420150116 - RW

Template Version: C420150116 - RW

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>OSBORNE ST. N/B & S/B REHABILITATION- BROADWAY TO ST. MARY AVE.</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m ³	45		
A.2	Sub-Grade Compaction	CW 3110-R19	m ²	120		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	85		
A.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	10		
A.5	Grading of Boulevards	CW 3110-R19	m ²	380		
	ROADWORKS - RENEWALS					
A.6	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	1900		
A.7	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	100		
A.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m ²	10		
ii)	200 mm Concrete Pavement (Type C)		m ²	10		
iii)	200 mm Concrete Pavement (Type D)		m ²	20		
A.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	400		
A.10	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m ²	45		

 Name of Bidder

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	200 mm Concrete Pavement (Type C)		m ²	40		
iii)	200 mm Concrete Pavement (Type D)		m ²	70		
A.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	850		
A.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1050		
A.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m ²	80		
ii)	100 mm Sidewalk		m ²	870		
A.14	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Safety Median	SD-226B	m ²	80		
A.15	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m ²	45		
ii)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	70		
A.16	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (125 mm reveal ht, Separate)	SD-203A	m	210		
A.17	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	30		
b)	Greater than 30 m		m	475		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	40		
A.18	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	1380		

 Name of Bidder

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	60		
A.19	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	1670		
ii)	50 - 100 mm Depth (Asphalt)		m ²	4960		
A.20	Asphalt Levelling over Full Depth Concrete Repairs	E12				
i)	Type IA		tonne	185		
A.21	Detectable Warning Surface Tiles	CW 3326-R2	each	11		
A.22	Remove Paving Stone/Lean Mix Concrete Sidewalk	E13	m ²	245		
ROADWORK - NEW CONSTRUCTION						
A.23	Concrete Pavements for Early Opening	CW 3310-R16				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m ²	400		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m ²	1500		
A.24	Interlocking Paving Stones	CW 3330-R5	m ²	220		
A.25	Concrete Sidewalk c/w Paver Block Outs	E14	m ²	1500		
JOINT AND CRACK SEALING						
A.26	Reflective Crack Maintenance	CW 3250-R7	m	1850		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.27	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2		
A.28	Catch Pit	CW 2130-R12				
i)	SD-023		each	3		
A.29	Sewer Service	CW 2130-R12				
i)	250 mm, pvc					
a)	In a Trench, Class B Type Sand Bedding, Class 2 Backfill		m	3		

 Name of Bidder

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	b) Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	12		
A.30	Drainage Connection Pipe	CW 2130-R12	m	17		
A.31	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	2		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
	v) AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
A.32	Connecting to Existing Catch Basin	CW 2130-R12				
	i) 250 mm Drainage Connection Pipe		each	3		
A.33	Connecting to Existing Sewer	CW 2130-R12				
	i) 250 mm PVC Connecting Pipe					
	a) Connecting to 600 mm Sewer		each	1		
A.34	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
A.35	Catch Basin Cleaning	CW 2140-R3	each	4		
	ADJUSTMENTS					
A.36	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	9		
A.37	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	2		
	ii) Brick Risers		vert. m	1		
A.38	Lifter Rings	CW 3210-R7				
	i) 38 mm		each	3		
	ii) 51 mm		each	3		

 Name of Bidder

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	76 mm		each	6		
A.39	Adjustment of Valve Boxes	CW 3210-R7	each	10		
A.40	Valve Box Extensions	CW 3210-R7	each	21		
A.41	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
LANDSCAPING						
A.42	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	360		
A	<u>OSBORNE ST. N/B & S/B REHABILITATION- BROADWAY TO ST. MARY AVE.</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>SHERBROOK ST. MILL AND FILL - ELLICE AVE. TO NOTRE DAME AVE.</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m ³	95		
B.2	Sub-Grade Compaction	CW 3110-R19	m ²	110		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	80		
B.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	30		
B.5	Grading of Boulevards	CW 3110-R19	m ²	135		
	ROADWORKS - RENEWALS					
B.6	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	1000		
B.7	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	570		
B.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	10		
ii)	200 mm Concrete Pavement (Type B)		m ²	120		
iii)	200 mm Concrete Pavement (Type C)		m ²	10		
iv)	200 mm Concrete Pavement (Type D)		m ²	190		
B.9	Partial Depth Planing of Existing Joints	E10	m ²	120		
B.10	Asphalt Patching of Partial Depth Joints	E10	m ²	120		
B.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	510		
B.12	Drilled Tie Bars	CW 3230-R8				

 Name of Bidder

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	20 M Deformed Tie Bar		each	1170		
B.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	25		
b)	5 sq.m. to 20 sq.m.		m ²	220		
B.14	Concrete Curb Removal	CW 3240-R10				
i)	Barrier 125 mm		m	85		
B.15	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (125 mm reveal ht, Separate)	SD-203A	m	230		
B.16	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	2		
b)	3 m to 30 m		m	55		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	80		
B.17	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	1860		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
B.18	Supply and Installation of Pavement Repair Fabric	E15	m ²	50		
B.19	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m ²	3300		
ii)	50 - 100 mm Depth (Asphalt)		m ²	9900		
B.20	Asphalt Levelling over Full Depth Concrete Repairs	E12				
i)	Type IA		tonne	130		
B.21	Detectable Warning Surface Tiles	CW 3326-R2	each	25		
ROADWORK - NEW CONSTRUCTION						

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.22	Concrete Pavements for Early Opening	CW 3310-R16				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m ²	1150		
	JOINT AND CRACK SEALING					
B.23	Reflective Crack Maintenance	CW 3250-R7	m	3100		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.24	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
B.25	Catch Basin Cleaning	CW 2140-R3	each	4		
	ADJUSTMENTS					
B.26	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
B.27	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
ii)	Brick Risers		vert. m	1		
B.28	Lifter Rings	CW 3210-R7				
i)	38 mm		each	3		
ii)	51 mm		each	3		
B.29	Adjustment of Valve Boxes	CW 3210-R7	each	1		
B.30	Valve Box Extensions	CW 3210-R7	each	1		

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.31	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
B	<u>SHERBROOK ST. MILL AND FILL - ELLICE AVE. TO NOTRE DAME AVE.</u>				Subtotal:	

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>ELLICE AVE. MILL AND FILL - BALMORAL ST. TO MARYLAND ST.</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m ³	15		
C.2	Sub-Grade Compaction	CW 3110-R19	m ²	30		
C.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	25		
C.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	5		
	ROADWORKS - RENEWALS					
C.5	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	295		
C.6	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	10		
ii)	200 mm Concrete Pavement (Type B)		m ²	155		
iii)	200 mm Concrete Pavement (Type C)		m ²	20		
iv)	200 mm Concrete Pavement (Type D)		m ²	65		
C.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	500		
C.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	375		
C.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	290		
C.10	Concrete Curb Installation	CW 3240-R10				

 Name of Bidder

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i) Barrier (125 mm reveal ht, Separate)	SD-203A	m	105		
C.11	Concrete Curb Renewal	CW 3240-R10				
	i) Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a) Less than 3 m		m	10		
	b) 3 m to 30 m		m	15		
	ii) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	95		
C.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	70		
C.13	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
	i) Main Line Paving					
	a) Type IA		tonne	1260		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	140		
C.14	Supply and Installation of Pavement Repair Fabric	E15	m ²	50		
C.15	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	2450		
	ii) 50 - 100 mm Depth (Asphalt)		m ²	7350		
C.16	Asphalt Levelling over Full Depth Concrete Repairs	E12				
	i) Type IA		tonne	35		
C.17	Detectable Warning Surface Tiles	CW 3326-R2	each	34		
	JOINT AND CRACK SEALING					
C.18	Reflective Crack Maintenance	CW 3250-R7	m	2350		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.19	Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	1		
C.20	Sewer Service	CW 2130-R12				
	i) 250 mm, pvc					

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	a) In a Trench, Class B Type Sand Bedding, Class 2 Backfill		m	4		
C.21	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	v) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
C.22	Connecting to Existing Catch Basin	CW 2130-R12				
	i) 250 mm Drainage Connection Pipe		each	1		
C.23	Catch Basin Cleaning	CW 2140-R3	each	4		
	ADJUSTMENTS					
C.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
C.25	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	1		
	ii) Brick Risers		vert. m	1		
C.26	Lifter Rings	CW 3210-R7				
	i) 38 mm		each	2		
	ii) 51 mm		each	2		
C.27	Adjustment of Valve Boxes	CW 3210-R7	each	2		
C.28	Valve Box Extensions	CW 3210-R7	each	1		
C.29	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	5		
C	<i>ELLICE AVE. MILL AND FILL - BALMORAL ST. TO MARYLAND ST.</i>				Subtotal:	

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>OSBORNE ST. MILL AND FILL - CORYDON AVE. TO DON AVE.</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m ³	20		
D.2	Sub-Grade Compaction	CW 3110-R19	m ²	50		
D.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	35		
D.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	5		
	ROADWORKS - RENEWALS					
D.5	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	385		
D.6	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m ²	90		
ii)	200 mm Concrete Pavement (Type C)		m ²	20		
iii)	200 mm Concrete Pavement (Type D)		m ²	360		
D.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	450		
D.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	330		
D.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	110		
b)	Greater than 20 sq.m.		m ²	85		
D.10	Concrete Curb Installation	CW 3240-R10				

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i) Barrier (125 mm reveal ht, Separate)	SD-203A	m	145		
D.11	Concrete Curb Renewal	CW 3240-R10				
	i) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
D.12	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
	i) Main Line Paving					
	a) Type IA		tonne	1290		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	100		
D.13	Supply and Installation of Pavement Repair Fabric	E15	m ²	50		
D.14	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	2400		
	ii) 50 - 100 mm Depth (Asphalt)		m ²	7300		
D.15	Asphalt Levelling over Full Depth Concrete Repairs	E12				
	i) Type IA		tonne	55		
D.16	Detectable Warning Surface Tiles	CW 3326-R2	each	9		
	JOINT AND CRACK SEALING					
D.17	Reflective Crack Maintenance	CW 3250-R7	m	2000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.18	Catch Pit	CW 2130-R12				
	i) SD-023		each	2		
D.19	Drainage Connection Pipe	CW 2130-R12	m	2		
D.20	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		

 Name of Bidder

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
D.21	Catch Basin Cleaning	CW 2140-R3	each	4		
ADJUSTMENTS						
D.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
D.23	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
ii)	Brick Risers		vert. m	1		
D.24	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
D.25	Adjustment of Valve Boxes	CW 3210-R7	each	1		
D.26	Valve Box Extensions	CW 3210-R7	each	1		
D.27	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
D	<u>OSBORNE ST. MILL AND FILL - CORYDON AVE. TO DON AVE.</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES(R2)
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>OSBORNE ST. N/B & S/B REHABILITATION- BROADWAY TO ST. MARY AVE.</u>				Subtotal:	
B	<u>SHERBROOK ST. MILL AND FILL - ELLICE AVE. TO NOTRE DAME AVE.</u>				Subtotal:	
C	<u>ELLICE AVE. MILL AND FILL - BALMORAL ST. TO MARYLAND ST.</u>				Subtotal:	
D	<u>OSBORNE ST. MILL AND FILL - CORYDON AVE. TO DON AVE.</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 375-2015 Addendum 2

2015 Regional Street Renewal Program – Osborne St Rehabilitation and Sherbrook St., Ellice Ave. and Osborne St Mill and Fill

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 375-2015 Addendum 2

2015 Regional Street Renewal Program – Osborne St Rehabilitation and Sherbrook St., Ellice Ave. and Osborne St Mill and Fill

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 375-2015 Addendum 2

2015 Regional Street Renewal Program – Osborne St Rehabilitation and Sherbrook St., Ellice Ave.
and Osborne St Mill and Fill

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 15, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)