



CONSTRUCTION NOTES:

1. OUTFALL PIPING TO BE INSTALLED WITH CLASS B BEDDING, 300mm DRAINAGE COURSE (TYPE 3 MATERIAL), GRANULAR PIPE BEDDING AND BACKFILL (TYPE 2 MATERIAL) AND CLASS 4 BACKFILL.
2. PIPE SURROUND TO INCLUDE GEOTEXTILE WRAP.

GENERAL NOTES:

1. CHAINAGE IS ALONG CENTRELINE OF PROPOSED 1950 LAND DRAINAGE SEWER.
2. SEE SPECIFICATIONS FOR DETAILED TEST HOLE INFORMATION.



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

**NESS AVENUE AT STURGEON CREEK
BRIDGE CONSTRUCTION**

CITY DRAWING NUMBER
P-3465-15-013

SHEET **60** OF **64**

1950 LAND DRAINAGE SEWER & OUTFALL

60

B.M. ELEV.		TETRA TECH		
DESIGNED BY	GWC	CHECKED BY	KJM	
DRAWN BY	GMD	APPROVED BY	EFS	ACCEPTED BY DATE ORIGINAL DRAWING SIGNED BY: D.N. BURMEY, P.ENG. 15.09.24 CONSULTANT DRAWING NO. 1400070800-DWG-C0060
HOR. SCALE:	1 : 250	DATE	15.09.24	
VERTICAL:	1 : 50	DATE	15.09.24	
0 ISSUED FOR TENDER	15.09.24	KJM		D.N. BURMEY, P.ENG. BRIDGE PROJECTS ENGINEER
NO. REVISIONS		DATE		

SEE SHEET 14 FOR RETAINING WALL