FORM A: BID (See B8)

1.	Contract Title	2015 NORTHEAST EXCHANGE DISTRICT STREET RENEWALS – RORIE STREET FROM MARKET AVENUE TO MCDERMOT AVENUE				
2.	Bidder	Name of Bidder				
		Usual Business Name of Bidder as it a	opears on Invoice (if different from abov	ve)		
		Street				
		City	Province	Postal Code		
	(Mailing address if different)	Email Address of Bidder				
		Facsimile Number				
		Street or P.O. Box				
	(Choose one)	City	Province	Postal Code		
		The Bidder is: a sole proprietor a partnership a corporation carrying on business under the	above name.			
3.	Contact Person	The Bidder hereby authorizes the following contact person to represen the Bidder for purposes of the Bid.				
		Contact Person	Title			
		Telephone Number	Facsimile Number			
4.	Definitions	All capitalized terms used in ascribed to them in the Genera	the Contract shall have the l Conditions and D2.	meanings		
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.				

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.			

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	ROADWORKS					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	800		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	840		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	800		
A.4	Supplying and Placing Base Course Material	CW 3110-R19	M3	70		
A.5	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	3		
A.6	Separation Geotextile Fabric	CW 3130-R4	m²	840		
	ROADWORKS - RENEWALS					
A.7	Removal of Existing Unit Pavers	E12	m²	1880		
A.8 A.9	Removal, Storage, and Reinstallation of Granite Pavers in New Concrete Block Out Removal of Existing Ramp and Landing	CW 3330-R5 E12 E13 E11	m² Is	58 1		
A.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	435		
ii)	Asphalt Pavement		m²	80		
A.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	100		
A.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	100		
A.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	1480		
A.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Less than 5 sq.m.		m²	20		
b)	5 sq.m. to 20 sq.m.		m²	50		
.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	305		
ii)	Modified Barrier (Integral)		m	51		
iii)	Curb Ramp		m	35		
.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	520		
.17	Detectable Warning Surface Tiles	CW 3326-R2	each	18		
	ROADWORKS - NEW CONSTRUCTION					
.18	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R16 E14				
i)	Construction of 200 mm Concrete Pavement (Reinforced) with Concrete Block Outs		m²	235		
19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	387		
ii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	54		
iii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	125		
iv)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	24		
V)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	90		
.20	100 mm Concrete Sidewalk with Concrete Block Outs	CW 3325-R5 E14	m²	1495		
.21	100 mm Concrete Sidewalk	CW 3325-R5	m²	100		
.22	Construction of Asphaltic Concrete Pavements	CW 3410-R10				

ITEN	N	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)		Main Line Paving					
	a)	Туре ІА		tonne	195		
ii)		Tie-ins and Approaches					
	a)	Туре ІА		tonne	25		
A.23		Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	135		
		JOINT AND CRACK SEALING					
A.24		Joint Sealing	CW 3250-R7	m	500		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.25		Catch Basin	CW 2130-R12				
i) A.26		SD-024, 1800 mm deep, c/w Barrier Curb and Gutter Frame and Cover Catch Pit	CW 2130-R12	each	2		
i)		SD-023		each	3		
A.27		Drainage Connection Pipe	CW 2130-R12	m	20		
A.28		Connecting to Existing Catch Basin	CW 2130-R12				
i)		250 mm Drainage Connection Pipe		each	3		
A.29		Connecting to Existing Sewer	CW 2130-R12				
i)		250 mm PVC Connecting Pipe					
	a)	Connecting to 450 mm Clay Sewer		each	2		
A.30		Removal of Existing Catch Basins	CW 2130-R12	each	2		
A.31		Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
A.32		Installation of Subdrains	CW 3120-R4	m	24		
		ADJUSTMENTS					
A.33		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
A.34		Adjustment of Manholes Frames (By Hydro)	CW 3210-R7	each	1		
A.35		Replacing Existing Risers	CW 2130-R12				

		(SEE D9)				
UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
i)	Pre-cast Concrete Risers		vert. m	0.5		
A.36	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
A.37	Adjustment of Valve Boxes	CW 3210-R7	each	3		
A.38	Valve Box Extensions	CW 3210-R7	each	1		
	MISCELLANEOUS					
A.39	Supply and Install Rorie Street CIP Ramp (incl. Footings, Reinforcement, and Base Course)	E24	ls	1		
A.40	Installation of Conduit in Open Trench	E25	m	30		
A.41	Removal, Stockpiling, and Reinstallation in New Location of Existing Ornamental Street Lighting Including Bases	E25	each	2		
Α	ROADWORKS				Subtotal:	

UNIT PRI	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
в	STREETSCAPING					
	EARTH AND BASE WORKS					
B.1	Bedding Couse: No. 8 Aggregate	E13	m³	1.4		
B.2	Open Graded Base: No. 57 Stone	E13	m³	3.4		
B.3	Subbase: No. 2 Stone	E13	m³	5.1		
B.4	Non-Woven Geotextile per CW3120	CW 3130-R4	m²	34		
B.5	Removal and Disposal of Trees and Shrubs in Paving Area		each	3		
	MISCELLANEOUS					
B.6	150x200 CIP Concrete Header (at Existing Trees at Porter Building)		m	16		
	TREE VAULTS					
B.7	Construction of Tree Vaults	E10	m³	51		
B.8	Precast Concrete Sidewalk Panel	E10	each	23		
B.9	Drainage Pipe: 150mm dia. Perforated PVC Pipe	CW 3120-R4 E10	Im	88		
	UNIT PAVING					
B.10	Interlocking Paving Stones	CW 3330-R5 E13				
i)	Supply and install Broadway unit pavers, colour mahogany	LIU	m²	23		
ii)	Supply and install Endicott brick paver, dark		m²	160		
iii)	ironspot colour Supply and install Holland Eco permeable paver		m²	34		
	EXTERIOR METAL FABRICATION					
B.11	Supply and installation of handrail	E17	m	14		
B.12	2 piece galvanized tree cover	E17	each	9		
	DETECTABLE STRIPS					
B.16	Balco R300 single component stair nosing, Black colour	E19	m	14		
	SITE FURNISHINGS					
B.17	Victor Stanley series C-140 surface mounted	E20	each	6		
B.18	bench Maglin MLB-872 wall mounted bench	E20	each	10		

	050	(SEE B9)				
UNIT PRI		0050				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.19	Bike Rack	E20	each	8		
B.20	Dual Stream Waste Receptacle	E20	each	1		
	SOFT LANDSCAPING					
B.21	Planting medium	E21	т³	76		
B.22	Wood chip mulch	E21	m²	142		
B.23	Black granite mulch	E21	m²	8		
B.24	Amur maple	E22	each	12		
B.25	Brandon elm	E22	each	2		
B.26	Alpine currant	E22	each	120		
B.27	Darts gold ninebark	E22	each	50		
B.28	Froebelli spirea	E22	each	18		
B.29	Pink wave petunia	E22	each	28		
B.30	Burgundy petunia	E22	each	78		
B.31	Blue wave petunia	E22	each	61		
	LANDSCAPE MAINTENANCE					
B.32	Year One (1)	E23	ls	1		
B.33	Year Two (2)	E23	ls	1		
В	<u>STREETSCAPING</u>	1	1	1	Subtotal:	

В	STREETSCAPING				Subtotal:	
_						
Α	ROADWORKS				Subtotal:	
	SUMMARY					
		INCI .		QUANTIT		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
UNIT PRI	CES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUN

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 669-2015

2015 NORTHEAST EXCHANGE DISTRICT STREET RENEWALS – RORIE STREET FROM MARKET AVENUE TO MCDERMOT AVENUE

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety) By:	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20____ for

BID OPPORTUNITY NO. 669-2015

2015 NORTHEAST EXCHANGE DISTRICT STREET RENEWALS – RORIE STREET FROM MARKET AVENUE TO MCDERMOT AVENUE

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

By:

(Name of Surety)

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2)

(See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 669-2015

2015 NORTHEAST EXCHANGE DISTRICT STREET RENEWALS – RORIE STREET FROM MARKET AVENUE TO MCDERMOT AVENUE

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 6, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)