


GRADE---ERITECH T416B 250mm x 250mm GROUND ELECTRODE BOX AND COVER - CADWELD CABLE TO GROUND ROD, 2/0 AWG TO 19mm ROD, T-STYLE, CABLE FEEDTHRU: ERICO GTC-182G - FILL WITH GRAVEL BUT LEAVE CONNECTION EXPOSED 2/0 AWG BARE STRANDED CU — 19mm x 3m COPPERBONDED GROUND ROD


GROUND ROD WITH GROUND WELL

-- NTS



B BUILDING ENTRY ABOVE GRADE

NTS



GROUND CONDUCTOR TEE

NTS

— BURNDY YGHS - 2/0 AWG CONDUCTOR

GROUND CONDUCTOR SPLICE

NTS

2 CORE DRILL THROUGH WALL, INSTALL CABLE AND SEAL PENETRATION.

SNC-Lavalin Inc. No. 4489

NO. REVISIONS

					SNC+LAVALIN	SNC-LAVALIN INC. 148 Nature Park Way Winnipeg, MB, Canada R3P 0X7 204-786-8080	ENGINEER'S SEAL
					DESIGNED BY: B. CLEVEN	CHECKED BY:	PRELIMINARY
					DRAWN BY: C. BURZYNSKI	APPROVED BY:	NOT TO BE USED FOR
02	REVISED GROUNDING	2015/10/08	BJC	_	SCALE: NTS	ISSUED FOR CONSTRUCTION BY:	CONSTRUCTION
01	REMOVED GROUND BUS DETAIL	2015/09/22	BJC	_	DATE: 2015/06/11	DATE:	
00	ISSUED FOR TENDER	2015/09/17	BJC	_	CONSULTANT NO.:		-

DATE DESIGN CHECK

ER'S SEAL	@
	Winni
RELIMINARY NOT TO BE	

THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT

OLIVE WASTEWATER PUMPING STATION 2015 UPGRADES GROUNDING INSTALLATION DETAILS

CITY DRAWING NUMBER SHEET REV. SIZE 1-0169L-E0003 001 | 02 | A1

1-0169L-E0003-001-02.dwg