


- NOTE:**
- DESIGN SUPERIMPOSED LL=1KPa  
DESIGN SUPERIMPOSED SNOW LOAD=3KPa  
DESIGN SUPERIMPOSED PIPE HANGER LOAD=1.0KPa
  - DESIGN SUPERIMPOSED SNOW LOAD=5KPa
  - DESIGN SUPERIMPOSED LL=1KPa  
DESIGN SUPERIMPOSED SNOW LOAD=5KPa  
DESIGN SUPERIMPOSED PIPE HANGER LOAD=2KPa

**ROOF PLAN - PART B**  
1:100



**APEGM**  
Certificate of Authorization  
CH2M HILL Canada Ltd.  
No. 1441

NO.	REVISIONS	DATE	DESIGN	CHECK
00	ISSUED FOR TENDER - B.O. 899-2015	01/2016	G.O.	J.C.

<b>CH2MHILL</b>		<b>KCS GROUP</b>	
DESIGNED BY: A. THAKKAR	CHECKED BY: E. LUI	ENGINEER'S SEAL	
DRAWN BY: G. OMORI	APPROVED BY: H.T. FREIHAMMER		
SCALE: 1:100	ISSUED FOR CONSTRUCTION BY: T. TURZAK		
DATE: 2016/01/29	DATE: 2016/01/29	CONSULTANT NO.: 474248	

**THE CITY OF WINNIPEG**  
Winnipeg WATER AND WASTE DEPARTMENT

SOUTH END WATER POLLUTION CONTROL CENTRE  
SEWPCC UPGRADING/EXPANSION PROJECT  
STRUCTURAL  
SECONDARY CLARIFIERS 4 AND 5  
ROOF PLAN - PART B

CITY DRAWING NUMBER	SHEET	REV.	SIZE
1-0102-SGAD-S018	001	00	A1