



# 1044-2016 ADDENDUM 2

## SEVEN OAKS POOL ADDITION & RENOVATION

### URGENT

**PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY**

ISSUED: December 20 , 2017  
BY: Damien Fenez  
TELEPHONE NO. 204 956 0938

**THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS**

Template Version: A20150806

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.**

---

### PART E – SPECIFICATIONS

Add: Division 012100 Allowances

Revise: Division 072500 Item 2.1 Type K:

Include Perminator 15 by W.R. Meadows as an acceptable material.

Revise: Division 072500 Item 2.1 Type H & L:

Include WrapShield SA by VaproShield as an acceptable material.

Delete: Division 072500 Item 2.4.7

Delete: Division 078400 Item 2.4.6

Revise: Division 080600 Door Schedule:

Revise D-101A to read D-100A. Revise D-101B to read D100B.

Revise: Division 084413 Item 2.2.1 to read:

Vertical glazed curtain wall system to sizes and patterns indicated on the drawings; thermally-broken tubular aluminum sections with self-supporting framing, shop fabricated, factory finished, with related accessories including exterior corners, door frames, flashings, anchorage, and attachment devices. Assembled system to permit re-glazing of individual glass units without removal of structural mullion sections. Temperature index of frame shall be 78 in accordance with CAN/CSA-A440. Acceptable products: [Kawneer series](#) 1600 UT System 1-capped ([triple glazed](#)), [Alumicor Thermawall 2600 Series](#), or U.S. Aluminum HP3253 series, with [enhanced thermal break and](#) accessories for glazing as specified in 08 80 00. Locations: at exterior of new addition typically, and where indicated on the drawings.

**DRAWINGS**

Replace: 1044-2016 \_Drawing\_A3-02-R0 with 1044-2016 \_Addendum\_2-Drawing\_A3-02-R1

**END OF 1044-2016\_ADDENDUM 2**