

REFERENCE NOTES

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
- C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- D. REFER TO AECOM FIELD BOOK NO. 4906

CONSTRUCTION NOTES

1. PLACE NEW ASPHALTIC PAVEMENT TYPE 1A (AVG THICKNESS 85mm)
2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT *c/w* 50mm ASPHALT OVERLAY
3. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
4. CONSTRUCT RAMP CURB (10mm HT. INTEGRAL)
5. REMOVE EXISTING CATCHBASIN
6. INSTALL NEW CURB AND GUTTER INLET *c/w* CATCHBASIN (SD-024) AND CONNECT NEW LEAD TO EXISTING LEAD
7. RENEW EXISTING 100mm CONCRETE SIDEWALK
8. ADJUST EXISTING WATER VALVE TO GRADE
9. PLANE EXISTING ASPHALTIC PAVEMENT
10. CONSTRUCT NEW MODIFIED BARRIER CURB (100mm HT. SEPARATE)
11. CONSTRUCT NEW BARRIER CURB (100mm HT. SEPARATE)
12. CONSTRUCT NEW BARRIER CURB (100mm HT. DOWELLED)
13. ADJUST EXISTING PATIO BLOCKS
14. CONSTRUCT NEW LIP CURB (40mm HT. INTEGRAL)



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	M.T.S.	---	---	C PROFILE	---
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	CONCRETE	CONCRETE	---	---	OUTSIDE GUTTER	---
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	ASPHALT	ASPHALT	---	---	INSIDE GUTTER	---
○	MANHOLE	○	PROPERTY LINE	PROPERTY LINE	---	---	N/W PROPERTY LINE	---
□	CATCH BASIN	□	SURVEY BAR	SURVEY BAR	---	---	S/E PROPERTY LINE	---
▽	CATCH PIT	▽	ELEVATION	ELEVATION	(35.750)	---		
+	JUNCTIONS	+	TREE	TREE	---	---		
---	CULVERT	---	SIDEWALK RAMP	SIDEWALK RAMP	---	---		
---	GAS	---	CONCRETE SIDEWALK	CONCRETE SIDEWALK	---	---		
---		---	FENCE	FENCE	---	---		


LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 37 - 007 SE c/nr Portage & Tylehurst. Brass cap in pile, ELEV. 233.618 2.35m N of chainlink fence & 0.7m E of same fence (produced from S) of St James Anglican Cemetery

DESIGNED BY	BC/SS	CHECKED BY	KWR
DRAWN BY	JT/JC/SS	APPROVED BY	
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE: MAR 15/16	
NO.	ISSUED FOR TENDER	03/16/16	BC
A	ISSUED FOR REVIEW	02/12/16	BC
NO.	REVISIONS	DATE	BY



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2016 LOCAL STREET RENEWAL PROGRAM

TYLEHURST STREET- WOLSELEY AVENUE WEST TO PORTAGE AVENUE
STATION 0+220 TO PORTAGE AVENUE

CITY DRAWING NUMBER
SHEET 07 OF 19

CONSULTANT DRAWING NO. CT-07