FORM A: BID (See B8)

1.	Contract Title	2016 LOCAL STREETS PACKAGE – De BAETS STREET AND SAULTEAUX CRESCENT WEST LEG.
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
	(Choose one)	The Bidder is: a sole proprietor a partnership a corporation carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
		a bid bond (Form G1: Bid Bond and Agreement to Bond)
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of ______ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

UNIT PRI		(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUN
PART	1 CITY FUNDED WORK					
	SAULTEAUX CRESCENT (WEST LEG) - MU	URRAY PARK F	RD TO M	ORAY ST -		
Α	CONCRETE RECONSTRUCTION	1				
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	6,550		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	9,250		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	3,600		
ii)	100 mm		tonne	5,300		
A.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	700		
A.5	Grading of Boulevards	CW 3110-R19	m²	5,470		
A.6	Imported Fill Material	CW 3110-R19	m³	200		
A.7	Separation Geotextile Fabric	CW 3130-R4	m²	7,300		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	7,500		
A.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	50		
A.10	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	25		
A.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	250		

ITEM	ICES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
A 10	Drilled Tie Dere	REF.		QUANTITY		
4.12	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	60		
ii)	20 M Deformed Tie Bar		each	500		
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
а) Type IA		tonne	30		
A.14	Construction of Asphalt Patches	CW 3410-R11	m²	120		
A.15	Detectable Warning Surface Tiles	CW 3326-R3	each	2		
	ROADWORKS - NEW CONSTRUCTION					
A.16	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	3,000		
A.17	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 hr (Reinforced)		m²	3,000		
A.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	1,250		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	70		
	JOINT AND CRACK SEALING					
A.19	Reflective Crack Maintenance	CW 3250-R7	m	200		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.20	Catch Basin	CW 2130-R12, E11				
i)	SD-024, 1800 mm deep		each	12		

Sewer Service 250 mm a) In a Trench, Class 2 Type B Bedding, Class 2 Backfill b) Trenchless Installation Sewer Service Risers 250 mm a) SD-015	CW 2130-R12 CW 2130-R12	m	15 55		
a) In a Trench, Class 2 Type B Bedding, Class 2 Backfill b) Trenchless Installation Sewer Service Risers 250 mm	CW 2130-R12				
2 Backfill b) Trenchless Installation Sewer Service Risers 250 mm	CW 2130-R12				
Sewer Service Risers 250 mm	CW 2130-R12	m	55		
250 mm	CW 2130-R12				
a) SD-015					
		vert. m	4.0		
Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12 R15				
450 mm					
a) Class 3 Backfill		each	1		
Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12 R15				
450 mm					
a) Class 3 Backfill		m	1		
Sewer Inspection (following repair)	CW2145-R3				
450 mm, LDS		m	100		
Watermain Repair - Up to 3.0 Meters Long	CW 2110-R11, E14. E15				
300 mm					
a) Class 3 Backfill		each	1		
Watermain Repair- In Addition to First 3.0 Meters	CW 2110-R11, E14, E15				
300 mm					
a) Class 3 Backfill		m	3		
	 450 mm a) Class 3 Backfill Sewer Repair - In Addition to First 3.0 Meters 450 mm a) Class 3 Backfill Sewer Inspection (following repair) 450 mm, LDS Watermain Repair - Up to 3.0 Meters Long 300 mm a) Class 3 Backfill Watermain Repair - In Addition to First 3.0 Meters 	R15 450 mm a) Class 3 Backfill Sewer Repair - In Addition to First 3.0 Meters 450 mm a) Class 3 Backfill Sewer Inspection (following repair) 450 mm, LDS Watermain Repair - Up to 3.0 Meters Long 300 mm a) Class 3 Backfill Watermain Repair - In Addition to First 3.0 Meters 300 mm	R15450 mma)Class 3 BackfillSewer Repair - In Addition to First 3.0 Meters450 mma)Class 3 Backfilla)Class 3 BackfillmSewer Inspection (following repair)450 mm, LDS450 mm, LDSWatermain Repair - Up to 3.0 Meters LongCW 2110-R11,200 mma)Class 3 Backfillwatermain Repair - In Addition to First 3.0Watermain Repair - In Addition to First 3.0Watermain Repair - In Addition to First 3.0Watermain Repair - In Addition to First 3.0Meters300 mm	R15450 mma)Class 3 BackfillSewer Repair - In Addition to First 3.0 Meters450 mma)Class 3 Backfilla)Class 3 Backfillm1Sewer Inspection (following repair)CW2145-R3450 mm, LDSWatermain Repair - Up to 3.0 Meters LongCW 2110-R11, E14, E15300 mma)Class 3 Backfillwatermain Repair - In Addition to First 3.0 Meters 300 mmCW2110-R11, E14, E15E14, E15300 mm	R15450 mma)Class 3 BackfillSewer Repair - In Addition to First 3.0 Meters450 mma)Class 3 Backfill(Class 3 Backfill)Sewer Inspection (following repair)CW2145-R3450 mm, LDSWatermain Repair - Up to 3.0 Meters Long(CW 2110-R11, E14, E15)300 mm(Class 3 Backfill)(Class 3 Backfill)(Clas

ITEN	Λ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.28		Fittings	CW 2110-R11, E14, E15				
i)		Bends (SD-004)					
	a)	300mm - 45°		each	4		
A.29		Connecting to Existing Watermain and Large Diameter Water Services	CW 2110-R11, E14, E15				
i)		Inline connection - no plug existing					
	a)	300 mm		each	2		
A.30		Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)		AP-004 - Standard Frame for Manhole and Catch Basin		each	8		
ii)		AP-005 - Standard Solid Cover for Standard Frame		each	8		
A.31		Connecting to Existing Sewer	CW 2130-R12				
i)		250 mm Connecting Pipe					
	a)	Connecting to 375 mm LDS Sewer		each	2		
	b)	Connecting to 450 mm LDS Sewer		each	6		
	c)	Connecting to 1350 mm LDS Sewer		each	4		
A.32		Removal of Existing Catch Basins	CW 2130-R12	each	12		
A.33		Removal of Existing Catch Pit	CW 2130-R12	each	9		
A.34		Removal of Existing Pipes	E12	m	15		
A.35		Installation of Subdrains	CW 3120-R4	m	144		
A.36		Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)		Existing Catch Basin Leads (250 mm or smaller)		each	12		
A.37		Watermain and Water Service Insulation	E13				
i)		Pipe Under Roadway Excavation (SD-018)		m²	150		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.38	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	12		
A.39	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
A.40	Lifter Rings	CW 3210-R7				
i)	51 mm		each	8		
A.41	Adjustment of Valve Boxes	CW 3210-R7	each	7		
A.42	Valve Box Extensions	CW 3210-R7	each	2		
A.43	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
A.44	Patching of Existing Manholes	CW 2130-R12	vert. m	2		
A.45	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	5		
	LANDSCAPING					
A.46	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	70		
ii)	width > or = 600 mm		m²	5,400		
А	SAULTEAUX CRESCENT (WEST LEG) - M	URRAY PARK I	RD TO M	IORAY ST -		
	CONCRETE RECONSTRUCTION				Subtotal:	

	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	SAULTEAUX CRESCENT (WEST LEG) - MU SIDEWALK CONSTRUCTION		RD TO M			
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m³	150		
B.2	Sub-Grade Compaction	CW 3110-R19	m²	910		
B.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	50		
	ROADWORKS - NEW CONSTRUCTION					
B.4	100 mm Concrete Sidewalk	CW 3325-R5	m²	850		
В	<u>SAULTEAUX CRESCENT (WEST LEG) - MU SIDEWALK CONSTRUCTION</u>	JRRAY PARK F	RD TO M	ORAY ST -	Subtotal:	

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
с	DE BAETS STREET - PAQUIN RD TO CAM RECONSTRUCTION	IEL SYS ST - C	ONCRE	<u>'TE</u>		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	9,320		
0.2	Sub-Grade Compaction	CW 3110-R19	m²	14,000		
2.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	5,100		
ii)	100 mm		tonne	7,500		
C.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	1,000		
C.5	Grading of Boulevards	CW 3110-R19	m²	8,820		
C.6	Imported Fill Material	CW 3110-R19	m³	250		
C.7	Separation Geotextile Fabric	CW 3130-R4	m²	9,600		
C.8	Supply and Install Geogrid	CW 3135-R1	m²	1,500		
	ROADWORKS - RENEWALS					
C.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	10,000		
C.10	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	5		
C.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	100		
C.12	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	70		
ii)	20 M Deformed Tie Bar		each	550		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	15		
C.14	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	30		
C.15	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	25		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
C.16	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
а) Type IA		tonne	35		
C.17	Construction of Asphalt Patches	CW 3410-R11	m²	150		
C.18	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	120		
C.19	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	ROADWORKS - NEW CONSTRUCTION					
C.20	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	5,975		
C.21	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 hr (Reinforced)		m²	4,180		
C.22	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	1,510		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	80		
C.23	100 mm Concrete Sidewalk	CW 3325-R5	m²	1,100		

UNIT F							
ITEN	Л	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		JOINT AND CRACK SEALING					
C.24		Reflective Crack Maintenance	CW 3250-R7	m	200		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.25		Catch Basin	CW 2130-R12, E11				
i)		SD-024, 1800 mm deep		each	10		
C.26		Sewer Service	CW 2130-R12				
i)		250 mm					
		In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	10		
	b)	Trenchless Installation		m	55		
C.27		Sewer Service Risers	CW 2130-R12				
i)		250 mm					
	a)	SD-015		vert. m	2.0		
C.28		Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)		AP-004 - Standard Frame for Manhole and Catch Basin		each	11		
ii)		AP-005 - Standard Solid Cover for Standard Frame		each	11		
C.29		Connecting to Existing Sewer	CW 2130-R12				
i)		250 mm Connecting Pipe					
	a)	Connecting to 1050 mm LDS Sewer		each	2		
C.30		Connecting to Existing Manhole	CW 2130-R12				
i)		250 mm Catch Basin Lead		each	8		
C.31		Removal of Existing Catch Basins	CW 2130-R12	each	10		
C.32		Installation of Subdrains	CW 3120-R4	m	120		

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
2.33	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	10		
.34	Watermain and Water Service Insulation	E13				
i)	Pipe Under Roadway Excavation (SD-018)		m²	210		
	ADJUSTMENTS					
2.35	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	17		
0.36	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
0.37	Lifter Rings	CW 3210-R7				
i)	51 mm		each	11		
C.38	Adjustment of Valve Boxes	CW 3210-R7	each	15		
C.39	Valve Box Extensions	CW 3210-R7	each	5		
C.40	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
C.41	Patching of Existing Manholes	CW 2130-R12	vert. m	2		
0.42	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	5		
	LANDSCAPING					
C.43	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	220		
ii)	width > or = 600 mm		m²	8,600		
С	DE BAETS STREET - PAQUIN RD TO CAM RECONSTRUCTION	I IEL SYS ST - C	ONCRE	<u>TE</u>	Subtotal:	

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2	2 MANITOBA HYDRO FUNDED (See B9.5, B15.2.1, B16.4, D2,	-	016.4)			
D	<u>SAULTEAUX STREET (WEST LEG) - MURR</u> <u>STREET LIGHTING</u>	AY PARK RE	TO MOR	<u>AY ST-</u>		
D.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E16	each	11		
D.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E16	m	625		
D.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E16	each	11		
D.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E16	each	1		
D.5	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E16	each	12		
D.6	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E16	per span	14		
D.7	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E16	per span	14		
D.8	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E16	per span	3		
D	<u>SAULTEAUX STREET (WEST LEG) - MURR</u> <u>STREET LIGHTING</u>	AY PARK RE	TO MOR	AY ST-	Subtotal:	

NIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Е	DE BAETS STREET - PAQUIN RD TO CAMI					
Ξ.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E16	each	14		
E.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E16	m	811		
Ξ.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E16	each	14		
Ξ.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E16	each	2		
Ξ.5	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E16	each	1		
Ξ.6	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E16	each	17		
Ξ.7	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E16	per span	16		
Ξ.8	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E16	per span	16		
Ξ.9	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E16	per span	3		
E.10	Removal of luminaire and appurtenances.	E16	per span	1		
E.11	Installation of luminaire and appurtenances.	E16	per span	1		
Е	DE BAETS STREET - PAQUIN RD TO CAMI	EL SYS ST - :	STREET L	LIGHTING	Subtotal:	

FORM B: PRICES

(SEE B9) UNIT PRICES ITEM DESCRIPTION SPEC. APPROX. UNIT PRICE AMOUNT UNIT REF. QUANTITY **SUMMARY** PART 1 **CITY FUNDED WORK** SAULTEAUX CRESCENT (WEST LEG) - MURRAY PARK RD TO MORAY ST -Α **CONCRETE RECONSTRUCTION** Subtotal: SAULTEAUX CRESCENT (WEST LEG) - MURRAY PARK RD TO MORAY ST -В SIDEWALK CONSTRUCTION Subtotal: DE BAETS STREET - PAQUIN RD TO CAMIEL SYS ST - CONCRETE С RECONSTRUCTION Subtotal: (total price) PART 1 PART 2 MANITOBA HYDRO FUNDED WORK (See B9.5, B15.2.1, B16.4, D2, D14.2-3, D16.4) SAULTEAUX STREET (WEST LEG) - MURRAY PARK RD TO MORAY ST-D STREET LIGHTING Subtotal: **DE BAETS STREET - PAQUIN RD TO CAMIEL SYS ST - STREET LIGHTING** Е Subtotal: (total price) PART 2 TOTAL BID PRICE (GST extra) (in figures)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 163-2016

2016 LOCAL STREETS PACKAGE – De BAETS STREET AND SAULTEAUX CRESCENT WEST LEG.

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety) By:	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20____ , for

BID OPPORTUNITY NO. 163-2016

2016 LOCAL STREETS PACKAGE – De BAETS STREET AND SAULTEAUX CRESCENT WEST LEG.

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____ , 20_____ .

By:

(Name of Surety)

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 163-2016

2016 LOCAL STREETS PACKAGE – De BAETS STREET AND SAULTEAUX CRESCENT WEST LEG.

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 21, 2016.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)