

FORM A: BID
(See B8)

1. Contract Title 2016 LOCAL STREETS PACKAGE – SONY PLACE, TROTTIER BAY AND VARIOUS OTHER LOCATIONS.

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- (Choose one)
- In accordance with B12.1, the Bidder encloses bid security in the form of:
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------------------|---|-------------|----------------|------------------|------------|--------|
| PART 1 CITY FUNDED WORK | | | | | | |
| A | <u>YALE AVENUE - CAMBRIDGE ST TO ROCKWOOD ST - CONCRETE RECONSTRUCTION</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| A.1 | Excavation | CW 3110-R19 | m ³ | 1,180 | | |
| A.2 | Sub-Grade Compaction | CW 3110-R19 | m ² | 1,670 | | |
| A.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm | | tonne | 650 | | |
| ii) | 100 mm | | tonne | 1,275 | | |
| A.4 | Supplying and Placing Base Course Material | CW 3110-R19 | m ³ | 135 | | |
| A.5 | Grading of Boulevards | CW 3110-R19 | m ² | 1,400 | | |
| A.6 | Imported Fill Material | CW 3110-R19 | m ³ | 80 | | |
| A.7 | Separation Geotextile Fabric | CW 3130-R4 | m ² | 1,600 | | |
| A.8 | Supply and Install Geogrid | CW 3135-R1 | m ² | 400 | | |
| | ROADWORKS - RENEWALS | | | | | |
| A.9 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m ² | 1,350 | | |
| A.10 | Partial Slab Patches | CW 3230-R8 | | | | |
| i) | 150 mm Concrete Pavement (Type C) | | m ² | 10 | | |
| A.11 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 120 | | |
| A.12 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 24 | | |
| ii) | 20 M Deformed Tie Bar | | each | 20 | | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|--|-------------|----------------|------------------|------------|--------|
| A.13 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m ² | 12 | | |
| b) | 5 sq.m. to 20 sq.m. | | m ² | 10 | | |
| c) | Greater than 20 sq.m. | | m ² | 450 | | |
| A.14 | Adjustment of Precast Sidewalk Blocks | CW 3235-R9 | m ² | 5 | | |
| A.15 | Supply of Precast Sidewalk Blocks | CW 3235-R9 | m ² | 3 | | |
| A.16 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m ² | 5 | | |
| A.17 | Interlocking Paving Stones | CW 3330-R5 | m ² | 3 | | |
| A.18 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 5 | | |
| A.19 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 1 - 50 mm Depth (Asphalt) | | m ² | 35 | | |
| ROADWORKS - NEW CONSTRUCTION | | | | | | |
| A.20 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R17 | | | | |
| i) | Construction of 150 mm Concrete Pavement (Reinforced) | | m ² | 1,370 | | |
| A.21 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R17 | | | | |
| i) | Construction of Barrier (180 mm ht, Integral) | SD-204 | m | 500 | | |
| ii) | Construction of Modified Barrier (180 mm ht, Integral) | SD-203B | m | 50 | | |
| iii) | Construction of Curb Ramp (8-12 mm ht, Integral) | SD-229C | m | 25 | | |
| JOINT AND CRACK SEALING | | | | | | |
| A.22 | Reflective Crack Maintenance | CW 3250-R7 | m | 20 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|---------|------------------|------------|--------|
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| A.23 | Catch Basin | CW 2130-R12 | | | | |
| i) | SD-024, 1800 mm deep | | each | 4 | | |
| A.24 | Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| a) | In a Trench, Class 2 Type B Bedding, Class 2 Backfill | | m | 5 | | |
| b) | Trenchless Installation | | m | 30 | | |
| A.25 | Sewer Service Risers | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| a) | SD-015 | | vert. m | 1.0 | | |
| A.26 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 2 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 2 | | |
| A.27 | Connecting to Existing Manhole | CW 2130-R12 | | | | |
| i) | 250 mm Catch Basin Lead | | each | 2 | | |
| A.28 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| i) | 250 mm Connecting Pipe | | | | | |
| a) | Connecting to 300 mm Conc. CS | | each | 2 | | |
| A.29 | Removal of Existing Catch Basins | CW 2130-R12 | each | 4 | | |
| A.30 | Removal of Existing Catch Pit | CW 2130-R12 | each | 1 | | |
| A.31 | Removal of Existing Pipes | E12 | m | 6 | | |
| A.32 | Abandoning Existing Drainage Inlets | CW 2130-R12 | each | 3 | | |
| A.33 | Installation of Subdrains | CW 3120-R4 | m | 48 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|---|-------------|----------------|------------------|------------|--------|
| A.34 | Abandoning Existing Sewer Services Under Pavement | CW 2130-R12 | | | | |
| i) | Existing Catch Basin Leads (250 mm or smaller) | | each | 4 | | |
| A.35 | Watermain and Water Service Insulation | E14 | | | | |
| i) | Pipe Under Roadway Excavation (SD-018) | | m ² | 125 | | |
| ADJUSTMENTS | | | | | | |
| A.36 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 4 | | |
| A.37 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1.0 | | |
| A.38 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 2 | | |
| A.39 | Adjustment of Valve Boxes | CW 3210-R7 | each | 4 | | |
| A.40 | Valve Box Extensions | CW 3210-R7 | each | 2 | | |
| A.41 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 10 | | |
| A.42 | Curb Stop Extensions | CW 3210-R7 | each | 5 | | |
| A.43 | Patching of Existing Manholes | CW 2130-R12 | vert. m | 1.0 | | |
| A.44 | Replacing Existing Manhole or Catch Basin Rungs | CW 2130-R12 | each | 1 | | |
| LANDSCAPING | | | | | | |
| A.45 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m ² | 100 | | |
| ii) | width > or = 600 mm | | m ² | 1,300 | | |
| A | <u>YALE AVENUE - CAMBRIDGE ST TO ROCKWOOD ST - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|-------------|----------------|------------------|------------|--------|
| B | <u>HECTOR AVENUE - HECTOR BAY E (W LEG) TO WILTON STREET - CONCRETE RECONSTRUCTION</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| B.1 | Excavation | CW 3110-R19 | m ³ | 1,850 | | |
| B.2 | Sub-Grade Compaction | CW 3110-R19 | m ² | 2,580 | | |
| B.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm | | tonne | 975 | | |
| ii) | 100 mm | | tonne | 2,120 | | |
| B.4 | Supplying and Placing Base Course Material | CW 3110-R19 | m ³ | 215 | | |
| B.5 | Grading of Boulevards | CW 3110-R19 | m ² | 1,570 | | |
| B.6 | Imported Fill Material | CW 3110-R19 | m ³ | 65 | | |
| B.7 | Separation Geotextile Fabric | CW 3130-R4 | m ² | 2,330 | | |
| B.8 | Supply and Install Geogrid | CW 3135-R1 | m ² | 700 | | |
| | ROADWORKS - RENEWALS | | | | | |
| B.9 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m ² | 2,110 | | |
| B.10 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 70 | | |
| B.11 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 40 | | |
| ii) | 20 M Deformed Tie Bar | | each | 130 | | |
| B.12 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | | m ² | 15 | | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|---|-------------|----------------|------------------|------------|--------|
| B.13 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | 150 mm Reinforced Sidewalk | | m ² | 15 | | |
| B.14 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m ² | 25 | | |
| b) | 5 sq.m. to 20 sq.m. | | m ² | 40 | | |
| c) | Greater than 20 sq.m. | | m ² | 320 | | |
| B.15 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m ² | 2 | | |
| B.16 | Interlocking Paving Stones | CW 3330-R5 | m ² | 2 | | |
| B.17 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 15 | | |
| B.18 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 1 - 50 mm Depth (Asphalt) | | m ² | 65 | | |
| B.19 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 150 mm Concrete Pavement (Type D) | | m ² | 30 | | |
| ROADWORKS - NEW CONSTRUCTION | | | | | | |
| B.20 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R17 | | | | |
| i) | Construction of 150 mm Concrete Pavement (Reinforced) | | m ² | 1,650 | | |
| B.21 | Concrete Pavements for Early Opening | CW 3310-R17 | | | | |
| i) | Construction of 150 mm Concrete Pavement for Early Opening 72 hr (Reinforced) | | m ² | 430 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|------|------------------|------------|--------|
| B.22 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R17 | | | | |
| i) | Construction of Barrier (180 mm ht, Integral) | SD-204 | m | 410 | | |
| ii) | Construction of Modified Barrier (180 mm ht, Integral) | SD-203B | m | 70 | | |
| iii) | Construction of Lip Curb (40 mm ht, Integral) | SD-202B | m | 50 | | |
| iv) | Construction of Curb Ramp (8-12 mm ht, Integral) | SD-229C | m | 45 | | |
| | JOINT AND CRACK SEALING | | | | | |
| B.23 | Reflective Crack Maintenance | CW 3250-R7 | m | 35 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| B.24 | Catch Basin | CW 2130-R12 | | | | |
| i) | SD-024, 1800 mm deep | | each | 6 | | |
| B.25 | Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| a) | In a Trench, Class 2 Type B Bedding, Class 2 Backfill | | m | 6 | | |
| b) | Trenchless Installation | | m | 18 | | |
| B.26 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 4 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 4 | | |
| B.27 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| i) | 250 mm Connecting Pipe | | | | | |
| a) | Connecting to 300 mm CS | | each | 2 | | |
| b) | Connecting to 375 mm CS | | each | 2 | | |
| c) | Connecting to 450 mm CS | | each | 2 | | |
| B.28 | Removal of Existing Catch Basins | CW 2130-R12 | each | 6 | | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|---|--------------------|---------|------------------|------------|--------|
| B.29 | Removal of Existing Pipes | E12 | m | 6 | | |
| B.30 | Abandoning Existing Drainage Inlets | CW 2130-R12 | each | 4 | | |
| B.31 | Installation of Subdrains | CW 3120-R4 | m | 72 | | |
| B.32 | Abandoning Existing Sewer Services Under Pavement | CW 2130-R12 | | | | |
| i) | Existing Catch Basin Leads (250 mm or smaller) | | each | 6 | | |
| B.33 | Sewer Repair - Up to 3.0 Meters Long | CW 2130-R12 E20 | | | | |
| i) | 375 mm, Conc CS | | | | | |
| a) | Class 3 Backfill | | each | 1 | | |
| ii) | 300 mm, Conc CS | | | | | |
| a) | Class 3 Backfill | | each | 1 | | |
| B.34 | Sewer Repair - In Addition to First 3.0 Meters | CW 2130-R12 E20 | | | | |
| i) | 375 mm, Conc CS | | | | | |
| a) | Class 3 Backfill | | m | 3.8 | | |
| B.35 | Sewer Inspection (following repair) | CW2145-R3 E20 | | | | |
| i) | 300 mm, Conc CS | | m | 98 | | |
| ii) | 375 mm, Conc CS | | m | 83 | | |
| ADJUSTMENTS | | | | | | |
| B.36 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 4 | | |
| B.37 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1.0 | | |
| B.38 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 4 | | |
| B.39 | Adjustment of Valve Boxes | CW 3210-R7 | each | 4 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|---|-------------|----------------|------------------|------------|--------|
| B.40 | Valve Box Extensions | CW 3210-R7 | each | 2 | | |
| B.41 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 8 | | |
| B.42 | Curb Stop Extensions | CW 3210-R7 | each | 5 | | |
| B.43 | Patching of Existing Manholes | CW 2130-R12 | vert. m | 1.0 | | |
| B.44 | Replacing Existing Manhole or Catch Basin Rungs | CW 2130-R12 | each | 1 | | |
| LANDSCAPING | | | | | | |
| B.45 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m ² | 70 | | |
| ii) | width > or = 600 mm | | m ² | 1,500 | | |
| B | <u>HECTOR AVENUE - HECTOR BAY E (W LEG) TO WILTON STREET - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|--------------------|----------------|------------------|------------|--------|
| C | <u>SONY PLACE - HAMELIN STREET TO IRENE STREET - CONCRETE RECONSTRUCTION</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| C.1 | Excavation | CW 3110-R19 E16 | m ³ | 2,750 | | |
| C.2 | Sub-Grade Compaction | CW 3110-R19 | m ² | 3,650 | | |
| C.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm | | tonne | 1,510 | | |
| ii) | 100 mm | | tonne | 2,530 | | |
| C.4 | Supplying and Placing Base Course Material | CW 3110-R19 | m ³ | 300 | | |
| C.5 | Grading of Boulevards | CW 3110-R19 | m ² | 2,000 | | |
| C.6 | Imported Fill Material | CW 3110-R19 | m ³ | 130 | | |
| C.7 | Separation Geotextile Fabric | CW 3130-R4 | m ² | 3,310 | | |
| C.8 | Supply and Install Geogrid | CW 3135-R1 | m ² | 500 | | |
| | ROADWORKS - RENEWALS | | | | | |
| C.9 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m ² | 3,070 | | |
| ii) | Asphalt Pavement | | m ² | 65 | | |
| C.10 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 95 | | |
| C.11 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 3 | | |
| ii) | 20 M Deformed Tie Bar | | each | 145 | | |
| C.12 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | m ² | 20 | | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|--|-------------|----------------|------------------|------------|--------|
| C.13 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m ² | 5 | | |
| C.14 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 10 | | |
| C.15 | Construction of Asphalt Patches | CW 3410-R11 | m ² | 110 | | |
| C.16 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 1 - 50 mm Depth (Asphalt) | | m ² | 90 | | |
| ROADWORKS - NEW CONSTRUCTION | | | | | | |
| C.17 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R17 | | | | |
| i) | Construction of 230 mm Concrete Pavement (Plain-Dowelled) | | m ² | 2,300 | | |
| ii) | Construction of 200 mm Concrete Pavement (Reinforced) | | m ² | 230 | | |
| C.18 | Concrete Pavements for Early Opening | CW 3310-R17 | | | | |
| i) | Construction of 230 mm Concrete Pavement for Early Opening 72hr (Plain-Dowelled) | | m ² | 300 | | |
| ii) | Construction of 200 mm Concrete Pavement for Early Opening 72hr (Reinforced) | | m ² | 225 | | |
| C.19 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R17 | | | | |
| i) | Construction of Modified Barrier (180 mm ht, Integral) | SD-203B | m | 600 | | |
| ii) | Construction of Curb Ramp (8-12 mm ht, Integral) | SD-229C | m | 5 | | |
| C.20 | Supply and Installation of Dowel Assemblies | CW 3310-R17 | m | 520 | | |
| C.21 | Construction of Asphaltic Concrete Pavements | CW 3410-R11 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 12 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|--------------------|---------|------------------|------------|--------|
| | JOINT AND CRACK SEALING | | | | | |
| C.22 | Reflective Crack Maintenance | CW 3250-R7 | m | 140 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| C.23 | Catch Basin | CW 2130-R12 E11 | | | | |
| i) | SD-024, 1800 mm deep | | each | 6 | | |
| C.24 | Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| a) | In a Trench, Class 2 Type B Bedding, Class 2 Backfill | | m | 8 | | |
| b) | Trenchless Installation | | m | 30 | | |
| C.25 | Sewer Service Risers | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| a) | SD-015 | | vert. m | 2.0 | | |
| C.26 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 4 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 4 | | |
| C.27 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| i) | 250 mm Connecting Pipe | | | | | |
| a) | Connecting to 600 mm LDS | | each | 2 | | |
| b) | Connecting to 750 mm LDS | | each | 4 | | |
| C.28 | Removal of Existing Catch Basins | CW 2130-R12 | each | 5 | | |
| C.29 | Removal of Existing Catch Pit | CW 2130-R12 | each | 2 | | |
| C.30 | Removal of Existing Pipes | E12 | m | 6 | | |
| C.31 | Abandoning Existing Drainage Inlets | CW 2130-R12 | each | 2 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|---|--------------------|---------|------------------|------------|--------|
| C.32 | Installation of Subdrains | CW 3120-R4 | m | 72 | | |
| C.33 | Abandoning Existing Sewer Services Under Pavement | CW 2130-R12 | | | | |
| i) | Existing Catch Basin Leads (250 mm or smaller) | | each | 5 | | |
| C.34 | Sewer Repair - Up to 3.0 Meters Long | CW 2130-R12 E20 | | | | |
| i) | 300 mm, Conc LDS | | | | | |
| a) | Class 3 Backfill | | each | 1 | | |
| C.35 | Sewer Repair - In Addition to First 3.0 Meters | CW 2130-R12 E20 | | | | |
| i) | 375 mm, Conc CS | | | | | |
| a) | Class 3 Backfill | | m | 2.7 | | |
| C.36 | Sewer Inspection (following repair) | CW2145-R3 E20 | | | | |
| i) | 300 mm, Conc LDS | | m | 95 | | |
| ADJUSTMENTS | | | | | | |
| C.37 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 5 | | |
| C.38 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1.0 | | |
| C.39 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 4 | | |
| C.40 | Adjustment of Valve Boxes | CW 3210-R7 | each | 5 | | |
| C.41 | Valve Box Extensions | CW 3210-R7 | each | 3 | | |
| C.42 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 3 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|---|-------------|----------------|------------------|------------|--------|
| C.43 | Curb Stop Extensions | CW 3210-R7 | each | 2 | | |
| C.44 | Patching of Existing Manholes | CW 2130-R12 | vert. m | 1 | | |
| C.45 | Replacing Existing Manhole or Catch Basin Rungs | CW 2130-R12 | each | 1 | | |
| LANDSCAPING | | | | | | |
| C.46 | Sodding | CW 3510-R9 | | | | |
| i) | width > or = 600 mm | | m ² | 2,000 | | |
| C | <u>SONY PLACE - HAMELIN STREET TO IRENE STREET - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|--------------------|----------------|------------------|------------|--------|
| D | <u>TROTTIER BAY - CHEVRIER BOULEVARD TO CHEVRIER BOULEVARD - CONCRETE RECONSTRUCTION</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| D.1 | Excavation | CW 3110-R19 E16 | m ³ | 3,720 | | |
| D.2 | Sub-Grade Compaction | CW 3110-R19 | m ² | 5,620 | | |
| D.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm | | tonne | 2,150 | | |
| ii) | 100 mm | | tonne | 3,355 | | |
| D.4 | Supplying and Placing Base Course Material | CW 3110-R19 | m ³ | 420 | | |
| D.5 | Grading of Boulevards | CW 3110-R19 | m ² | 2,140 | | |
| D.6 | Imported Fill Material | CW 3110-R19 | m ³ | 100 | | |
| D.7 | Separation Geotextile Fabric | CW 3130-R4 | m ² | 4,400 | | |
| D.8 | Supply and Install Geogrid | CW 3135-R1 | m ² | 440 | | |
| | ROADWORKS - RENEWALS | | | | | |
| D.9 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m ² | 3,860 | | |
| D.10 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 185 | | |
| D.11 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 70 | | |
| ii) | 20 M Deformed Tie Bar | | each | 320 | | |
| D.12 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 E13 | | | | |
| i) | 100 mm Sidewalk, Exposed Aggregate Concrete | | m ² | 5 | | |
| D.13 | Adjustment of Precast Sidewalk Blocks | CW 3235-R9 | m ² | 5 | | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|--|-------------|----------------|------------------|------------|--------|
| D.14 | Supply of Precast Sidewalk Blocks | CW 3235-R9 | m ² | 3 | | |
| D.15 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 25 | | |
| D.16 | Construction of Asphalt Patches | CW 3410-R11 | m ² | 40 | | |
| D.17 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 1 - 50 mm Depth (Asphalt) | | m ² | 180 | | |
| D.18 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 4 | | |
| D.19 | Adjustment of Sprinkler Head | E17 | each | 5 | | |
| D.20 | Replace Existing Sprinkler Pipe | E17 | m | 20 | | |
| ROADWORKS - NEW CONSTRUCTION | | | | | | |
| D.21 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R17 | | | | |
| i) | Construction of 200 mm Concrete Pavement (Reinforced) | | m ² | 2,500 | | |
| D.22 | Concrete Pavements for Early Opening | CW 3310-R17 | | | | |
| i) | Construction of 200 mm Concrete Pavement for Early Opening 72hr (Reinforced) | | m ² | 2,000 | | |
| D.23 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R17 | | | | |
| i) | Construction of Barrier (200 mm ht, Integral) | SD-204 | m | 50 | | |
| ii) | Construction of Modified Barrier (180 mm ht, Integral) | SD-203B | m | 620 | | |
| iii) | Construction of Lip Curb (40 mm ht, Integral) | SD-202B | m | 280 | | |
| iv) | Construction of Curb Ramp (8-12 mm ht, Integral) | SD-229C | m | 80 | | |
| D.24 | 100 mm Concrete Sidewalk | CW 3325-R5 | m ² | 510 | | |
| D.25 | Construction of Concrete Sidewalk Stairs | E15 | LS | 1 | | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|--------------------|---------|------------------|------------|--------|
| | JOINT AND CRACK SEALING | | | | | |
| D.26 | Reflective Crack Maintenance | CW 3250-R7 | m | 180 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| D.27 | Catch Basin | CW 2130-R12 E11 | | | | |
| i) | SD-024, 1800 mm deep | | each | 6 | | |
| ii) | SD-025, 1800 mm deep | | each | 2 | | |
| D.28 | Catch Pit | CW 2130-R12 E11 | | | | |
| i) | SD-023 | | each | 2 | | |
| D.29 | Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| a) | In a Trench, Class 2 Type B Bedding, Class 2 Backfill | | m | 8 | | |
| b) | Trenchless Installation | | m | 55 | | |
| D.30 | Drainage Connection Pipe | CW 2130-R12 | m | 6 | | |
| D.31 | Sewer Service Risers | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| a) | SD-015 | | vert. m | 2.8 | | |
| D.32 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 4 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 4 | | |
| D.33 | Connecting to Existing Manhole | CW 2130-R12 | | | | |
| i) | 250 mm Catch Basin Lead | | each | 2 | | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|----------------|------------------|------------|--------|
| D.34 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| i) | 250 mm Connecting Pipe | | | | | |
| a) | Connecting to 450 mm LDS | | each | 4 | | |
| b) | Connecting to 900 mm LDS | | each | 1 | | |
| D.35 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | each | 1 | | |
| D.36 | Removal of Existing Catch Basins | CW 2130-R12 | each | 4 | | |
| D.37 | Removal of Existing Catch Pit | CW 2130-R12 | each | 1 | | |
| D.38 | Removal of Existing Pipes | E12 | m | 5 | | |
| D.39 | Installation of Subdrains | CW 3120-R4 | m | 96 | | |
| D.40 | Abandoning Existing Sewer Services Under Pavement | CW 2130-R12 | | | | |
| i) | Existing Catch Basin Leads (250 mm or smaller) | | each | 3 | | |
| D.41 | Watermain and Water Service Insulation | E14 | | | | |
| i) | Pipe Under Roadway Excavation (SD-018) | | m ² | 165 | | |
| | ADJUSTMENTS | | | | | |
| D.42 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 8 | | |
| D.43 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1.0 | | |
| D.44 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 4 | | |
| D.45 | Adjustment of Valve Boxes | CW 3210-R7 | each | 5 | | |
| D.46 | Valve Box Extensions | CW 3210-R7 | each | 3 | | |
| D.47 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 10 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|---|-------------|----------------|------------------|------------|--------|
| D.48 | Curb Stop Extensions | CW 3210-R7 | each | 5 | | |
| D.49 | Patching of Existing Manholes | CW 2130-R12 | vert. m | 1.0 | | |
| D.50 | Replacing Existing Manhole or Catch Basin Rungs | CW 2130-R12 | each | 1 | | |
| LANDSCAPING | | | | | | |
| D.51 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m ² | 40 | | |
| ii) | width > or = 600 mm | | m ² | 2,100 | | |
| D | <u>TROTTIER BAY - CHEVRIER BOULEVARD TO CHEVRIER BOULEVARD - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------|---|--------------------|----------------|------------------|------------|--------|
| E | <u>SOUTH DRIVE - CRANE AVENUE TO DOWKER AVENUE - CONCRETE RECONSTRUCTION</u> | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| E.1 | Excavation | CW 3110-R19 | m ³ | 2,650 | | |
| E.2 | Sub-Grade Compaction | CW 3110-R19 | m ² | 3,220 | | |
| E.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm | | tonne | 1,550 | | |
| ii) | 100 mm | | tonne | 2,560 | | |
| E.4 | Supplying and Placing Base Course Material | CW 3110-R19 | m ³ | 305 | | |
| E.5 | Grading of Boulevards | CW 3110-R19 | m ² | 3,820 | | |
| E.6 | Imported Fill Material | CW 3110-R19 | m ³ | 100 | | |
| E.7 | Separation Geotextile Fabric | CW 3130-R4 | m ² | 3,220 | | |
| E.8 | Supply and Install Geogrid | CW 3135-R1 | m ² | 650 | | |
| | ROADWORKS - RENEWALS | | | | | |
| E.9 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m ² | 450 | | |
| ii) | Asphalt Pavement | | m ² | 2,610 | | |
| E.10 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Curb and Gutter | | m | 655 | | |
| E.11 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 140 | | |
| E.12 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 15 M Deformed Tie Bar | | each | 3 | | |
| ii) | 20 M Deformed Tie Bar | | each | 160 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|---|--------------------|----------------|------------------|------------|--------|
| E.13 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | | m ² | 20 | | |
| E.14 | Miscellaneous Concrete Slab Installation | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | m ² | 40 | | |
| E.15 | Removal of Precast Sidewalk Blocks | CW 3235-R9 | m ² | 10 | | |
| E.16 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Curb and Gutter (180 mm reveal ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) | SD-200 | | | | |
| a) | 3 m to 30 m | | m | 3 | | |
| E.17 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m ² | 60 | | |
| E.18 | Interlocking Paving Stones | CW 3330-R5 | m ² | 30 | | |
| E.19 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 6 | | |
| E.20 | Construction of Asphalt Patches | CW 3410-R11 | m ² | 35 | | |
| E.21 | Adjustment of Sprinkler Head | E17 | each | 5 | | |
| E.22 | Replace Existing Sprinkler Pipe | E17 | m | 20 | | |
| ROADWORKS - NEW CONSTRUCTION | | | | | | |
| E.23 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R17 | | | | |
| i) | Construction of 200 mm Concrete Pavement (Reinforced) | | m ² | 2,450 | | |
| E.24 | Concrete Pavements for Early Opening | CW 3310-R17 E13 | | | | |
| i) | Construction of 150 mm Concrete Pavement for Early Opening 72hr (Reinforced) | | m ² | 450 | | |
| ii) | Construction of 150 mm Concrete Pavement for Early Opening 72hr (Reinforced)-Stamped Concrete | | m ² | 70 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|---|-------------|---------|------------------|------------|--------|
| E.25 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R17 | | | | |
| i) | Construction of Barrier (180 mm ht, Integral) | SD-204 | m | 480 | | |
| ii) | Construction of Modified Barrier (180 mm ht, Integral) | SD-203B | m | 30 | | |
| iii) | Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) | SD-200 | m | 5 | | |
| iv) | Construction of Lip Curb (40 mm ht, Integral) | SD-202B | m | 150 | | |
| v) | Construction of Curb Ramp (8-12 mm ht, Integral) | SD-229C | m | 10 | | |
| E.26 | Construction of Asphaltic Concrete Pavements | CW 3410-R11 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 40 | | |
| JOINT AND CRACK SEALING | | | | | | |
| E.27 | Reflective Crack Maintenance | CW 3250-R7 | m | 150 | | |
| ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | | |
| E.28 | Catch Basin | CW 2130-R12 | | | | |
| i) | SD-024, 1800 mm deep | | each | 6 | | |
| E.29 | Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| a) | In a Trench, Class 2 Type B Bedding, Class 2 Backfill | | m | 6 | | |
| b) | Trenchless Installation | | m | 50 | | |
| E.30 | Sewer Service Risers | CW 2130-R12 | | | | |
| i) | 250 mm | | | | | |
| a) | SD-015 | | vert. m | 6.0 | | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|--------------------|----------------|------------------|------------|--------|
| E.31 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 2 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 2 | | |
| E.32 | Connecting to Existing Manhole | CW 2130-R12 | | | | |
| i) | 250 mm Catch Basin Lead | | each | 4 | | |
| E.33 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| i) | 250 mm Connecting Pipe | | | | | |
| a) | Connecting to 900 mm LDS | | each | 2 | | |
| E.34 | Removal of Existing Catch Basins | CW 2130-R12 | each | 5 | | |
| E.35 | Removal of Existing Pipes | E12 | m | 2 | | |
| E.36 | Abandoning Existing Drainage Inlets | CW 2130-R12 | each | 4 | | |
| E.37 | Installation of Subdrains | CW 3120-R4 | m | 72 | | |
| E.38 | Abandoning Existing Sewer Services Under Pavement | CW 2130-R12 | | | | |
| i) | Existing Catch Basin Leads (250 mm or smaller) | | each | 5 | | |
| E.39 | Watermain and Water Service Insulation | E14 | | | | |
| i) | Pipe Under Roadway Excavation (SD-018) | | m ² | 185 | | |
| E.40 | Sewer Repair - Up to 3.0 Meters Long | CW 2130-R12 E20 | | | | |
| i) | 300 mm, Conc LDS | | | | | |
| a) | Class 3 Backfill | | each | 3 | | |
| E.41 | Sewer Repair - In Addition to First 3.0 Meters | CW 2130-R12 E20 | | | | |
| i) | 300 mm, Conc CS | | | | | |
| a) | Class 3 Backfill | | m | 5.6 | | |

 Name of Bidder

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------------------|---|------------------|----------------|------------------|------------|--------|
| E.42 | Sewer Inspection (following repair) | CW2145-R3 E20 | | | | |
| i) | 300 mm, Conc LDS | | m | 118 | | |
| ADJUSTMENTS | | | | | | |
| E.43 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 9 | | |
| E.44 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1.0 | | |
| E.45 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 2 | | |
| E.46 | Adjustment of Valve Boxes | CW 3210-R7 | each | 5 | | |
| E.47 | Valve Box Extensions | CW 3210-R7 | each | 2 | | |
| E.48 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 15 | | |
| E.49 | Curb Stop Extensions | CW 3210-R7 | each | 5 | | |
| E.50 | Patching of Existing Manholes | CW 2130-R12 | vert. m | 1.0 | | |
| E.51 | Replacing Existing Manhole or Catch Basin Rungs | CW 2130-R12 | each | 1 | | |
| LANDSCAPING | | | | | | |
| E.52 | Sodding | CW 3510-R9 | | | | |
| i) | width > or = 600 mm | | m ² | 3,820 | | |
| E | <u>SOUTH DRIVE - CRANE AVENUE TO DOWKER AVENUE - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---|---|------------|----------|------------------|------------|--------|
| PART 2 MANITOBA HYDRO FUNDED WORK | | | | | | |
| (See B9.5, B15.2.1, B16.4, D2, D14.2-3, D16.4) | | | | | | |
| F | <u>YALE AVENUE - CAMBRIDGE ST TO ROCKWOOD ST - STREET LIGHTING</u> | | | | | |
| F.1 | Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances. | E18 | each | 3 | | |
| F.2 | Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex). | E18 | m | 153 | | |
| F.3 | Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances. | E18 | each | 4 | | |
| F.4 | Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5. | E18 | each | 1 | | |
| F.5 | Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10. | E18 | each | 4 | | |
| F.6 | Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed. | E18 | per span | 4 | | |
| F.7 | Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed. | E18 | per span | 4 | | |
| F.8 | Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod. | E18 | each | 1 | | |
| F | <u>YALE AVENUE - CAMBRIDGE ST TO ROCKWOOD ST - STREET LIGHTING</u> | | | | Subtotal: | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | |
|----------|---|------------|----------|------------------|------------|-----------|--|
| G | <u>HECTOR AVENUE - HECTOR BAY E (W LEG) TO WILTON STREET - STREET LIGHTING</u> | | | | | | |
| G.1 | Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances. | E18 | each | 7 | | | |
| G.2 | Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex). | E18 | m | 286 | | | |
| G.3 | Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances. | E18 | each | 7 | | | |
| G.4 | Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod. | E18 | each | 3 | | | |
| G.5 | Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10. | E18 | each | 8 | | | |
| G.6 | Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed. | E18 | per span | 7 | | | |
| G.7 | Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed. | E18 | per span | 7 | | | |
| G.8 | Expose underground cable entrance of existing streetlight pole and install new streetlight cable. | E18 | each | 1 | | | |
| G | <u>HECTOR AVENUE - HECTOR BAY E (W LEG) TO WILTON STREET - STREET LIGHTING</u> | | | | | Subtotal: | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | |
|----------|---|------------|----------|------------------|------------|-----------|--|
| H | <u>SONY PLACE - HAMELIN STREET TO IRENE STREET - STREET LIGHTING</u> | | | | | | |
| H.1 | Removal of 45' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances. | E18 | each | 2 | | | |
| H.2 | Installation of 45' pole, davit arm and precast concrete base including luminaire and appurtenances. | E18 | each | 3 | | | |
| H.3 | Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried | E18 | each | 7 | | | |
| H.4 | Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex). | E18 | lin.m | 857 | | | |
| H.5 | Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances. | E18 | each | 7 | | | |
| H.6 | Expose underground cable entrance of existing streetlight pole and install new streetlight cable. | E18 | each | 5 | | | |
| H.7 | Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10. | E18 | each | 10 | | | |
| H.8 | Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed. | E18 | per span | 15 | | | |
| H.9 | Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light | E18 | each | 2 | | | |
| H.10 | Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed. | E18 | per span | 15 | | | |
| H.11 | Installation of break-away base and reaction plate on base mounted poles up to 35'. | E18 | each | 3 | | | |
| H | <u>SONY PLACE - HAMELIN STREET TO IRENE STREET - STREET LIGHTING</u> | | | | | Subtotal: | |

FORM B(R2): PRICES
 (SEE B9)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|--|------------|------|--------------------|------------|--------|
| SUMMARY | | | | | | |
| PART 1 CITY FUNDED WORK | | | | | | |
| A | <u>YALE AVENUE - CAMBRIDGE ST TO ROCKWOOD ST - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |
| B | <u>HECTOR AVENUE - HECTOR BAY E (W LEG) TO WILTON STREET - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |
| C | <u>SONY PLACE - HAMELIN STREET TO IRENE STREET - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |
| D | <u>TROTTIER BAY - CHEVRIER BOULEVARD TO CHEVRIER BOULEVARD - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |
| E | <u>SOUTH DRIVE - CRANE AVENUE TO DOWKER AVENUE - CONCRETE RECONSTRUCTION</u> | | | | Subtotal: | |
| (total price) PART 1 | | | | | | |
| PART 2 MANITOBA HYDRO FUNDED WORK (See B9.5, B15.2.1, B16.4, D2, D14.2-3, D16.4) | | | | | | |
| F | <u>YALE AVENUE - CAMBRIDGE ST TO ROCKWOOD ST - STREET LIGHTING</u> | | | | Subtotal: | |
| G | <u>HECTOR AVENUE - HECTOR BAY E (W LEG) TO WILTON STREET - STREET LIGHTING</u> | | | | Subtotal: | |
| H | <u>SONY PLACE - HAMELIN STREET TO IRENE STREET - STREET LIGHTING</u> | | | | Subtotal: | |
| (total price) PART 2 | | | | | | |
| TOTAL BID PRICE (GST extra) | | | | (in figures) _____ | | |

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 181-2016

2016 LOCAL STREETS PACKAGE – SONY PLACE, TROTTIER BAY AND VARIOUS OTHER LOCATIONS.

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 181-2016

2016 LOCAL STREETS PACKAGE – SONY PLACE, TROTTIER BAY AND VARIOUS OTHER LOCATIONS.

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 181-2016

2016 LOCAL STREETS PACKAGE – SONY PLACE, TROTTIER BAY AND VARIOUS OTHER LOCATIONS.

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 9, 2016.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)