

- REFERENCE NOTES**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - BASELINE IS CENTRE LINE RIGHT-OF-WAY
 - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - REFER TO AECOM FIELD BOOK NO. 4912

- CONSTRUCTION NOTES**
- PLACE NEW ASPHALTIC PAVEMENT TYPE 1A (AVG THICKNESS 85mm)
 - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w 85mm ASPHALT OVERLAY
 - REMOVE MOUNTABLE LIP CURB AND CONSTRUCT NEW CONCRETE BARRIER CURB (100mm REVEAL HT. DOWELLED)
 - REMOVE MOUNTABLE LIP CURB AND CONSTRUCT NEW CONCRETE BARRIER CURB (100mm REVEAL HT. SEPARATE)
 - REMOVE EXISTING BARRIER CURB AND CONSTRUCT NEW CONCRETE MODIFIED BARRIER CURB (180mm HT. INTEGRAL)
 - CONSTRUCT NEW LIP CURB (40mm HT. INTEGRAL)
 - ADJUST EXISTING PAVING STONES
 - REMOVE CATCH BASIN
 - REMOVE CATCH PIT
 - INSTALL NEW CURB AND GUTTER INLET (AP-008/AP-009) c/w CATCHBASIN (SD-024) AND CONNECT NEW LEAD TO EXISTING LEAD
 - INSTALL NEW CURB AND GUTTER INLET (AP-008/AP-009) c/w CATCHPIT (SD-023) AND CONNECT NEW LEAD TO NEW CATCHBASIN
 - ADJUST EXISTING WATER VALVE TO GRADE
 - ADJUST CURB STOP



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.		300mm L.D.S.		250mm W.W.S.		150 mm W.M.		300mm L.D.S.		250mm W.W.S.													
	WATERMAIN HYDRANT		VALVE		LAND DRAINAGE SEWER		WASTEWATER SEWER		MANHOLE		CATCH BASIN		CATCH PIT		JUNCTIONS		CULVERT		GAS		EXISTING		PROPOSED
	HYDRO M.T.S.		CONCRETE		ASPHALT		PROPERTY LINE		SURVEY BAR		ELEVATION (35.750)		TREE		SIDEWALK RAMP		CONCRETE SIDEWALK		FENCE		EXISTING		PROPOSED

LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 15 - 036 93R684 N.E. Cor. Inkster Garden Dr. & Marianne Rd. 10k. on top of 0.05m dia. x 2.4m iron pipe, 2.6m S. of N.L. Inkster Garden Dr. ELEV. 232.566 & 2.1m W. of E.L. Marianne Rd.

NO.	REVISIONS	DATE	BY
0	ISSUED FOR TENDER	04/06/2016	BC
A	ISSUED FOR REVIEW	03/30/2016	BC


AECOM

DESIGNED BY: SF
DRAWN BY: JC/SF

CHECKED BY: BC/KWR
APPROVED BY:

HOR. SCALE: 1:250
VERTICAL: 1:10

RELEASED FOR CONSTRUCTION BY: [Signature]
DATE: APRIL 11/16



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2016 LOCAL STREET RENEWAL PROGRAM

PETRIW BAY - ROSEHILL WAY TO ROSEHILL WAY
REHABILITATION
STATION 0+200 TO STATION 0+300

CITY DRAWING NUMBER: SHEET 13 OF 14

CONSULTANT DRAWING NO. CT-13