

CAUTION: FEEDERMAIN

IF THE ASPHALT PAVEMENT MILLING OPERATION REVEALS CONCRETE PAVEMENT SLABS REQUIRING RENEWAL OVER THE EXISTING WATER AQUEDUCT OR FEEDERMAIN, THE WATER AND WASTE DEPARTMENT SHALL BE NOTIFIED FIVE WORKING DAYS PRIOR TO THE COMMENCEMENT OF THE RENEWALS AND PROVIDED WITH THE LOCATION, SIZE AND CROSS-SECTION OF THE PROPOSED RENEWALS SO THAT THE DEPARTMENT CAN PROVIDE APPROPRIATE COMMENTARY TO MITIGATE ANY RISKS TO THE WATER AQUEDUCT OR FEEDERMAIN FROM THE SLAB RENEWAL CONSTRUCTION ACTIVITIES.

UNIT 1 UNIT 3

4025

TRIM TREES (TYP.)

RENEW 100 mm CONCRETE SIDEWALK

REMOVE EXISTING ASPHALT PATH

HYDRO

TYPICAL CROSS SECTION
 3.5 m WIDE
 75 mm ASPHALT
 200 mm GRANULAR "A" BASE (E12)
 COMPACT TO 100% STANDARD PROCTOR
 SEPARATION GEOTEXTILE

HYDRO

PROPOSED 75 mm ASPHALT PATHWAY ON EXISTING ALIGNMENT

ROBLIN BLVD

WILLIAM R CLEMENT PKY

HYDRO

HYDRO

450 MM

CAUTION: 450 AC FEEDERMAIN - SEE NOTE

PRELIMINARY

NOT TO BE USED FOR CONSTRUCTION



THE CITY OF WINNIPEG
 PUBLIC WORKS DEPARTMENT
 ENGINEERING DIVISION
 TECHNOLOGY SERVICES BRANCH
 106 - 1155 PACIFIC AVE

WILLIAM CLEMENT PARKWAY

FROM **ROBLIN BLVD** TO **ASSINIBOINE AVE**
 2016 AT PATHWAY RENEWALS AND ASSOCIATED WORKS

DATE: MAR 11, 2016	DRAWING NO. SE-16-39
DRAWN BY: D.K.	SCALE: NTS