



PILE CAP SCHEDULE							
TYPE	SHAPE	SIZE	DEPTH	REINFORCING	TIES	CONC. STRENGTH IN CAPS	REMARKS
CP 1		20" DIA.	2'-0"	4 #3 VERT.	3 #3 @ 20"	3,000 PSI	
CP 2		24" DIA.	2'-0"	4 #4 VERT.	3 #3 @ 12"	3,000 PSI	
CP 3		30" DIA.	2'-0"	6 #6 VERT.	3 #3 @ 12"	3,000 PSI	
CP 4		2'-8" x 6'-8"	3'-0"	5 #8 x 2'-2" L.D. 4 #5 @ 2'-2" S.D.	---	4,000 PSI	SEE DETAIL (S) (S17)
CP 5		2'-0" x 4'-6"	2'-0" (10')	3 #4 2 #5 S.D.	---	4,000 PSI	SEE DETAIL (S) (S17)
CP 6		0'-8" x 9'-0"	3'-0"	3 BANDS OF 6 #7 x 3'-0"	---	4,000 PSI	SEE DETAIL (S) (S17)
CP 7		0'-8" x 0'-8"	3'-0"	4 BANDS OF 6 #7 x 0'-8"	---	4,000 PSI	SEE DETAIL (S) (S17)

- NOTE:
- FOR POOL FOUNDATION SEE DRAWING NO. SP1.
 - FOR SOIL TEST DATA SEE DRAWING SIG.
 - FOR GENERAL NOTES SEE DRAWING NO. S2.
 - FOR CALCULATING PILE LENGTHS TAKE EXISTING GRADE AS 92'-6".
 - FOR PODIUM PILING SEE DWG. S14.

FOR GENERAL NOTES SEE DWG. S1

NO.	REV.	DESCRIPTION	DATE	CHKD.

DRAWN BY
W.L.J.

CHECKED BY
[Signature]

DATE
MARCH 28, 1966

SMITH CARTER SEARLE ASSOCIATES
ARCHITECTS AND CONSULTING ENGINEERS

WINNIPEG BRANDON PORT ARTHUR TORONTO



PAN-AMERICAN GAMES
SWIMMING FACILITY
WINNIPEG, MANITOBA

B-14
FILE

RETURN TO CIVIC
PROPERTIES BUILDING
INVENTORY.

3016

SHEET
FOUNDATION PLAN

SCALE
1/8" = 1'-0"

NO. 65080 SHEET NUMBER
S 1