

FORM A: BID
(See B9)

1. Contract Title 2016 OUTFALL INSPECTIONS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

| | | | |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
| | _____ | | _____ |
| | _____ | | _____ |

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----------|--|------------|--------|------------------|------------|--------|
| A. | Outfall Inspection | E3 | | | | |
| | a) DWG 1 ; S-MA70106467 ; 1500 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 170 | | |
| | 3) Post Processed Data | | lin.m. | 170 | | |
| | b) DWG 2 ; S-MA40003056 ; 1825 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 92 | | |
| | 3) Post Processed Data | | lin.m. | 92 | | |
| | c) DWG 8 ; S-MA70031497 ; 900 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 18 | | |
| | 3) Post Processed Data | | lin.m. | 18 | | |
| | d) DWG 9 ; S-MA70031499 ; 1200 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | e) DWG 10 ; S-MA40001432 ; 1350 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 24 | | |
| | 3) Post Processed Data | | lin.m. | 24 | | |
| | f) DWG 11 ; S-MA70008652 ; 525 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 12 | | |
| | 3) Post Processed Data | | lin.m. | 12 | | |
| | g) DWG 12 ; S-MA40000355 ; 375 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 5 | | |
| | 3) Post Processed Data | | lin.m. | 5 | | |
| | h) DWG 13 ; S-MA40000143 ; 400 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 17 | | |
| | 3) Post Processed Data | | lin.m. | 17 | | |
| | i) DWG 15 ; S-MA40000202 ; 1200 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 23 | | |
| | 3) Post Processed Data | | lin.m. | 23 | | |
| | j) DWG 16 ; S-MA40000250 ; 1200 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 17 | | |
| | 3) Post Processed Data | | lin.m. | 17 | | |
| | k) DWG 17 ; S-MA40000244 ; 525 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 23 | | |
| | 3) Post Processed Data | | lin.m. | 23 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | l) DWG 19 ; S-MA40000284 ; 1350 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 26 | | |
| | 3) Post Processed Data | | lin.m. | 26 | | |
| | m) DWG 20 ; S-MA40000289 ; 1200 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 28 | | |
| | 3) Post Processed Data | | lin.m. | 28 | | |
| | n) DWG 24 ; S-MA70062167 ; 2100 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 69 | | |
| | 3) Post Processed Data | | lin.m. | 69 | | |
| | o) DWG 26 ; S-MA40001805 ; 2900 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 305 | | |
| | 3) Post Processed Data | | lin.m. | 305 | | |
| | p) DWG 29 ; S-MA40006872 ; 2260 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 80 | | |
| | 3) Post Processed Data | | lin.m. | 80 | | |
| | q) DWG 32 ; S-MA70043042 ; 2550 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 46 | | |
| | 3) Post Processed Data | | lin.m. | 46 | | |
| | r) DWG 33 ; S-MA40011011 ; 3700 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 116 | | |
| | 3) Post Processed Data | | lin.m. | 116 | | |
| | s) DWG 53 ; S-MA50010681 ; 300 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 99 | | |
| | 3) Post Processed Data | | lin.m. | 99 | | |
| | t) DWG 61 ; S-MA70028445 ; 450 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 54 | | |
| | 3) Post Processed Data | | lin.m. | 54 | | |
| | u) DWG 63 ; S-MA70012111 ; 1525 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 58 | | |
| | 3) Post Processed Data | | lin.m. | 58 | | |
| | v) DWG 64 ; S-MA70007384 ; 900 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 92 | | |
| | 3) Post Processed Data | | lin.m. | 92 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | w) DWG 65 ; S-MA70015994 ; 800 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 38 | | |
| | 3) Post Processed Data | | lin.m. | 38 | | |
| | x) DWG 66 ; S-MA70007543 ; 450 DIAM -SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 29 | | |
| | 3) Post Processed Data | | lin.m. | 29 | | |
| | y) DWG 67 ; S-MA70082045 ; 1000 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 14 | | |
| | 3) Post Processed Data | | lin.m. | 14 | | |
| | z) DWG 68 ; S-MA70053508 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 28 | | |
| | 3) Post Processed Data | | lin.m. | 28 | | |
| | aa) DWG 69 ; S-MA70097441 ; 1000 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 49 | | |
| | 3) Post Processed Data | | lin.m. | 49 | | |
| | ab) DWG 70 ; S-MA70003819 ; 1630x1120 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 56 | | |
| | 3) Post Processed Data | | lin.m. | 56 | | |
| | ac) DWG 71 ; S-MA50007688 ; 1600 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | ad) DWG 72 ; S-MA50013542 ; 1350 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 76 | | |
| | 3) Post Processed Data | | lin.m. | 76 | | |
| | ae) DWG 73 ; S-MA50008850 ; 1350 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 40 | | |
| | 3) Post Processed Data | | lin.m. | 40 | | |
| | af) DWG 74 ; S-MA70011100 ; 1200 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 35 | | |
| | 3) Post Processed Data | | lin.m. | 35 | | |
| | ag) DWG 76 ; S-MA50017691 ; 1200 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 4 | | |
| | 3) Post Processed Data | | lin.m. | 4 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | ah) DWG 77 ; S-MA50018093 ; 1200 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 37 | | |
| | 3) Post Processed Data | | lin.m. | 37 | | |
| | ai) DWG 78 ; S-MA70011372 ; 1200 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 76 | | |
| | 3) Post Processed Data | | lin.m. | 76 | | |
| | aj) DWG 79 ; S-MA50008353 ; 1050 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 45 | | |
| | 3) Post Processed Data | | lin.m. | 45 | | |
| | ak) DWG 81 ; S-MA50008393 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 79 | | |
| | 3) Post Processed Data | | lin.m. | 79 | | |
| | al) DWG 82 ; S-MA50018567 ; 525 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 32 | | |
| | 3) Post Processed Data | | lin.m. | 32 | | |
| | am) DWG 84 ; S-MA50014432 ; 600 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 78 | | |
| | 3) Post Processed Data | | lin.m. | 78 | | |
| | an) DWG 85 ; S-MA50012073 ; 525 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 31 | | |
| | 3) Post Processed Data | | lin.m. | 31 | | |
| | ao) DWG 86 ; S-MA70001233 ; 750 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | ap) DWG 87 ; S-MA70011102 ; 600 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 64 | | |
| | 3) Post Processed Data | | lin.m. | 64 | | |
| | aq) DWG 90 ; S-MA50015374 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 24 | | |
| | 3) Post Processed Data | | lin.m. | 24 | | |
| | ar) DWG 98 ; S-MA70022226 ; 900 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 49 | | |
| | 3) Post Processed Data | | lin.m. | 49 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | as) DWG 99 ; S-MA70022563 ; 1000 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 46 | | |
| | 3) Post Processed Data | | lin.m. | 46 | | |
| | at) DWG 105 ; S-MA70017688 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 39 | | |
| | 3) Post Processed Data | | lin.m. | 39 | | |
| | au) DWG 111 ; S-MA70087426 ; 1400 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 23 | | |
| | 3) Post Processed Data | | lin.m. | 23 | | |
| | av) DWG 114 ; S-MA70008060 ; 1200 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 140 | | |
| | 3) Post Processed Data | | lin.m. | 140 | | |
| | aw) DWG 117 ; S-MA70007510 ; 1660 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 54 | | |
| | 3) Post Processed Data | | lin.m. | 54 | | |
| | ax) DWG 118 ; S-MA70018393 ; 1660 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 23 | | |
| | 3) Post Processed Data | | lin.m. | 23 | | |
| | ay) DWG 122 ; S-MA70000304 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 64 | | |
| | 3) Post Processed Data | | lin.m. | 64 | | |
| | az) DWG 124 ; S-MA70000751 ; 1950 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 195 | | |
| | 3) Post Processed Data | | lin.m. | 195 | | |
| | ba) DWG 135 ; S-MA50010420 ; 2250 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 191 | | |
| | 3) Post Processed Data | | lin.m. | 191 | | |
| | bb) DWG 136 ; S-MA70053500 ; 1400 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 35 | | |
| | 3) Post Processed Data | | lin.m. | 35 | | |
| | bc) DWG 137 ; S-MA70074230 ; 900 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 81 | | |
| | 3) Post Processed Data | | lin.m. | 81 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | bd) DWG 138 ; S-MA70016115 ; 1800 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 110 | | |
| | 3) Post Processed Data | | lin.m. | 110 | | |
| | be) DWG 141 ; S-MA70028480 ; 450 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 30 | | |
| | 3) Post Processed Data | | lin.m. | 30 | | |
| | bf) DWG 146 ; S-MA60023328 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 54 | | |
| | 3) Post Processed Data | | lin.m. | 54 | | |
| | bg) DWG 147 ; S-MA60022470 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 70 | | |
| | 3) Post Processed Data | | lin.m. | 70 | | |
| | bh) DWG 148 ; S-MA70039670 ; 1200 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 98 | | |
| | 3) Post Processed Data | | lin.m. | 98 | | |
| | bi) DWG 152 ; S-MA70007547 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 73 | | |
| | 3) Post Processed Data | | lin.m. | 73 | | |
| | bj) DWG 153 ; S-MA70007540 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 110 | | |
| | 3) Post Processed Data | | lin.m. | 110 | | |
| | bk) DWG 156 ; S-MA70087882 ; 900 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 49 | | |
| | 3) Post Processed Data | | lin.m. | 49 | | |
| | bl) DWG 157 ; S-MA60016840 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 43 | | |
| | 3) Post Processed Data | | lin.m. | 43 | | |
| | bm) DWG 159 ; S-MA70007648 ; 1800 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 87 | | |
| | 3) Post Processed Data | | lin.m. | 87 | | |
| | bn) DWG 162 ; S-MA70032551 ; 900 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 105 | | |
| | 3) Post Processed Data | | lin.m. | 105 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | bo) DWG 163 ; S-MA60013422 ; 1200 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 130 | | |
| | 3) Post Processed Data | | lin.m. | 130 | | |
| | bp) DWG 168 ; S-MA60012037 ; 1675 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 39 | | |
| | 3) Post Processed Data | | lin.m. | 39 | | |
| | bq) DWG 169 ; S-MA70006325 ; 1600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 95 | | |
| | 3) Post Processed Data | | lin.m. | 95 | | |
| | br) DWG 172 ; S-MA60021687 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 47 | | |
| | 3) Post Processed Data | | lin.m. | 47 | | |
| | bs) DWG 174 ; S-MA70005806 ; 1600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 54 | | |
| | 3) Post Processed Data | | lin.m. | 54 | | |
| | bt) DWG 175 ; S-MA70032731 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 66 | | |
| | 3) Post Processed Data | | lin.m. | 66 | | |
| | bu) DWG 177 ; S-MA70016174 ; 2130 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 57 | | |
| | 3) Post Processed Data | | lin.m. | 57 | | |
| | bv) DWG 178 ; S-MA70004387 ; 1600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 27 | | |
| | 3) Post Processed Data | | lin.m. | 27 | | |
| | bw) DWG 179 ; S-MA60020193 ; 2400 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 35 | | |
| | 3) Post Processed Data | | lin.m. | 35 | | |
| | bx) DWG 180 ; S-MA70002491 ; 1400 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 91 | | |
| | 3) Post Processed Data | | lin.m. | 91 | | |
| | by) DWG 182 ; S-MA70033501 ; 3480 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 8 | | |
| | 3) Post Processed Data | | lin.m. | 8 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | bz) DWG 184 ; S-MA70024441 ; 2400 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 141 | | |
| | 3) Post Processed Data | | lin.m. | 141 | | |
| | ca) DWG 186 ; S-MA60006747 ; 450 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 17 | | |
| | 3) Post Processed Data | | lin.m. | 17 | | |
| | cb) DWG 189 ; S-MA70029012 ; 900 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 42 | | |
| | 3) Post Processed Data | | lin.m. | 42 | | |
| | cc) DWG 191 ; S-MA60004165 ; 2400 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 39 | | |
| | 3) Post Processed Data | | lin.m. | 39 | | |
| | cd) DWG 194 ; S-MA60003648 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 65 | | |
| | 3) Post Processed Data | | lin.m. | 65 | | |
| | ce) DWG 196 ; S-MA60003741 ; 1050 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 34 | | |
| | 3) Post Processed Data | | lin.m. | 34 | | |
| | cf) DWG 201 ; S-MA60003371 ; 2590 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 44 | | |
| | 3) Post Processed Data | | lin.m. | 44 | | |
| | cg) DWG 203 ; S-MA70030182 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 34 | | |
| | 3) Post Processed Data | | lin.m. | 34 | | |
| | ch) DWG 204 ; S-MA60003299 ; 450 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 74 | | |
| | 3) Post Processed Data | | lin.m. | 74 | | |
| | ci) DWG 205 ; S-MA70041297 ; 450 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 10 | | |
| | 3) Post Processed Data | | lin.m. | 10 | | |
| | cj) DWG 206 ; S-MA70041572 ; 1950 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 25 | | |
| | 3) Post Processed Data | | lin.m. | 25 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|------------|--------|------------------|------------|--------|
| | ck) DWG 207 ; S-MA60003296 ; 600x900 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 18 | | |
| | 3) Post Processed Data | | lin.m. | 18 | | |
| | c) DWG 210 ; S-MA60001604 ; 600 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 68 | | |
| | 3) Post Processed Data | | lin.m. | 68 | | |
| | cm) DWG 213 ; S-MA70041421 ; 250 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 58 | | |
| | 3) Post Processed Data | | lin.m. | 58 | | |
| | cn) DWG 214 ; S-MA60001546 ; 900 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 24 | | |
| | 3) Post Processed Data | | lin.m. | 24 | | |
| | co) DWG 225 ; S-MA20002806 ; 900 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 96 | | |
| | 3) Post Processed Data | | lin.m. | 96 | | |
| | cp) DWG 226 ; S-MA70019662 ; 1200x900 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 85 | | |
| | 3) Post Processed Data | | lin.m. | 85 | | |
| | cq) DWG 227 ; S-MA20003873 ; 1200 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 63 | | |
| | 3) Post Processed Data | | lin.m. | 63 | | |
| | cr) DWG 228 ; S-MA70008562 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 57 | | |
| | 3) Post Processed Data | | lin.m. | 57 | | |
| | cs) DWG 229 ; S-MA20003809 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 84 | | |
| | 3) Post Processed Data | | lin.m. | 84 | | |
| | ct) DWG 231 ; S-MA70114933 ; 450 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 26 | | |
| | 3) Post Processed Data | | lin.m. | 26 | | |
| | cu) DWG 232 ; S-MA20000065 ; 1950 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 32 | | |
| | 3) Post Processed Data | | lin.m. | 32 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|------------|--------|------------------|------------|--------|
| | cv) DWG 233 ; S-MA2000064 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 54 | | |
| | 3) Post Processed Data | | lin.m. | 54 | | |
| | cw) DWG 234 ; S-MA20002395 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 110 | | |
| | 3) Post Processed Data | | lin.m. | 110 | | |
| | cx) DWG 236 ; S-MA20002277 ; 762 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 43 | | |
| | 3) Post Processed Data | | lin.m. | 43 | | |
| | cy) DWG 237 ; S-MA20002291 ; 361 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | cz) DWG 239 ; S-MA20002435 ; 525 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 76 | | |
| | 3) Post Processed Data | | lin.m. | 76 | | |
| | da) DWG 241 ; S-MA20000076 ; 1050 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 14 | | |
| | 3) Post Processed Data | | lin.m. | 14 | | |
| | db) DWG 242 ; S-MA20000072 ; 600 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 29 | | |
| | 3) Post Processed Data | | lin.m. | 29 | | |
| | dc) DWG 243 ; S-MA20000247 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 63 | | |
| | 3) Post Processed Data | | lin.m. | 63 | | |
| | dd) DWG 245 ; S-MA20000107 ; 600 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 56 | | |
| | 3) Post Processed Data | | lin.m. | 56 | | |
| | de) DWG 246 ; S-MA20003870 ; 600 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 65 | | |
| | 3) Post Processed Data | | lin.m. | 65 | | |
| | df) DWG 249 ; S-MA70078949 ; 450 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 107 | | |
| | 3) Post Processed Data | | lin.m. | 107 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | dg) DWG 252 ; S-MA70006919 ; 1200 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 66 | | |
| | 3) Post Processed Data | | lin.m. | 66 | | |
| | dh) DWG 253 ; S-MA20005373 ; 750 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 49 | | |
| | 3) Post Processed Data | | lin.m. | 49 | | |
| | dj) DWG 254 ; S-MA70011382 ; 2200 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 16 | | |
| | 3) Post Processed Data | | lin.m. | 16 | | |
| | dj) DWG 255 ; S-MA70053788 ; 1350 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 150 | | |
| | 3) Post Processed Data | | lin.m. | 150 | | |
| | dk) DWG 257 ; S-MA70049736 ; 1050 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 109 | | |
| | 3) Post Processed Data | | lin.m. | 109 | | |
| | dl) DWG 260 ; S-MA20008519 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 26 | | |
| | 3) Post Processed Data | | lin.m. | 26 | | |
| | dm) DWG 261 ; S-MA70019346 ; 1800 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 22 | | |
| | 3) Post Processed Data | | lin.m. | 22 | | |
| | dn) DWG 262 ; S-MA20008800 ; 750 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | do) DWG 263 ; S-MA20008967 ; 2340 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 41 | | |
| | 3) Post Processed Data | | lin.m. | 41 | | |
| | dp) DWG 264 ; S-MA70021246 ; 900 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 75 | | |
| | 3) Post Processed Data | | lin.m. | 75 | | |
| | dq) DWG 269 ; S-MA20011477 ; 2700 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 36 | | |
| | 3) Post Processed Data | | lin.m. | 36 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | dr) DWG 270 ; S-MA70013057 ; 750 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 10 | | |
| | 3) Post Processed Data | | lin.m. | 10 | | |
| | ds) DWG 271 ; S-MA20010781 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 29 | | |
| | 3) Post Processed Data | | lin.m. | 29 | | |
| | dt) DWG 272 ; S-MA20010792 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 29 | | |
| | 3) Post Processed Data | | lin.m. | 29 | | |
| | du) DWG 273 ; S-MA20010799 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 30 | | |
| | 3) Post Processed Data | | lin.m. | 30 | | |
| | dv) DWG 284 ; S-MA70009397 ; 900 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 29 | | |
| | 3) Post Processed Data | | lin.m. | 29 | | |
| | dw) DWG 287 ; S-MA20010432 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | dx) DWG 288 ; S-MA20010431 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | dy) DWG 290 ; S-MA20010513 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | dz) DWG 293 ; S-MA20007260 ; 375 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 85 | | |
| | 3) Post Processed Data | | lin.m. | 85 | | |
| | ea) DWG 294 ; S-MA20006898 ; 1050 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 4 | | |
| | 3) Post Processed Data | | lin.m. | 4 | | |
| | eb) DWG 296 ; S-MA70008731 ; 2550 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 33 | | |
| | 3) Post Processed Data | | lin.m. | 33 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | ec) DWG 297 ; S-MA70017585 ; 2890 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 55 | | |
| | 3) Post Processed Data | | lin.m. | 55 | | |
| | ed) DWG 300 ; S-MA70022480 ; 2700 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 122 | | |
| | 3) Post Processed Data | | lin.m. | 122 | | |
| | ee) DWG 302 ; S-MA70017866 ; 1980 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 61 | | |
| | 3) Post Processed Data | | lin.m. | 61 | | |
| | ef) DWG 303 ; S-MA20013630 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 60 | | |
| | 3) Post Processed Data | | lin.m. | 60 | | |
| | eg) DWG 306 ; S-MA70103641 ; 2750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 60 | | |
| | 3) Post Processed Data | | lin.m. | 60 | | |
| | eh) DWG 307 ; S-MA20014505 ; 1800 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 49 | | |
| | 3) Post Processed Data | | lin.m. | 49 | | |
| | ei) DWG 308 ; S-MA70068974 ; 750 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 79 | | |
| | 3) Post Processed Data | | lin.m. | 79 | | |
| | ej) DWG 309 ; S-MA20014087 ; 675 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 88 | | |
| | 3) Post Processed Data | | lin.m. | 88 | | |
| | ek) DWG 310 ; S-MA20014095 ; 1950 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 58 | | |
| | 3) Post Processed Data | | lin.m. | 58 | | |
| | el) DWG 311 ; S-MA70008123 ; 1400 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 39 | | |
| | 3) Post Processed Data | | lin.m. | 39 | | |
| | em) DWG 312 ; S-MA70016043 ; 1200 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 24 | | |
| | 3) Post Processed Data | | lin.m. | 24 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|------------|--------|------------------|------------|--------|
| | en) DWG 313 ; S-MA20013203 ; 1400 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 40 | | |
| | 3) Post Processed Data | | lin.m. | 40 | | |
| | eo) DWG 314 ; S-MA70014674 ; 1400 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 40 | | |
| | 3) Post Processed Data | | lin.m. | 40 | | |
| | ep) DWG 316 ; S-MA20013332 ; 2700 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 191 | | |
| | 3) Post Processed Data | | lin.m. | 191 | | |
| | eq) DWG 317 ; S-MA70000991 ; 1100x1300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 78 | | |
| | 3) Post Processed Data | | lin.m. | 78 | | |
| | er) DWG 319 ; S-MA70021229 ; 1500 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 89 | | |
| | 3) Post Processed Data | | lin.m. | 89 | | |
| | es) DWG 322 ; S-MA70017405 ; 200 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 42 | | |
| | 3) Post Processed Data | | lin.m. | 42 | | |
| | et) DWG 323 ; S-MA00013726 ; 300 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | eu) DWG 324 ; S-MA70029924 ; 1660 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 21 | | |
| | 3) Post Processed Data | | lin.m. | 21 | | |
| | ev) DWG 325 ; S-MA70007427 ; 1980 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 54 | | |
| | 3) Post Processed Data | | lin.m. | 54 | | |
| | ew) DWG 327 ; S-MA00017926 ; 2400 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 77 | | |
| | 3) Post Processed Data | | lin.m. | 77 | | |
| | ex) DWG 328 ; S-MA00017914 ; 200 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 38 | | |
| | 3) Post Processed Data | | lin.m. | 38 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|--------|------------------|------------|--------|
| | ey) DWG 329 ; S-MA70007551 ; 3000 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 60 | | |
| | 3) Post Processed Data | | lin.m. | 60 | | |
| | ez) DWG 330 ; S-MA00017967 ; 1800 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 13 | | |
| | 3) Post Processed Data | | lin.m. | 13 | | |
| | fa) DWG 331 ; S-MA00017939 ; 2950 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 54 | | |
| | 3) Post Processed Data | | lin.m. | 54 | | |
| | fb) DWG 334 ; S-MA00017633 ; 2700 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 17 | | |
| | 3) Post Processed Data | | lin.m. | 17 | | |
| | fc) DWG 336 ; S-MA00017100 ; 2290 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 200 | | |
| | 3) Post Processed Data | | lin.m. | 200 | | |
| | fd) DWG 337 ; S-MA00000385 ; 1800 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 128 | | |
| | 3) Post Processed Data | | lin.m. | 128 | | |
| | fe) DWG 338 ; S-MA70052164 ; 1200 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 63 | | |
| | 3) Post Processed Data | | lin.m. | 63 | | |
| | ff) DWG 339 ; S-MA70070656 ; 450 DIAM - SONAR | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 100 | | |
| | 3) Post Processed Data | | lin.m. | 100 | | |
| | fg) DWG 340 ; S-MA00000073 ; 750 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 81 | | |
| | 3) Post Processed Data | | lin.m. | 81 | | |
| | fh) DWG 341 ; S-MA00000120 ; 1800 DIAM - MSI | | | | | |
| | 1) Access and Insertion | | each | 1 | | |
| | 2) Outfall Inspection | | lin.m. | 209 | | |
| | 3) Post Processed Data | | lin.m. | 209 | | |

 Name of Bidder

FORM B: PRICES

(See B:10)

2016 OUTFALL INSPECTIONS

UNIT PRICES

| ITEM NO. | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---|--|------------|--------|------------------|------------|--------|
| B. | Sewer Inspection | E3 | | | | |
| | a) DWG 152 ; S-MA70095075 ; 750 DIAM - SONAR | | | | | |
| | 1) Sewer Inspection | | lin.m. | 100 | | |
| | 2) Post Processed Data | | lin.m. | 100 | | |
| | b) DWG 153 ; S-MA70095041 ; 600 DIAM - SONAR | | | | | |
| | 1) Sewer Inspection | | lin.m. | 86 | | |
| | 2) Post Processed Data | | lin.m. | 86 | | |
| | c) DWG 162 ; S-MA70069303 ; 900 DIAM - SONAR | | | | | |
| | 1) Sewer Inspection | | lin.m. | 42 | | |
| | 2) Post Processed Data | | lin.m. | 42 | | |
| | d) DWG 172 ; S-MA70022370 ; 750 DIAM - SONAR | | | | | |
| | 1) Sewer Inspection | | lin.m. | 27 | | |
| | 2) Post Processed Data | | lin.m. | 27 | | |
| | e) DWG 182 ; S-MA70033504 ; 3480 DIAM - MSI | | | | | |
| | 1) Sewer Inspection | | lin.m. | 21 | | |
| | 2) Post Processed Data | | lin.m. | 21 | | |
| | f) DWG 189 ; S-MA70029024 ; 900 DIAM - SONAR | | | | | |
| | 1) Sewer Inspection | | lin.m. | 13 | | |
| | 2) Post Processed Data | | lin.m. | 13 | | |
| | g) DWG 194 ; S-MA60003875 ; 750 DIAM - SONAR | | | | | |
| | 1) Sewer Inspection | | lin.m. | 25 | | |
| | 2) Post Processed Data | | lin.m. | 25 | | |
| | h) DWG 262 ; S-MA70019337 ; 675 DIAM - SONAR | | | | | |
| | 1) Sewer Inspection | | lin.m. | 83 | | |
| | 2) Post Processed Data | | lin.m. | 83 | | |
| | i) DWG 330 ; S-MA70016460 ; 1750x2175 DIAM - MSI | | | | | |
| | 1) Sewer Inspection | | lin.m. | 35 | | |
| | 2) Post Processed Data | | lin.m. | 35 | | |
| C. | Provisional Items | | | | | |
| C.1 | Replacing Standard Manhole Covers | CW 2130 | | | | |
| | a) AP-005 - Solid Cover | | each | 5 | | |
| | b) AP-006 - Open Grate Cover | | each | 5 | | |
| TOTAL BID PRICE (GST and MRST extra) (in figures) | | | | | \$ | |

 Name of Bidder