FORM A: BID (See B9)

1.	Contract Title	2016 WATER MAIN REI	NEWALS CONTRACT 13			
2.	Bidder					
		Name of Bidder				
		Usual Business Name of Bidde	er as it appears on Invoice (if different fro	om above)		
		Street				
		City	Province	Postal Code		
		Email Address of Bidder				
		Facsimile Number				
	(Mailing address if different)	Street or P.O. Box				
		City	Province	Postal Code		
		GST Registration Number (if a	oplicable)			
	(Choose one)	The Bidder is:				
		a sole proprietor				
		a partnership				
		a corporation				
		carrying on business und	ler the above name.			
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	orizes the following contact per of the Bid.	son to represent		
		Contact Person	Title			
		Telephone Number	Facsimile Number			
4.	Definitions	All capitalized terms us ascribed to them in the G	sed in the Contract shall have General Conditions.	e the meanings		

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

ITEM	DESCRIPTION	SPEC.	LINUT	APPROX.	UNIT	AMOUNT				
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT				
	BISSETT CRESENT									
<u>A</u>	Watermains									
A. 1	Watermain Renewal	CW 2110								
a)	150mm									
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	74						
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	83						
A. 2	Hydrant Assembly	CW 2110								
a)	SD-006		each	2						
A. 3	Watermain Valve	CW 2110								
a)	150mm		each	2						
A. 4	Fittings	CW 2110								
a)	Tees									
i)	300mm X 300mm X 150mm		each	1						
b)	Bends (SD-004)									
i)	150mm - 45°		each	4						
A. 5	Water Services	CW 2110								
a)	19mm									
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	35						
A. 6	Corporation Stops	CW 2110								
a)	19mm		each	12						
A. 7	Curb Stops	CW 2110								
a)	19mm		each	2						
A. 8	Curb Stop Boxes	CW 2110								
a)	19mm		each	2						
A. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110								
a)	In-line connection - no plug existing									
i)	150mm		each	1						
b)	Perpendicular connection									
i)	300mm		each	1						

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

UNIT PRICES

DESCRIPTION	SPEC.	LINIT	APPROX.	UNIT	AMOUNT
DESCRIPTION	REF.	ONIT	QUANTITY	PRICE	AWOUNT
Connecting Existing Copper Water Services to New Watermains	CW 2110				
19mm		each	12		
10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
On Water Services	CW 2110	each	14		
Partial Slab Patches	E5				
150mm reinforced concrete pavement		m^2	28		
Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E6, CW 3235	$m^{\scriptscriptstyle 2}$	9		
Concrete Curb Renewal	E7, CW 3240				
Lip curb & gutter		m	10		
S 1 1 C P 1 C C	Services to New Watermains 9mm 0.9 Kilogram Sacrificial Zinc Anodes On Water Services Partial Slab Patches 50mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Concrete Curb Renewal	Connecting Existing Copper Water Services to New Watermains 9mm 0.9 Kilogram Sacrificial Zinc Anodes On Water Services Cartial Slab Patches E5 50mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Concrete Curb Renewal E7, CW 3240	Connecting Existing Copper Water Services to New Watermains 9mm 0.9 Kilogram Sacrificial Zinc Anodes On Water Services CW 2110 each Partial Slab Patches 50mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Concrete Curb Renewal ip curb & gutter CW 2110 each E5 67 CW 2110 E6, CW 2110 E7 E7 E7 E7 E7 E7 E7 E7 E7 E	Connecting Existing Copper Water Services to New Watermains 9mm 0.9 Kilogram Sacrificial Zinc Anodes On Water Services CW 2110 CW 2110 CW 2110 CW 2110 CW 2110 Each 14 Partial Slab Patches 50mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Concrete Curb Renewal ip curb & gutter CW 2110 Each 12 CW 2110 Each 14 E5 M² 28 E6, CW 3235 m² 9 E7, CW 3240 ip curb & gutter m 10	REF. QUANTITY PRICE Connecting Existing Copper Water Services to New Watermains 9mm 0.9 Kilogram Sacrificial Zinc Anodes CW 2110 CW 2110 CW 2110 CW 2110 CW 2110 Each 14 Partial Slab Patches 50mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Concrete Curb Renewal E7, CW 3240

BISSETT CRESENT SUBTOTAL

CROSSGATE ROAD

<u>B</u>	Watermains				
B. 1	Watermain Renewal	CW 2110			
a)	150mm				
	trenchless installation, Class B sand bedding, Class 3 backfill		m	5	
ii)	On-line trenchless installation, Class B sand bedding, Class 3 backfill		m	4	
b)	200mm				
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	200	
B. 2	Hydrant Assembly	CW 2110			
a)	SD-006		each	2	
B. 3	Watermain Valve	CW 2110			
a)	150mm		each	2	
b)	200mm		each	3	
B. 4	Fittings	CW 2110			
a)	Tees				
i)	200mm X 200mm X 150mm		each	2	
ii)	200mm X 200mm X 200mm		each	1	

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	4 MO: 15:=
ITEM	DESCRIPTION	REF.		QUANTITY	PRICE	AMOUNT
b)	Bends (SD-004)					
i)	150mm - 45°		each	2		
ii)	200mm - 45°		each	2		
B. 5	Water Services	CW 2110				
a)	19mm trenchless installation, Class B sand					
	bedding, Class 3 backfill		m	15		
B. 6	Corporation Stops	CW 2110				
a)	19mm		each	20		
B. 7	Curb Stops	CW 2110				
a)	19mm		each	2		
B. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
B. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
,	200mm		each	1		
B. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	20		
B. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2		
b)	On Water Services		each	20		
B. 12	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m^2	35		
B. 13	Miscellaneous Concrete Slab Renewal	E6, CW 3235				
a)	Sidewalk (SD-228A)	,				
i)	Less than 5 m ²		m^2	45		
B. 14	Concrete Curb Renewal	E7, CW 3240				
a)	Ramp curb		m	10		
b)	Barrier curb (SD-204)		m	10		

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

	DECODINE ON	SPEC.		APPROX.	UNIT	4 MOUNIT
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
			<u>.</u>			
	WI	HITEHALL BO	ULEVARD			
<u>C</u>	Watermains					
C. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	4		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	178		
C. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	2		
C. 3	Watermain Valve	CW 2110				
a)	200mm		each	2		
C. 4	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 45°		each	2		
b)	Reducers					
i)	200mm - 150mm		each	1		
C. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30		
C. 6	Corporation Stops	CW 2110				
a)	19mm		each	16		
C. 7	Curb Stops	CW 2110				
a)	19mm		each	3		
C. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	3		
C. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
ii)	200mm		each	1		

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	LIMIT	APPROX.	UNIT	AMOUNT
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
C. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	16		
C. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1		
b)	On Water Services		each	19		
C. 12	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m²	55		
C. 13	Miscellaneous Concrete Slab Renewal	E6, CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m²	15		
C. 14	Concrete Curb Renewal	E7, CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	15		
C. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	7		

WHITEHALL BOULEVARD SUBTOTAL

WIDLAKE STREET

<u>D</u>	Watermains				
D. 1	Watermain Renewal	CW 2110			
a)	200mm				
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	223	
D. 2	Hydrant Assembly	CW 2110			
a)	SD-007		each	3	
D. 3	Watermain Valve	CW 2110			
a)	200mm		each	2	
D. 4	Fittings	CW 2110			
a)	Tees				
i)	300mm X 300mm X 200mm		each	1	
b)	Bends (SD-005)				
i)	200mm - 45°		each	4	

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

ITE 8.4	DECODINE	SPEC.	LINUT	APPROX.	UNIT	AMOUNT
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
D. 5	Water Services	CW 2110				
a)	19mm					
	trenchless installation, Class B sand bedding, Class 3 backfill		m	30		
D. 6	Corporation Stops	CW 2110				
a)	19mm		each	21		
D. 7	Curb Stops	CW 2110				
a)	19mm		each	2		
D. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
D. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
) 200mm		each	1		
b)	Perpendicular connection					
	300mm		each	1		
D. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	21		
D. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	21		
D. 12	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m^2	30		
D. 13	Miscellaneous Concrete Slab Renewal	E6, CW 3235				
a)	Sidewalk (SD-228A)		m²	98		
D. 14	Concrete Curb Renewal	E7, CW 3240				
a)	Barrier curb (SD-204)		m	20		
D. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	4		
			WII	DLAKE STRE	ET SUBTOTAL	
		FORREST AV	/ENUE			
<u>E</u>	Watermains					

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

17514	DECORPTION	SPEC.	LINUT	APPROX.	UNIT	AMOUNT
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
E. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	202		
E. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	2		
E. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
E. 4	Fittings	CW 2110				
a)	Bends (SD-005)					
i)	150mm - 45°		each	2		
E. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	120		
E. 6	Corporation Stops	CW 2110				
a)	19mm		each	29		
E. 7	Curb Stops	CW 2110				
a)	19mm		each	16		
E. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	16		
E. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
E. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	29		
E. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1		
b)	On Water Services		each	36		
E. 12	Partial Slab Patches	E5				
a)	150mm reinforced concrete pavement		m²	45		

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
ITEIVI	DESCRIPTION	REF.	ONT	QUANTITY	PRICE	AMOUNT
E. 13	Miscellaneous Concrete Slab Renewal	E6, CW 3235				
a)	Sidewalk (SD-228A)		m²	102		
E. 14	Concrete Curb Renewal	E7, CW 3240				
a)	Barrier curb (SD-204)		m	30		
E. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	6		

FORREST AVE SUBTOTAL

N	ЛΙ	9	S	ın	N	S	ΓR	F	F٦	Ī

<u>F</u>	Watermains				
F. 1	Watermain Renewal	CW 2110			
a)	250mm				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	622	
F. 2	Hydrant Assembly	CW 2110			
a)	SD-006		each	6	
b)	SD-007		each	1	
F. 3	Watermain Valve	CW 2110			
a)	250mm		each	6	
F. 4	Fittings	CW 2110			
a)	Bends (SD-004)				
i)	150mm - 45°		each	5	
F. 5	Water Services	CW 2110			
a)	19mm				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20	
b)	25mm				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	6	
c)	50mm				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	6	
F. 6	Corporation Stops	CW 2110			
a)	19mm		each	8	
b)	25mm		each	1	

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.	UNIT	QUANTITY	PRICE	AMOUNT
c)	50mm		each	1		
F. 7	Curb Stops	CW 2110				
a)	19mm		each	2		
b)	25mm		each	1		
c)	50mm		each	1		
F. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
b)	25mm		each	1		
c)	50mm		each	1		
F. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	250mm		each	3		
F. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	8		
b)	25mm		each	1		
c)	50mm		each	1		
F. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	10		
F. 12	Miscellaneous Concrete Slab Renewal	E6, CW 3235				
a)	Sidewalk (SD-228A)		m^2	30		
F. 13	Construction of Hydrant Approach c/w 450 CMP	E 10	each	2		
F. 14	Construction of Asphaltic Concrete Patches Type 1A	E9, CW 3410	m²	65		
			M	ISSION STREE	T SUBTOTAL	

PROVISIONAL ITEMS

G. 1	Cement Stabilized Fill	CW 2030, CW 2160	m ³	10	
G. 2	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m^2	20	
G. 3	Adjustment of Precast Sidewalk Blocks	CW 3235	m²	20	

(SEE B9)

2016 WATERMAIN RENEWALS - CONTRACT NO. 13

UNIT PRICES

G. 4 Sodding	ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
G. 6 Continuity Bonding G. 7 Watermain Repair - Up To 3.0 metres Long CW 2110 a) 150mm i) Class 3 backfill b) 200mm i) Class 3 backfill c) 250mm i) Class 3 backfill each 2 250mm i) Class 3 backfill each 2 300mm i) Class 3 backfill each 2 6. 8 Fittings a) Bends (SD-005) i) 150mm - 45° ii) 200mm - 45° ii) 200mm - 45° a) SD-024 G. 10 Regrading of Existing Sewer Service - Up to 1.5 metres Long a) 150mm Regrading of Existing Sewer Service - CW 2110 a) 150mm Regrading of Existing Sewer Service - CW 2110	G. 4	Sodding	CW 3510	m²	50		
G. 7 Watermain Repair - Up To 3.0 metres Long a) 150mm Class 3 backfill b) 200mm Class 3 backfill c) 250mm Class 3 backfill d) 300mm Class 3 backfill each 2 G. 8 Fittings Bends (SD-005) i) 150mm - 45° ii) 200mm - 45° a) SD-024 G. 10 Regrading of Existing Sewer Service - Up to 1.5 metres Long a) 150mm G. 11 Regrading of Existing Sewer Service - Longer Than 1.5 metres CW 2110	G. 5	Maintaining Curb Stop Excavations	CW 2110	day	25		
a) 150mm Class 3 backfill each 2 b) 200mm Class 3 backfill each 2 c) 250mm Class 3 backfill each 2 d) 300mm each 2 d) 300mm each 2 d) 300mm each 2 d) 300mm each 2 d) Fittings each 2 d) 150mm - 45° each 2 each 6 e	G. 6	Continuity Bonding	CW 2110	each	25		
Class 3 backfill 200mm Class 3 backfill 200mm Class 3 backfill each 2 2 2 2 2 2 2 2 2	G. 7	Watermain Repair - Up To 3.0 metres Long	CW 2110				
b) 200mm class 3 backfill each 2 250mm each 2 250mm each 2 2 250mm each 2 2 2 2 2 2 2 2 2	a)	150mm					
i) Class 3 backfill 250mm Class 3 backfill each 2 d) 300mm Class 3 backfill each 2 G. 8 Fittings a) Bends (SD-005) i) 150mm - 45° ii) 200mm - 45° a) Remove and Replace Existing Catch Basin SD-024 G. 10 Regrading of Existing Sewer Service - Up to 1.5 metres Long a) 150mm Regrading of Existing Sewer Service - Longer Than 1.5 metres CW 2110 Each 2	· ·			each	2		
C 250mm Class 3 backfill each 2	I			each	2		
d) 300mm	c)	250mm					
i) Class 3 backfill each 2 G. 8 Fittings CW 2110 Each 2 Bends (SD-005) each 2 i) 150mm - 45° each 2 G. 9 Remove and Replace Existing Catch Basin CW 2130 each 2 G. 10 Regrading of Existing Sewer Service - Up to 1.5 metres Long CW 2110 each 2 G. 11 Regrading of Existing Sewer Service - Longer Than 1.5 metres CW 2110 each 60				each	2		
a) Bends (SD-005) i) 150mm - 45° ii) 200mm - 45° each 2 G. 9 Remove and Replace Existing Catch Basin SD-024 each 2 each 2 each 6 Each 2 each 60 Each	· ·			each	2		
i) 150mm - 45° each 2 G. 9 Remove and Replace Existing Catch Basin SD-024 G. 10 Regrading of Existing Sewer Service - Up to 1.5 metres Long a) 150mm each 60 G. 11 Regrading of Existing Sewer Service - Longer Than 1.5 metres CW 2130 Each 2 CW 2130 Each 2 CW 2110 Each 60	G. 8	Fittings	CW 2110				
ii) 200mm - 45° each 2 G. 9 Remove and Replace Existing Catch Basin a) SD-024 each 2 G. 10 Regrading of Existing Sewer Service - Up to 1.5 metres Long a) 150mm each 60 G. 11 Regrading of Existing Sewer Service - Longer Than 1.5 metres CW 2110	a)	l '					
G. 9 Remove and Replace Existing Catch Basin a) SD-024 Regrading of Existing Sewer Service - Up to 1.5 metres Long a) 150mm Regrading of Existing Sewer Service - Longer Than 1.5 metres CW 2130 each 2 CW 2110 each 60 CW 2110	1						
a) SD-024 each 2 G. 10 Regrading of Existing Sewer Service - Up to 1.5 metres Long a) 150mm each 60 G. 11 Regrading of Existing Sewer Service - Longer Than 1.5 metres Carbon CW 2110	ii)	200mm - 45°		each	2		
G. 10 Regrading of Existing Sewer Service - Up to 1.5 metres Long a) 150mm each G. 11 Regrading of Existing Sewer Service - Longer Than 1.5 metres CW 2110 CW 2110	G. 9	Remove and Replace Existing Catch Basin	CW 2130				
a) 150mm each 60 G. 11 Regrading of Existing Sewer Service - Longer Than 1.5 metres CW 2110	a)	SD-024		each	2		
G. 11 Regrading of Existing Sewer Service - Longer Than 1.5 metres CW 2110	G. 10		CW 2110				
Longer Than 1.5 metres	a)	150mm		each	60		
a) 150mm m 85	G. 11		CW 2110				
	a)	150mm		m	85		

FORREST AVE SUBTOTAL

GRAND TOTAL

TOTAL BID PRICE (GST extra) (in figures)\$	
, , , , , ,	
	_

Name of Bidder

(Seal)

Template Version: C120150806- C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pe described, for the payment of which sum t	and firmly bound unto THE CITY OF WINNIPEG reent (10%) of the Total Bid Price set out in the Bithe Principal and Surety bind themselves, their heir intly and severally, firmly by these presents.	d hereinafter
WHEREAS the Principal has submitted a E	Bid to the Obligee for	
BID OPPORTUNITY NO. 845-2016		
2016 WATER MAIN RENEWALS CONTRA	ACT 13	
as more fully set out in the Bid Opportunity		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a deperformance security for guaranteeing the faithfuld, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 845-2016 2016 WATER MAIN RENEWALS CONTRACT 13 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpo Materi 185 K	ity of Winnipeg rate Finance Department als Management Division ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 845-2016
	2016 WATER MAIN RENEWALS CONTRACT 13
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
(Addres	s of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for the without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on January 16, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
(Ivaille	of bank of infancial institution)
Per:	
	(Authorized Signing Officer)
Per:	
1 01.	(Authorized Signing Officer)