




File Name: P:\Projects\2015\15-0109-003\Struct\15-0109-003_S01.dwg - Tab: S01 Plotted By: DDeroche 16/02/08 [Mon 10:52am]
 24x36 / PLOT SCALE: 1"=1'



- NOTES:**
- SUB-GRADE SHALL BE GRADED TO ELEVATIONS SHOWN IN PLAN WITH CROSS SLOPE TO TRENCH DRAIN. PROOF ROLL SUB-GRADE TO 98% STANDARD PROCTOR. SUB-GRADE SILT DEPOSITS TO BE REPLACED WITH COMPACTED CLAY.
 - LIMESTONE FILL SHALL BE COMPACTED IN 150mm LIFTS. LIMESTONE SHALL BE CLEAN GRADED STONE 75mm TO 10mm.
 - GRANULAR FILL SHALL HAVE A MINIMUM DEPTH OF 100mm, SHALL BE GRANULAR 'A' BASE (MAX. PARTICLE SIZE 19mm), COMPACTED TO 98% STANDARD PROCTOR.



A SECTION - TRENCH
SCALE: 1:20 (24x36)

NO.	DATE	DESCRIPTION	DESIGN BY	DESIGN CHECK
1	16/02/08	ISSUED FOR RE-TENDER		
0	15/07/10	ISSUED FOR CONSTRUCTION	RJL	

REVISIONS / ISSUE



PROJECT:
CHORNICK SKATE PARK
CHORNICK PARK
WINNIPEG, MB

DWG. DESCRIPTION:
EXCAVATION PLAN

 AUTHENTICATION FOR CURRENT REVISION ENG. STAMP 	DESIGN BY:	RJL	DATE: (YY/MM/DD):	15/06/09
	DESIGN CHECK:	PPG	DATE:	15/07/10
	DRAWN BY:	JAR	DATE:	15/06/09
	DWG. CHECK:	RJL	DATE:	15/07/10

DWG. NO: 15-0109-003 S01 REV: 1