





B SECTION B
1:50
BGAD-R003
BGAD-R004
BGAD-R005

C SECTION C
1:50
BGAD-R003
BGAD-R004
BGAD-R005

- NOTES:**
- 1 HR - DENOTES 1 HOUR FIRE RATED SEPARATION
 - DENOTES EXTENTS OF FIRE WALLS - - - - - 1HR
 - PIPE/ DUCT PENETRATIONS THROUGH FLOORS/ CEILINGS, SEE DETAIL -  BDTL-A003
 - PIPE/ DUCT PENETRATIONS THROUGH EXTERIOR WALL, SEE DETAIL -  BDTL-A003
 - PIPE/ DUCT PENETRATIONS THROUGH CONCRETE WALLS, SEE DETAIL -  BDTL-A003

- PATTERN/HATCHING OF WATER/LIQUID IS FOR CLARIFICATION PURPOSES ONLY TO INDICATE AND DIFFERENTIATE WATER/LIQUID CONTAINING STRUCTURES FROM REMAINDER OF BUILDING AREAS. IT DOES NOT REPRESENT ACTUAL LEVEL, VOLUME OR EXTENT OF WATER/LIQUID IN THESE AREAS. REFER TO PROCESS MECHANICAL FOR SUCH REQUIREMENTS.



CH2MHILL CANADA Architects Inc.		ENGINEER'S SEAL 		THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT	
DESIGNED BY: R. ZAKKO		CHECKED BY: B. KOLIS-HUPA		SOUTH END WATER POLLUTION CONTROL CENTRE SEWPPC UPGRADING/EXPANSION PROJECT BUILDING BIOREACTORS/BLOWER BUILDING SECTION B & C	
DRAWN BY: R. BATHAN		APPROVED BY: H.T. FREIHAMMER		CITY DRAWING NUMBER 1-0102-BGAD-R011	
SCALE: 1:50		ISSUED FOR CONSTRUCTION BY: J. SHUMKA		SHEET 01	
DATE: 2017/04/05		DATE: 2017/04/05		REV. 01	
CONSULTANT NO.: 474248		CONSULTANT NO.: 474248		SIZE A1	
NO. REVISIONS		DATE DESIGN CHECK		FILE NAME: 1-0102-BGAD-R011.dgn	